


# installation guide

## chef canopy rangehoods

models: CS601S, CS901S, RCD690S, RCD990S

### canopy rangehood dimensions



\*1100mm extension flue cover is available if required where high ceilings are present (model no. ARF500FS).

All measurements in millimetres.

Current as at Dec 2006.


© 2006 Electrolux Home Products Pty Ltd. CDIMCANRH

# installation guide


## chef canopy rangehoods

models: CS601S, CS901S, RCD690S, RCD990S

### canopy rangehood fixing dimensions



### canopy rangehood exhaust options



\*In recirculating mode you must use a recirculating kit which includes carbon filters to eliminate cooking smells (model no. AR500RK).

All measurements in millimetres.

Current as at Dec 2006.


© 2006 Electrolux Home Products Pty Ltd. CDIMCANRH

# ducting accessories

## chef canopy rangehoods

models: CS601S, CS901S, RCD690S, RCD990S

### canopy rangehood ducting accessories



part numbers	description
AR125RC	roof cowl
AR125B	90° bend
AR125F	flue 1200mm long
AR125FD	flexible duct – 1 metre long when expanded
AR125VWV	wall vent kit
AR500FS	extra length flue cover 1100mm length brushed stainless steel
AR500RK	recirculating kit (includes AR500CF x 2)
AR500CF	replacement carbon filters
AR125FJ	flue joiner without damper
AR125FJD	flue joiner with damper




# ducting accessories

## chef fixed rangehoods

models: RFD602W, RFD602S, RFD902W, RFD902S

### fixed rangehood ducting accessories



part numbers	description
AR125RC	roof cowl
AR125B	90° bend
AR125F	flue 1200mm long
AR125FD	flexible duct – 1 metre long when expanded
AR125WV	wall vent kit
AR125FJ	flue joiner without damper
AR125FJD	flue joiner with damper
ARCFD (not illustrated)	replacement carbon filters

All measurements in millimetres.

Current as at Dec 2006.


© 2006 Electrolux Home Products Pty Ltd. CDIMFIXRH

# installation guide

## chef 600mm slideout rangehoods


models: REHR6S, REHR6W, RRE634W, RRE634S

### slideout rangehood dimensions




### slideout rangehood fixing distance

Minimum distance of hood above hob




### slideout rangehood exhaust options


Rear Exhaust to atmosphere




Top Exhaust to atmosphere



Side Exhaust to atmosphere



Top Recirculating Exhaust\*



\*In recirculating mode you must use a recirculating kit which includes carbon filters to eliminate cooking smells (model no. ARCFD).

All measurements in millimetres.

Current as at Dec 2006.


© 2006 Electrolux Home Products Pty Ltd. CDIMSJDRH600MM

# ducting accessories

## chef 600mm slideout rangehoods

models: REHR6S, REHR6W, RRE634W, RRE634S

### slideout rangehood ducting accessories



#### part numbers

#### description


AR125RC	roof cowl
AR125B	90° bend
AR125F	flue 1200mm long
AR125FD	flexible duct – 1 metre long when expanded
AR125WV	wall vent kit
AR125FJ	flue joiner without damper
AR125FJD	flue joiner with damper
ARCFD (not illustrated)	replacement carbon filters

# installation guide

## chef slideout rangehoods


models: RRE635W, RRE635S

### slideout rangehood dimensions




### slideout rangehood fixing distance

Minimum distance  
of hood above hob




### slideout rangehood exhaust options


Rear Exhaust  
to atmosphere




Top Exhaust  
to atmosphere



Side Exhaust  
to atmosphere



Front Recirculating  
Exhaust\*†



\* In recirculating mode you must use carbon filters to eliminate cooking smells. (Model No. ARCFD)  
† RRE635 models are supplied with carbon filters and 70mm fascia.




# ducting accessories

## chef slideout rangehoods

models: RRE635W, RRE635S

### slideout rangehood ducting accessories



#### part numbers

#### description


AR125RC	roof cowl
AR125B	90° bend
AR125F	flue 1200mm long
AR125FD	flexible duct - 1 metre long when expanded
AR125WV	wall vent kit
AR125FJ	flue joiner without damper
AR125FJD	flue joiner with damper
ARCFD (not illustrated)	replacement carbon filters

# installation guide

## chef 900mm slideout rangehoods


models: REHR9S, REHR9W, RRE934W, RRE934S

### slideout rangehood dimensions




### slideout rangehood fixing distance

Minimum distance of hood above hob




### slideout rangehood exhaust options


Rear Exhaust to atmosphere




Top Exhaust to atmosphere



Side Exhaust to atmosphere



Top Recirculating Exhaust\*



\* In recirculating mode you must use a recirculating kit which includes carbon filters to eliminate cooking smells (model no. ARCFD).

All measurements in millimetres.

Current as at Dec 2006.


© 2006 Electrolux Home Products Pty Ltd. CDIMSJDRH900MM

# ducting accessories

## chef 900mm slideout rangehoods

models: REHR9S, REHR9W, RRE934W, RRE934S

### slideout rangehood ducting accessories



part numbers	description
AR125RC	roof cowl
AR125B	90° bend
AR125F	flue 1200mm long
AR125FD	flexible duct – 1 metre long when expanded
AR125VW	wall vent kit
AR125FJ	flue joiner without damper
AR125FJD	flue joiner with damper
ARCFD (not illustrated)	replacement carbon filters