
MODELS: WRH908IW, WRH908IS, WRH908IK





part numbers	description
AR125RC	Roof Cowl
AR125B	90° Bend
AR125F	Flue 1200mm Long
AR125FD	Flexible Duct – 1 metre long when expanded
AR125VVV	Wall Vent Kit
AR125FJ	Flue Joiner without damper
AR125FJD	Flue Joiner with damper
ARCFD (not illustrated)	Replacement Carbon Filters


© 2007 Electrolux Home Products Pty Ltd. ABN 51 004 762 341 WRANIDSLIDE90 Jul07



MODELS: WRJ600UW, WRJ600UK, WRJ600US, WRJ603UW, WRJ611US, WRJ900UW, WRJ900US, WRJ903UW, WRJ903UK, WRJ911US








* In recirculating mode you must use carbon filters to eliminate cooking smells. (Model No. ARCFD) All measurements in millimetres.

© 2007 Electrolux Home Products Pty Ltd. ABN 51 004 762 341 WRANIDFIXED Jul07





MODELS: WRJ600UW, WRJ600UK, WRJ600US, WRJ603UW, WRJ611US, WRJ900UW, WRJ900US, WRJ903UW, WRJ903UK, WRJ911US




part numbers	description
AR125RC	Roof Cowl
AR125B	90° Bend
AR125F	Flue 1200mm Long
AR125FD	Flexible Duct – 1 metre long when expanded
AR125VVV	Wall Vent Kit
AR125FJ	Flue Joiner without damper
AR125FJD	Flue Joiner with damper
ARCFD (not illustrated)	Replacement Carbon Filters

© 2007 Electrolux Home Products Pty Ltd. ABN 51 004 762 341 WRANIDFIXED Jul07



MODELS: WRF600CS, WRF900CS, WRG630CS, WRG930CS, WRG630CW, WRG930CW





*1100mm extension flue cover is available if required where high ceilings are present. (Model No. AR500FS or AR500FVV) All measurements in millimetres.

© 2007 Electrolux Home Products Pty Ltd. ABN 51 004 762 341 WRANIDCANOPY Jul07



MODELS: WRF600CS, WRF900CS, WRG630CS, WRG930CS, WRG630CW, WRG930CW






* In recirculating mode you must use a recirculating kit which includes carbon filters to eliminate cooking smells. (Model No. AR500RK) * WRG630 and WRG 930 models are supplied with a recirculating tpiece, although you must use carbon filters to remove cooking smells. (Model No. AR500CF)

All measurements in millimetres

© 2007 Electrolux Home Products Pty Ltd. ABN 51 004 762 341 WRANIDCANOPY Jul07



MODELS: WRF600CS, WRF900CS, WRG630CS, WRG930CS, WRG630CW, WRG930CW



part numbers	description
AR125RC	Roof Cowl
AR125B	90° Bend
AR125F	Flue 1200mm Long
AR125FD	Flexible Duct – 1 metre long when expanded
AR125WV	Wall Vent Kit
AR500FS / AR500FVV	Extra Length Flue Cover 1100mm length brushed stainless steel / white
AR500RK	Recirculating Kit (includes AR500CF x 2)
AR500CF	Replacement Carbon Filters
AR125FJ	Flue Joiner without damper
AR125FJD	Flue Joiner with damper


NB: WRG630 and WRG930 models are supplied with a recirculating tpiece. Therefore, if recirculating you only require carbon filters (Model No. AR500CF)

© 2007 Electrolux Home Products Pty Ltd. ABN 51 004 762 341 WRANIDCANOPY Jul07

page 3 of 3



MODELS: WRG950CGS





© 2007 Electrolux Home Products Pty Ltd. ABN 51 004 762 341 WRANIDGLASSCANOPY Jul07





MODELS: WRG950CGS






* In recirculating mode you must use carbon filters to eliminate cooking smells. (Model No. AR500CF)

All measurements in millimetres.

© 2007 Electrolux Home Products Pty Ltd. ABN 51 004 762 341 WRANIDGLASSCANOPY Jul07



MODELS: WRG950CGS



part numbers	description
AR125RC	Roof Cowl
AR125B	90° Bend
AR125F	Flue 1200mm Long
AR125FD	Flexible Duct – 1 metre long when expanded
AR125VVV	Wall Vent Kit
AR500CF	Replacement Carbon Filters
AR125FJ	Flue Joiner without damper
AR125FJD	Flue Joiner with damper


NB: WRG950GCS is supplied with a recirculating tpiece. Therefore, if recirculating you only require carbon filters (Model No. AR500CF) and fit duct between housing outlet and recirculating tpiece.

© 2007 Electrolux Home Products Pty Ltd. ABN 51 004 762 341 WRANIDGLASSCANOPY Jul07


page 3 of 3




MODELS: WRH605IW, WRH605IS, WRH608IW, WRH608IS, WRH608IK



Minimum distance of hood above hob






* In recirculating mode it is recommended you use carbon filters to eliminate cooking smells. (Model No. ARCFD)
* WRH605 models can only be recirculated using top recirculating exhaust mode. 70mm fascia is required for front recirculation. All measurements in millimetres.

© 2007 Electrolux Home Products Pty Ltd. ABN 51 004 762 341 WRANIDSLIDE60 Jul07



MODELS: WRH605IW, WRH605IS, WRH608IW, WRH608IS, WRH608IK




part numbers	description
AR125RC	Roof Cowl
AR125B	90° Bend
AR125F	Flue 1200mm Long
AR125FD	Flexible Duct – 1 metre long when expanded
AR125VVV	Wall Vent Kit
AR125FJ	Flue Joiner without damper
AR125FJD	Flue Joiner with damper
ARCFD (not illustrated)	Replacement Carbon Filters

© 2007 Electrolux Home Products Pty Ltd. ABN 51 004 762 341 WRANIDSLIDE60 jul07



MODELS: WRH908IW, WRH908IS, WRH908IK



* In recirculating mode it is recommended you use carbon filters to eliminate cooking smells. [Model No. ARCFD] * 70mm fascia is required for front recirculation. All measurements in millimetres.

© 2007 Electrolux Home Products Pty Ltd. ABN 51 004 762 341 WRANIDSLIDE90 Jul07

