LIKE ONE OF GRANDPA'S OLD YARNS, OUR OVENS GO ON AND ON. AND ON.



FREESTANDING OVENS. VERY, VERY RELIABLE.

600mm, 540mm freestanding and elevated stoves



FEATURES

DESIGNED WITH BETTER RESULTS IN MIND

Westinghouse – Australia's favourite cooking appliance brand* – offer Australian families the widest selection of cooking solutions. Our freestanding ovens have generous capacities, are available in gas or electric and come with a number of hob styles.

The Westinghouse freestanding oven range includes separate grills for added practicality. We also offer a variety of durable and low maintenance cooking surfaces and finishes. So, take a closer look at our vast range of practical features – all designed with your needs in mind.

* GfK MAT June 2007



LARGE CAPACITY OVENS

Our freestanding ovens allow you to cook large meals easily with a generous 80L gross capacity and up to a huge 66L of usable capacity.



SEPARATE GRILLING COMPARTMENT

All our models feature a separate grilling compartment for added practicality. You can bake and grill at the same time, and it's easier to keep the oven cleaner.



EASY CLEANING

Enamel surfaces are easy to maintain, and formed runners^ on the inside (instead of racks) means easier cleaning.

^ Selected models only



CERAMIC COOKTOP

Ceramic cooktops provide a great looking durable glass surface, which is easy to clean and maintain.



TRIPLE RING WOK BURNER

On selected gas models, a high power triple-ring burner allows you to stir fry like a professional.



PROGRAMMABLE TIMERS

With 3 simple-to-operate buttons, you can automatically set the oven to turn on or off, or simply use the clock as a timer.



ELECTRIC

600mm ELECTRIC STOVES features



model	PAK808W	PAK806W	PAK804W
nominal width (mm)	600	600	600
available finishes	white	white	white
hob			
type	ceramic	ceramic	enamel
element	ribbon	ribbon	coil
left front	750W/1450W (dual)	750W/1450W (dual)	2050W
left rear	1200W	1200W	1250W
right front	1200W	1200W	2050W
right rear	1800W	1800W	1250W
hot surface indicator	✓	✓	
main oven			
oven functions	fan forced	fan forced	fan forced
capacity			
– gross (litres)	80	80	80
– usable (litres)	66	66	66
timer	programmable	60 minute	60 minute
oven light	✓	✓	\checkmark
shelf support	wire racks	wire racks	wire racks
general features			
separate grill	✓	✓	\checkmark
anti-spatter grill insert	✓	✓	
warming/storage drawer	warming	storage	storage
number of shelves	2	2	2
connection			
type	hardwire	hardwire	hardwire
maximum power rating	11.2kW	10.8kW	11.1kW
dimensions [†]			
overall height x width x depth (mm)	1140 x 596 x 630	1140 x 596 x 630	1140 x 596 x 630
height to hob (mm)	913	913	913

Dimensions refer to overall dimensions of the product, not actual cut-out sizes. Depth excludes knobs and handles.

 $^{^{\}dagger}$ Refer to the product information on the back page of this brochure



ELECTRIC

540mm ELECTRIC STOVES features¹





model	PAK558W	PAK520W
nominal width (mm)	540	540
available finishes	white	white
hob		
type	ceramic	enamel
element	ribbon	solid
left front	1200W	1000VV
left rear	2000W	1500VV
right front	1800VV	2000VV
right rear	1200W	1000VV
hot surface indicator	✓	
main oven		
oven functions	fan forced	fan forced
capacity		
– gross (litres)	80	80
– usable (litres)	66	66
timer	programmable	programmable
oven light	✓	✓
lift-off enamel oven door	✓	✓
shelf support	formed runners	formed runners
general features		
separate grill	✓	✓
wire grill dish insert	✓	✓
number of shelves	2	2
connection		
type	hardwire	hardwire
maximum power rating	10.7kW	11.0kW
dimensions [†]		
overall height x width x depth (mm)	1140 × 540 × 630	1140 × 540 × 630
height to hob (mm)	915	915

Dimensions refer to overall dimensions of the product, not actual cut-out sizes. Depth excludes knobs and handles.

 $^{^{\}dagger}$ Refer to the product information on the back page of this brochure









540 540 540 540 white white white white enamel enamel enamel coil coil coil 1250W 1250W 1250W 1250W 1250W 1250W 1250W 2050W 1250W 2050W 2050W 2050W for forced conventional conven	PAK518W	PAK144W	PAK143W	PAK140W
enamel enamel enamel enamel coil solid coil coil 1250W 1000W 1250W 1250W 1250W 1250W 1250W 1250W 2050W 2050W 1250W 2050W 2050W 2050W 2050W 2050W fan forced conventional conventiona	540	540	540	540
coil solid coil coil 1250W 1000W 1250W 1250W 1250W 1500W 1250W 1250W 1250W 2000W 1250W 1250W 2050W 2050W 2050W fan forced conventional conventional 80 80 80 80 66 66 66 66 programmable 60 minute 60 minute 60 minute 7 7 7 7 80 7 7 7 80 80 80 80 80 80 60 60 60 60 9 7 7 7 7 9 7 7 7 7 7 10 7<	white	white	white	white
coil solid coil coil 1250W 1000W 1250W 1250W 1250W 1500W 1250W 1250W 1250W 2000W 1250W 1250W 2050W 2050W 2050W fan forced conventional conventional 80 80 80 80 66 66 66 66 programmable 60 minute 60 minute 60 minute 7 7 7 7 80 7 7 7 80 80 80 80 80 80 60 60 60 60 9 7 7 7 7 9 7 7 7 7 7 10 7<				
1250W 1000W 1250W 1250W 1250W 1500W 1250W 1250W 1250W 2000W 1250W 1250W 2050W 1000W 2050W 2050W fan forced conventional 80 80 80 80 66 66 66 66 66 programmable 60 minute √ √ √ √ √ √ √ √ √ √ √ √ √	enamel	enamel	enamel	enamel
1250W 1500W 1250W 1250W 1250W 2000W 1250W 1250W 2050W 2050W 2050W fan forced conventional conventional 80 80 80 66 66 66 66 66 66 60 minute 60 minute 60 minute 7 7 7 7 7 7 80 7 80 80 80 80 80 80 80 80 66 66 66 66 66 60 minute 60 minute 60 minute 7 7 7 80 7 7 80 80 80 80 80 60 60 60 9 60 minute 60 minute 9 7 7 7 7 7 9	coil	solid	coil	coil
1250W 2000W 1250W 1250W 2050W 2050W 2050W fan forced conventional conventional 80 80 80 66 66 66 programmable 60 minute 60 minute 7 7 7 60rmed runners formed runners formed runners 80 80 80 80 66 66 60 60 60 60 minute 60 minute 60 minute 7 7 7 9 7 7 10 med runners formed runners formed runners 10 med runners formed runners formed runners	1250W	1000VV	1250VV	1250W
2050W 2050W 2050W fan forced conventional conventional conventional 80 80 80 80 80 66 66 66 66 66 66 programmable 60 minute 60 minute 60 minute ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓	1250W	1500VV	1250VV	1250W
fan forced conventional conventional conventional 80 80 80 80 80 66 66 66 66 programmable 60 minute 60 minute 60 minute 7 7 7 7 formed runners formed runners formed runners 9 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	1250W	2000W	1250W	1250W
80 80 80 80 66 66 66 66 66 66 66 66 programmable 60 minute 60 minute 60 minute 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	2050VV	1000W	2050W	2050W
80 80 80 80 66 66 66 66 66 66 66 66 programmable 60 minute 60 minute 60 minute 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7				
80 80 80 80 66 66 66 66 66 66 66 66 programmable 60 minute 60 minute 60 minute 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7				
66 66 66 66 66 66 programmable 60 minute 60 minute 60 minute	fan forced	conventional	conventional	conventional
66 66 66 66 66 66 programmable 60 minute 60 minute 60 minute				
programmable 60 minute 60 minute 60 minute ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ formed runners formed runners formed runners Formed runners	80	80	80	80
V	66	66	66	66
✓ ✓	programmable	60 minute	60 minute	60 minute
formed runners formed runners formed runners ✓ ✓ ✓ ✓ ✓ ✓ 2 2 2 hardwire hardwire hardwire 10.3kW 10.5kW 9.8kW 1140 x 540 x 630 1140 x 540 x 630 1140 x 540 x 630	✓	✓	✓	
✓ ✓	✓	✓	✓	✓
✓ ✓ ✓ 2 2 2 hardwire hardwire hardwire 10.3kW 10.5kW 9.8kW 9.8kW 9.8kW 1140 x 540 x 630 1140 x 540 x 630 1140 x 540 x 630	formed runners	formed runners	formed runners	formed runners
✓ ✓ ✓ 2 2 2 hardwire hardwire hardwire 10.3kW 10.5kW 9.8kW 9.8kW 9.8kW 1140 x 540 x 630 1140 x 540 x 630 1140 x 540 x 630				
2 2 2 2 2 hardwire hardwire hardwire hardwire hardwire 10.3kW 9.8kW 9.8kW 9.8kW 1140 x 540 x 630 1140 x 540 x 630 1140 x 540 x 630	✓	✓	✓	✓
hardwire hardwire hardwire hardwire 10.3kW 10.5kW 9.8kW 9.8kW 1140 x 540 x 630	✓	✓	✓	✓
10.3kW 10.5kW 9.8kW 9.8kW 9.8kW 1140 x 540 x 630 1140 x 540 x 630 1140 x 540 x 630	2	2	2	2
10.3kW 10.5kW 9.8kW 9.8kW 9.8kW 1140 x 540 x 630 1140 x 540 x 630 1140 x 540 x 630				
1140 x 540 x 630	hardwire	hardwire	hardwire	hardwire
	10.3kW	10.5kW	9.8kW	9.8kW
915 915 915	1140 x 540 x 630	1140 x 540 x 630	1140 × 540 × 630	1140 × 540 × 630
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	915	915	915	915



540mm GAS STOVES features





model	GUK527W	GUK525W
nominal width (mm)	540	540
available finishes	white	white
hob		
type	enamel	enamel
burners	4	4
left front	14.4MJ/h (wok)	12.7MJ/h
left rear	5.1MJ/h	5.1MJ/h
right front	9.0MJ/h	9.0MJ/h
right rear	9.0MJ/h	9.0MJ/h
enamelled wire trivets	✓ (with wok trivet)	✓
ignition	electronic	electronic
main oven		
oven functions	fan nake & conventional	fan bake & conventional
capacity		
– gross (litres)	80	80
– usable (litres)	59	59
timer	60 minute	60 minute
oven light	✓	✓
ignition	electronic	electronic
shelf support	formed runners	formed runners
general features		
separate grill	✓	✓
wire grill dish insert	✓	✓
number of shelves	2	2
connection		
type	10A plug	10A plug
max gas rating	60.8MJ	59.1MJ
dimensions [†]		
overall height x width x depth (mm)	1140 x 540 x 630	1140 x 540 x 630
height to hob (mm)	915	915

Dimensions refer to overall dimensions of the product, not actual cut-out sizes. Depth excludes knobs and handles. Burner outputs shown above are for natural gas connection.

 $^{^{\}dagger}\,$ Refer to the product information on the back page of this brochure







GUK517W	GUK512W	GUK511W
540	540	540
white	white	white
enamel	enamel	enamel
4	4	4
14.4MJ/h (wok)	12.7MJ/h	12.7MJ/h
5.1MJ/h	5.1MJ/h	5.1MJ/h
9.0MJ/h	9.0MJ/h	9.0MJ/h
9.0MJ/h	9.0MJ/h	9.0MJ/h
✓ (with wok trivet)	✓	✓
electronic		
conventional	conventional	conventional
80	80	80
59	59	59
60 minute	60 minute	
electronic	piezo	piezo
formed runners	formed runners	formed runners
✓	✓	✓
✓	✓	✓
2	2	2
10A plug	not required	not required
60.8MJ	59.1MJ	59.1MJ
1140 × 540 × 630	1140 x 540 x 630	1140 × 540 × 630
915	915	915

ELEVATED

ELEVATED ELECTRIC STOVES features



model	PEK1350W-L/R	PEK1380W-L/R
nominal width (mm)	1085	1085
available finishes	white	white
hob		
type	enamel	ceramic
element	solid	ribbon
left front	1000W	1200W
left rear	1500W	2000W
right front	2000W	1800W
right rear	1000W	1200W
hot surface indicator		✓
main oven		
oven functions	fan forced	fan forced
capacity		
– gross (litres)	80	80
– usable (litres)	66	66
timer	120 minute auto-off	programmable
oven light	✓	✓
shelf support	formed runners	formed runners
general features		
separate grill	✓	✓
wire grill insert	✓	✓
number of shelves	2	2
connection		
type	hardwire	hardwire
maximum power rating	10.0kW	10.7kW
dimensions [†]		
overall height x width x depth (mm)	540 x 1085 x 630	540 x 1085 x 630

Dimensions refer to overall dimensions of the product, not actual cut-out sizes. Depth excludes knobs and handles. Burner outputs shown above are for natural gas connection.

 $^{^{\}dagger}\,$ Refer to the product information on the back page of this brochure

ELEVATED GAS STOVES features



model	GEK1235W-L/R	GEK1385W-L/R
nominal width (mm)	1085	1085
available finishes	white	white
hob		
type	enamel	enamel
burners	4	4
left front	12.7MJ/h	12.7MJ/h
left rear	5.1MJ/h	5.1MJ/h
right front	9.0MJ/h	9.0MJ/h
right rear	9.0MJ/h	9.0MJ/h
enamelled wire trivets	✓	✓
ignition		electronic
main oven		
oven functions	conventional	fan bake & conventional
capacity		
– gross (litres)	80	80
– usable (litres)	59	59
timer	60 minute	60 minute
oven light		✓
ignition	piezo	electronic
shelf support	formed runners	formed runners
general features		
separate grill	✓	✓
wire grill insert	✓	✓
number of shelves	2	2
connection		
electrical	not required	10A plug
gas rating	59MJ	59MJ
dimensions [†]		
overall height x width x depth (mm)	540 x 1085 x 630	540 x 1085 x 630

Dimensions refer to overall dimensions of the product, not actual cut-out sizes. Depth excludes knobs and handles. Burner outputs shown above are for natural gas connection.



 $^{^{\}dagger}$ Refer to the product information on the back page of this brochure

For more information on all Westinghouse appliances, or for dimension and installation information, call into your retailer, phone or email our customer care team or visit our website:

phone: 1300 363 640 fax: 1800 350 067

email: customercare@electrolux.com.au web: www.westinghouse.com.au

Westinghouse. We are part of the Electrolux family.

Share more of our thinking at www.electrolux.com.au



TOP SERVICE

Top Service encompasses the after sales service provided by The Electrolux Group to consumers including delivery, home service and spare parts.

WARRANTY

Electrolux Home Products warrants that for domestic application, the Westinghouse Freestanding Ovens featured in this brochure are free from defects in materials and workmanship for a period of 2 years (3 months for commercial applications) from the date of first purchase, subject to the conditions set out in the warranty card accompanying the product when purchased.

† Product information

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products Pty Ltd will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow.

© 2007 Electrolux Home Products Pty Ltd ABN 51 004 762 341 Print code: WSTOVE_Sep07

