

iQ700, Built-in oven with steam function, 60 x 60 cm, Black HS958GDD1



HZ633073 Professional pan, enamelled, HZ635000 AirFry & Grill Set, HZ638D00 Full ext rails, level independent, steam, HZ664000 Baking and roasting grid (steam), HZ66D52 2 steamcontainer(punched/unpunched)sizeM, HZ66X650 Cover Strip, HZ6BMA00 Assembly kit for vertical installation, HZ915003 Glass roasting dish, 5,4 L, HZG0AS00 Connecting cable 3m, SZ72010 inlet and outlet hose extention 2 m, HZ32WA00 Wireless food thermometer, HZ530000 2 multipurpose pans, slim size, HZ531010 Baking tray, non-stick ceramic coated, HZ532010 Universal pan, non-stick ceramic coated, HZ617000 Pizza pan, enamelled, HZ629070 Air Fry & Grill tray, HZ631070 Baking tray, enamelled, HZ632070 Multipurpose pan, enamelled, HZ633001 Lid for professional pan, enamelled, HZ633070 Professional pan with grid, enamelled

The intelligent fullSteam Plus oven with Oven Assistant with Voice Control and tap water connection for excellent results.

- ✓ cookControl Pro – Excellent results, whatever the recipe or circumstances.
- ✓ Oven Assistant with Voice Control – Intuitively set the right programme.
- ✓ fullSteam Plus with sous-vide and tap water connection - Easy steam cooking without refilling the water tank.
- ✓ Home Connect with Remote Control and Monitoring – Unlock the full potential of your smart oven.
- ✓ bakingSensor Plus and roastingSensor Plus – Perfect baking and roasting results.

Color / Material Front: Black
Built-in / Free-standing: Built-in
Door opening: Drop down
Cleaning : ecoClean® self-cleaning function (rear, sides and ceiling), Hydrolytic
Control Panel Material:Glass
Door Material:Glass
Dimensions (HxWxD): 595x594x548 mm
Dimensions of the packed product: 670 x 660 x 690 mm
Required niche size for installation (HxWxD): ..585-595 x 560-568 x 550 mm
Cavity dimensions: 355 x 480 x 415 mm
Usable volume of cavity: 71 l
Number of interior lights:1
Net weight: 41.7 kg
Gross weight: 44.3 kg
EAN code:4242003902714
Power supply: 3600 W
Fuse protection:16 A
Voltage:220-240 V
Frequency:50; 60 Hz
Length electrical supply cord: 120.0 cm



iQ700, Built-in oven with steam function, 60 x 60 cm, Black HS958GDD1

Heating Functions

- Combi-steam oven with 24 heating methods: 4D hotAir, Top/ bottom heating, Hot air grilling, Full width grill, Half width grill, Pizza setting, coolStart (deep-frozen food special), Bottom heating, Intensive heat, Low temperature cooking, Plate warming setting, Drying, Keep Warm, hotAir gentle, Conventional heat gentle, FullSteam, Reheating, Dough Proving, Defrost, sous-vide cooking, hotair grilling + steam, keep warm + steam, 4D hotAir + steam, Top/bottom heat + steam
- Temperature range 30 °C - 250 °C.
- fullSteam Plus 120 °C
- Cavity volume: 71 net usable litres

Racks and Rails

- Number of shelf levels: 5
- varioClip rails Plus, full extension, with Stop function

Design

- studioLine Black Steel Design
- Touch control
- studioLine Glass handle
- Cavity inner surface: enamel

Cleaning

- ecoClean: coating of ceiling, back panel, side liners
- humidClean Plus program - easy cleaning of a lightly soiled cooking cavity
- Full glass inner door

Convenience

- Oven Assistant with Voice Control
- TFT-Touchdisplay Pro
- Electronic clock and timer
- Temperature proposal, Residual heat indicator, Actual temperature display, Meat probe function
- Drop down door
- Oven door with SoftOpen and SoftClose door
- cookControl Pro
- roastingSensor Plus multipoint meat probe
- bakingSensor Plus
- Automatic rapid heat up
- coolStart - eliminates preheating for frozen foods
- steamBoost - add for 3min intensive steam with a touch of a button.
- There are different steam intensities selectable: steam level high, steam level middle, steam level low
- LED light
- Water inlet system: Fixed connection
- Location of the steam generator is outside of the cavity
- Integrated cooling fan
- HomeConnect

Accessories

- 1 x enamel baking tray, 1 x Steam container, punched, size M, 1 x

steam container, punched, size XL, 1 x Steam container, unpunched, size M, 1 x grid, 1 x sponge, 1 x universal pan

Safety Features

- Door temperature 40 degrees
- Triple glazed door with heat reflective glass
- Child lock , Automatic safety switch-off function, Residual heat indicator, Start button, Door contact switch




Technical Information

- Length of mains cable: 120 cm
- Usable length of water hose outside the appliance: 700mm
- Nominal voltage: 220 - 240 V
- Total connected load electric: 3.6 KW
- Energy efficiency rating (acc. EU Nr. 65/2014): A+(at a range of energy efficiency classes from A+++ to D)
- Energy consumption per cycle in conventional mode:0.87 kWh
- Energy consumption per cycle in fan-forced convection mode:0.69 kWh
- Number of cavities: 1 Heat source: electrical Cavity volume:71 net usable litres

Dimensions

- Appliance dimensions (HxWxD): 595 mm x 594 mm x 548 mm
- Installation dimensions (HxWxD): 585 mm - 595 mm x 560 mm - 568 mm x 550 mm
- Please reference the built-in dimensions provided in the installation drawing

iQ700, Built-in oven with steam function, 60 x 60 cm, Black HS958GDD1



If the appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	37 mm	38 mm
Full surface Induction hob	47 mm	48 mm
Gas hob	30 mm	38 mm
Electric hob	27 mm	30 mm

