

### THE ORIGINAL WATERPROOF TV



# **Elements Series**

### **OUTDOOR WATERPROOF TELEVISIONS**



Designed and engineered from the ground up to suit outdoor use, this full HD LED TV delivers, where regular TVs would fail. From it's optional ultra-bright sunlight visible screen, to its patent pending optical bonding, which reduces glare and reflection, this TV is sure to turn your outdoor space into an outdoor entertaining space.

The TV can be delivered with an anti theft bracketing system, and comes with all neccesary cabling to get you started.

#### AT A GLANCE



OOF AND WATERPROOF

STRENGTHENED

STRENGTHENED
AND SHOCK
PROOF SCREEN
OPERATES UNDER
HIGH AMBIENT
TEMPERATURES



WIDE VIEWING ANGLE


**50**°

仚



OPTIONAL OPT

#### **AVAILABLE SIZES**



#### **AVAILABLE FINISHES**



### **IDEAL USE**

- Outdoor Entertaining
- Pool/Spa/BBQ areas
- Gazebo
- Balconies

#### **KEY FEATURES**

- Waterproof and Dustproof design, certified to international standards for ingression protection (rated IP56).
- Full HD 1920 x 1080 LED display
- Shock proof safety glass
- Anti-reflective, high visibility screen, making TV images more visible in sunlight
- Internal cooling fans allow operation in temperatures to 50°C
- Auto-power off feature to protect TV in high heat conditions
- Outside casing available in Matte Black or Stone Grey



For more info follow the QR code or go to www.liquifi.com.au







# **Elements Series**

# **OUTDOOR WATERPROOF TELEVISIONS**



#### **SPECIFICATIONS**

	OWM-32	OWM-42	OWM-47	OWM-55			
Display							
Screen Size	32" (81cm)	42" (107cm)	47" (119cm)	55" (140cm)			
Aspect Ratio	16:9						
Resolution	1920 x 1080 Full HD						
Brightness	Standard: 800 cd/m <sup>2</sup> High: 1500 cd/m <sup>2</sup>						
Colours	16.7m						
Contrast Ratio	2000:1						
Viewing Angle	178° vertical/horizontal						
Response Time	6.5 milliseconds						
TV Controller Features							
Tuner	DVB-T (Australian Digital TV Standard)						
Dimming	S	tandard: Manual	High: Auto Dimmin	ıg			
Picture Adjustment	Contrast, Brightness, Colour, Sharpness, Tint						
Picture Mode	Mild/User/Standard/Dynamic						
Screen Adjustment	Auto, 4:3, 16:9, Zoom1, Zoom2						
Electronic Program Guide		Ye	es				
Input / Output							
VGA/PC Input	VGA (x 1)						
HDMI Input	480i, 480p, 720p, and 1080i (x 2)						
Other Inputs	RCA (x 1), S-Video (x 1), RS232 (x 1)						
Audio Stereo Output	Built-in Speakers 8W + 8W						
Power Management							
AC Input	100—240V, 50-60Hz						
Power Consumption	Typical ≤ 45W						
Environmental							
Operating Temperature	-30°C to 50°C						
IP Rating	IP56						
Condensation	Condensation Free						
Corrosion	Corrosion Resistant						
Mechanical							
Bezel Colour	Matte Black/Stone Grey						
Glass	Safety Glass						
Accessories							
Remote Control	IP68 Waterproof Remote						
Batteries	Included						
Input Cables	Included						
Anti-theft Wall Bracket	Included						








# **Elements Series**

## **OUTDOOR WATERPROOF TELEVISIONS**



**DIMENSIONS** 



Dimensions (mm)	Α	В	С	D	E
32"	880	570	813	160	400 x 300
42"	1040	649	1067	160	600 x 300
47"	1200	750	1194	160	600 x 300
55"	1345	820	1397	160	800 x 400



