




**KITCHEN
COLLECTION**


GESSI

technology for the kitchen




Swivel Spout

Allows the increase of spout rotation of your mixer so you can move the water exactly where you want




Swivel Spout stop The preset stop prevents accidental water splashing on countertops.




Swivel aerator

Increases the range of your mixer



Extractible handshower Increases the range of operation of your mixer allowing an extensive use of the kitchen faucet.



Double jet shower

Operating Range of the faucet larger thanks to the easy transition between the soft aerated water flow and the forceful jet spray action.



SuperFlex

The flexible spout allows ease of movement



Gessi Softmove Thanks to Gessi's swivelling spout system the spout rotation is much more comfortable and easy to maneuver



Easy Clean Aerator


Remove limestone residue easily



Easy Clean Thanks to the EASY CLEAN SYSTEM cleaning your mixer will be easier and faster



Gessi Shine Surface The special Gessi plating process ensures surfaces are resistant to stains guaranteeing a long lasting and durable sheen to your finish



Durability tests The cartridge, the active core of your mixer, has a lifetime guarantee of at least 70,000 cycles of use.

All mixer contain ceramic disk cartridge and are tested to 70000 opening/closing movements, this correspond to 10 years of use by an average family of 4. In the tests performed by Gessi the cartridges failed after 200000 opening and closing movements using medium/hard water.

A sample "hammer test" is performed, which consist of the rapid opening of the mixer which exposes the cartridge to a sudden shock caused by the water pressure. The test is classified as a pass when the cartridge still operates when opened at a water pressure of up to 50 bar.




New


New Design



Gessi Fiter System The flexible water supplies incorporate a special filter tap (easy to disassemble and clean) that avoid infiltration and impurity. They protect the internal parts from excessive deterioration



Window installation Thanks to Gessi's retractable under window system the height of the mixer spout does not obstruct the opening of the window



Gessi Up & Down System Thanks to our Sliding Spout System you can lower the spout easily. This system is great for installation under windows and has been designed and engineered specifically for this application



LED Color Water Feature Thanks to the special LED, the color of the water is temperature controlled, Blue for cold, violet for temperate and Red for hot



Dymano System Thanks to the special LED, the energy required to illuminate the LED lights are created by an internal turbine in the water supply



Food Safety All components used in our faucets, including the cartridge, are safe for contact with food and do not affect the quality or taste of the water

WARRANTY

Abey Australia warrants to the original purchaser of the Gessi Kitchen Tapware product that under proper care, domestic/residential use and maintenance the product supplied will be free from defects in workmanship and materials for a period of 7 years for the cartridge and 5 years for parts and labour. This warranty is subject to the terms and conditions on Abey's website www.abey.com.au.

TAPS WITH
INTEGRATED
LIGHT



20577C
p. 4-5

PROFES
SIONAL TAPS



00909
p. 10-11



00903
p. 8-9



29811
p. 28-29



23543
p. 26-27



00950
p. 10-11



16791
p. 8-9



16765
p. 18-19



16774
p. 18-19

WINDOW
SOLUTIONS



17488
p. 16-17

SIDE LEVER
TAPS
L shape



17033
p. 16-17



13191
p. 14-15



13193
p. 14-15



17051
p. 24-25



17073
p. 32-33



17072
p. 34-35



17053
p. 24-25



26023
p. 22-23

SIDE LEVER
TAPS
J Shape



37064
p. 30-31



17061
p. 30-31



13183
p. 12-13



20573
p. 12-13



20577
p. 4-5

SIDE LEVER
TAPS
U Shape



13181
p. 12-13

SIDE LEVER
TAPS
SLANTED



17101
p. 32-33

SIDE LEVER
OLD STYLE



08744
p. 22-23

TOP LEVER
TAPS
MID SPOUT



16767
p. 20-21

TOP LEVER
TAPS
HIGH SPOUT



16721
p. 20-21



38510
p. 6-7



38511
p. 6-7



38512
p. 6-7



38590
p. 34-35



The pursuit of excellence


Ethics, Research and Quality

Gessi is one uncompromisingly Italian company that pursues fully integrated manufacturing of its designs including every component and process within the Gessi Park, an oasis-like verdant compound where the Company has adopted the very best practices in the business.


In fact Gessi has been seriously involved in researching and developing technological and technical solutions for its products and processes for years. These aimed at reducing consumption and minimizing environmental impact, while maintaining the highest levels of aesthetic design and offering ever new and innovative value added solutions.

This value setting gives rise to “technologically handcrafted” objects, a subtle oxymoron used to express the unique combination of high-tech manufacturing techniques with the wisdom of passionate craft specialists.





JUST 20577 GESSI®




20577 Chrome
20577BN* Brushed Nickel

- Sink mixer swivelling spout and pull-down single jet spray
- Mixer hole 33,5mm
- Rotation spout 170°
- Cartridge diameter Ø 25mm
- WELS rating: 5 Star 6.0L/Min






JUST COLOUR 20577C GESSI®




20577C Chrome
20577CBN* Brushed Nickel

- Sink mixer swivelling spout and pull-down single jet spray
- Depending on the water temperature changeable colour led
- Mixer hole 33,5mm
- Rotation spout 170°
- Cartridge diameter Ø 25mm
- WELS rating: 6 Star 4.0L/Min









38512 Chrome
38512S* Silvered

- Sink mixer swivelling spout •
- Mixer hole 33,5mm •
- Rotation spout 120° •
- Cartridge diameter Ø 25mm •
- WELS rating: 5 Star 6.0L/Min •



iSPA 38510



38510 Chrome
38510S* Silvered



- Sink mixer swivelling spout with white insert •
- Mixer hole 33,5mm •
- Rotation spout 120° •
- Cartridge diameter Ø 25mm •
- WELS rating: 5 Star 6.0L/Min •



iSPA 38511 GESSI®



38511 Chrome
38511S* Silvered


- Sink mixer swivelling spout with black insert •
- Mixer hole 33,5mm •
- Rotation spout 120° •
- Cartridge diameter Ø 25mm •
- WELS rating: 5 Star 6.0L/Min •





OXYGENE HI-TECH 00903

GISSI®




00903

Chrome

- Professional sink mixer swivelling spout and jet spray
- Mixer hole 33,5mm
- Rotation spout 360°
- Cartridge diameter Ø 35mm
- WELS rating: 4 Star 7.5L/Min

QUADRO HI-TECH 16791








16791*



Chrome

16791BN*

Brushed Nickel

- Professional sink mixer swivelling spout and jet spray
- Mixer hole 33,5mm
- Rotation spout 360°
- Cartridge diameter Ø 35mm
- WELS rating: 4 Star 7.5L/Min






GESSI®



Chrome

- Sink mixer swivelling spout and pull-down single jet spray
- Mixer hole 33,5mm
- Rotation spout 255°
- Cartridge diameter Ø 35mm
- WELS rating: 5 Star 6.0L/Min






GESSI®



Chrome


- Sink mixer swivelling spout with pull-out dual spray function
- Mixer hole 33,5mm
- Rotation spout 360°
- Cartridge diameter Ø 35mm
- WELS rating: 5 Star 6.0L/Min





OXYGENE 20573



GESSI®



20573
20573BN*


Chrome
Brushed Nickel

- Sink mixer swivelling spout and pull-down single jet spray
- Mixer hole 33,5mm
- Rotation spout 170°
- Cartridge diameter Ø 25mm
- WELS rating: 5 Star 6.0L/Min



OXYGENE 13181


GESSI®



13181


Chrome

- Sink mixer swivelling spout
- Mixer hole 33,5mm
- Rotation spout 360°
- Cartridge diameter Ø 35mm
- WELS rating: 4 Star 7.0L/Min



OXYGENE 13183


GESSI®





13183


Chrome

- Sink mixer swivelling spout
- Mixer hole 33,5mm
- Rotation spout 360°
- Cartridge diameter Ø 35mm
- WELS rating: 4 Star 7.0L/Min







GESSI®




13191
13191BN*

Chrome
Brushed Nickel

- Sink mixer swivelling spout and 90° rotation head
- Mixer hole 33,5mm
- Rotation spout 360°
- Cartridge diameter Ø 35mm
- WELS rating: 4 Star 7.5L/Min





GIACCA





13193
13193BN*


Chrome
Brushed Nickel

- Sink mixer swivelling spout and pull-out spray
- Mixer hole 33,5mm
- Rotation spout 170°
- Cartridge diameter Ø 35mm
- WELS rating: 4 Star 6.5L/Min






TELESCOPIC 17488 GESSI®




17488 Chrome
17488BN* Brushed Nickel

- Sink mixer retractable spout and remote control
- Mixer hole 33.5mm
- Rotation spout 360°
- Cartridge diameter Ø 25mm
- WELS rating: 5 Star 6.0L/Min





HI-TECH SWIVEL 17033 GESSI®



17033 Chrome
17033BN* Brushed Nickel


- Sink mixer swivelling spout
- Mixer hole 33.5mm
- Rotation spout 360°
- Cartridge diameter Ø 25mm
- WELS rating: 4 Star 7.5L/Min





QUADRO HI-TECH 16765




GESSI®



16765


Chrome

- Sink mixer swivelling spout and pull-down single jet spray
- Mixer hole 33,5mm
- Rotation spout 255°
- Cartridge diameter Ø 35mm
- WELS rating: 5 Star 6.0L/Min



QUADRO HI-TECH 16774

GESSI®







16774



Chrome

16774BN*

Brushed Nickel


- Sink mixer swivelling spout with pull-out dual spray function
- Mixer hole 33,5mm
- Rotation spout 360°
- Cartridge diameter Ø 35mm
- WELS rating: 6 Star 4.5L/Min





RETTANGOLO 16721



GESSI®



16721
16721BN*


Chrome
Brushed Nickel

- Sink mixer swivelling body
- Mixer hole 33,5mm
- Rotation spout 120°
- Cartridge diameter Ø 25mm
- WELS rating: 4 Star 7.0L/Min



RETTANGOLO 16767



GESSI®





16767
16767BN*


Chrome
Brushed Nickel

- Sink mixer swivelling body
- Mixer hole 33,5mm
- Rotation spout 120°
- Cartridge diameter Ø 35mm
- WELS rating: 4 Star 7.0L/Min





ROMANCE 08744 GESSI®




08744 Chrome
08744BN* Brushed Nickel
08744BR* Bronze

- Sink mixer swivelling spout
- Mixer hole 33,5mm
- Rotation spout 360°
- Cartridge diameter Ø 35mm
- WELS rating: 4 Star 7.0L/Min







OVALE 26023 GESSI®



26023 Chrome
26023BN* Brushed Nickel


- Sink mixer swivelling spout and pull-down single jet spray
- Mixer hole 33,5mm
- Rotation spout 120°
- Cartridge diameter Ø 25mm
- WELS rating: 5 Star 6.0L/Min





EMPORIO 17051

GESSI®




17051
17051BN*
17051W*
17051B*

Chrome
Brushed Nickel
White Spout
Black Spout


- Sink mixer swivelling spout •
- Mixer hole 33,5mm •
- Rotation spout 360° •
- Cartridge diameter Ø 25mm •
- WELS rating: 4 Star 7.5L/Min •

NEW



EMPORIO 17053

GESSI®







17053
17053BN*
17053W*
17053B*

Chrome
Brushed Nickel
White Spout
Black Spout

- Sink mixer swivelling spout and pull-out single jet spray •
- Mixer hole 33,5mm •
- Rotation spout 360° •
- Cartridge diameter Ø 25mm •
- WELS rating: 5 Star 6.0L/Min •

NEW












23543
23543BN*


Chrome
Brushed Nickel


- Semi-professional sink mixer swivelling spout and double jet spray
- Mixer hole 33,5mm
- Rotation spout 360°
- Cartridge diameter Ø 25mm
- WELS rating: 4 Star 7.5L/Min



NEW









29811
29811BN*



Chrome
Brushed Nickel

- Semi- professional sink mixer swivelling spout and single jet spray
- Mixer hole 33,5mm
- Rotation spout 360°
- Cartridge diameter Ø 25mm
- WELS rating: 4 Star 7.5L/Min




NEW





EMPORIO 17061

GESSI®




17061
17061BN*
17061W*
17061B*

Chrome
 Brushed Nickel
 White Spout
 Black Spout


- Sink mixer swivelling spout
- Mixer hole 33,5mm
- Rotation spout 360°
- Cartridge diameter Ø 25mm
- WELS rating: 4 Star 7.5L/Min

NEW



EMPORIO 37064

GESSI®







37064
37064BN*
37064W*
37064B*

Chrome
 Brushed Nickel
 White Spout
 Black Spout

- Sink mixer swivelling spout and pull-down double jet spray
- Mixer hole 33,5mm
- Rotation spout 360°
- Cartridge diameter Ø 25mm
- WELS rating: 5 Star 6.0L/Min


NEW





EMPORIO 17101

GISSI®



17101
17101BN*

Chrome
Brushed Nickel


- Sink sloping mixer swivelling spout
- Mixer hole 33,5mm
- Rotation spout 360°
- Cartridge diameter Ø 25mm
- WELS rating: 6 Star 4.5L/Min

NEW



EMPORIO 17073

GISSI®







17073
17073BN*

Chrome
Brushed Nickel

- Sink mixer swivelling spout with pull-out
- Mixer hole 33,5mm
- Rotation spout 360°
- Cartridge diameter Ø 25mm
- WELS rating: 4 Star 7.5L/Min


NEW





EMPORIO 17072

GESSI®



17072
17072BN*

Chrome
Brushed Nickel


- Sink mixer swivelling spout
- Mixer hole 33.5mm
- Rotation spout 360°
- Cartridge diameter Ø 25mm
- WELS rating: 5 Star 6.0L/Min

NEW



EMPORIO 38590

GESSI®




38590

Chrome

- Sink mixer swivelling spout
- Mixer hole 33,5mm
- Rotation spout 120°
- Cartridge diameter Ø 25mm
- WELS rating: 6 Star 4.5L/Min

NEW



FINISHINGS



BR
Bronze



B
Black



C
Chrome



BN
Brushed
Nickel



W
White

BLACK OR WHITE

After subjecting the article to a preliminary sand blasting it is double-coated, first with bi-component epoxy primer left to rest for up to 24 hours, and then with bi-component acrylic enamels dried in ovens at 90 ° C.

This process ensures perfect uniformity of the surface and a high scratch resistance to the finishing. Before boxing, 100% of the product is subjected to a strict visual inspection for flawless quality.

CHROME PLATING

A 10 micron thick nickel layer and a 0,3 micron thick chrome layer are deposited, which is the maximum thickness achievable. This makes our product above average in the industry, this means the chrome is brighter and has a longer life. The thickness of the chrome means no risk of any translucent effect which could show the underlying brass.

BRUSHED NICKEL

A 6 micron nickel layer and a 0,3 micron Finox layer are deposited, which is the maximum thickness achievable. Again this makes our product above average in the industry, The stainless steel plating is in fact similar to steel and longer lasting. The thickness of the chrome avoids corrosion of the mixer and increases durability.

VICTORIA

Abey Head Office
57-81 Abey Rd
Melton
Ph.039747 7777
Selection Gallery
335 Ferrars St
South Melbourne
Ph: 03 8696 4000

NEW SOUTH WALES

Abey Office&Selection Gallery
1E Danks St
Waterloo
Office
ph: 02 8572 8572
Selection Gallery
Ph: 02 8572 8500

QUEENSLAND

Office
33-35 Blue Eagle Dr
Meadowbrook
Ph: 07 34405500
Selection Gallery
94 Petrie Tce
Brisbane
Ph: 07 3369 4777

WESTERN AUSTRALIA
Ph: 08 9446 8255

NORTHERN TERRITORY
Ph: 1800 809 143

SOUTH AUSTRALIA
Ph: 1800 809 143

TASMANIA
Ph: 1800 809 143



www.abey.com.au