

SIM6323R





Product Family Hob
Built-in type Traditional
Dimensions 38 cm
Power supply Electric
Type Induction

EAN code 8017709309664



Aesthetics







Aesthetic Dolce Stil Novo

ColourBlackFinishingCopperMaterialGlassGlass typeCeramicGlass edgeStraight edgeType of control settingMulti Slider

SliderYesSliderWhiteControl knob positionFrontSerigraphy colourGrey

Programs / Functions



Total no. of cook zones 2
No. of induction cook zones 2

Time-setting options Automatic Shutdown

No. of cooking zones with booster

2
No. of Flexible zones

1
Main on/off switch

Power levels

9

Options

SMEG SPA 10/09/2024



























Multizone Option Flexible Zone Type Standard cut out

Yes MultiZone 490x310 mm

Multizone Option Yes **Multizone Option** Yes Keep warm automatic Yes

function

Grill function Yes End cooking timer 2 Pause option Yes Minute minder 1

End of cooking alarm

Residual time indicator Yes **Limited Power** Advanced Eco Logic

Consumption Mode

Limited Power 2100 a 3700 - step 100 W

Yes

Yes

Consumption Mode in W Showroom Demo Option Yes Control Lock / Child Yes

Safety

Bridge option Yes Quick start Yes Rapid level selection Yes

Technical Features













Front-centre - Induction - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3.00 kW - 24.0x18.0 cm Rear-centre - Induction - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3.00 kW - 24.0x18.0 cm Multizone center - Booster 3.70 kW - 38.5x23.0 cm

Automatic settina according to pan dimension

pan detection Yes, min 9 cm

Permanent Automatic Pot Detection with indication of the relative

control

Automatic switch off when overheat

Yes

Yes

Yes

Automatic switch off

when overflow

Residual heat indicator Yes **Protection against** Yes

accidental start up

Electrical Connection

Electrical connection

rating (W)

Current

Voltage (V)

3700 W

16 A

220-240 V

Type of electric cable

Frequency (Hz) Power supply cable


length

Single phase

50/60 Hz 120 cm

10/09/2024 **SMEG SPA**





SMEG SPA 10/09/2024



Not included accessories

GRILLPLATE



Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.



TPK

Stainless steel grill plate to cook Teppanyaki dishes



SCRP

Induction and ceramic hobs and teppanyaki scraper

TPKPLATE



Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.

SMEG SPA 10/09/2024



Symbols glossary (TT)

Ō	Automatic merge of zones for a bigger area	O	
P	Power booster: option allows the zone to work at full power when very intense cooking is necessary.		Standard installation: Traditional installation in tabletop, suitable for any kitchen sets
S	Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.	MULTI slider	Premium individual Slider control for each zone
9	The slider control panel allows you to adjust the power simply by passing your finger across the touch device.	BOOST	Additional maximum power level for a better energy consumption
<i>"</i>	Keep warm function: Keep warm function keeps the cooked food heated. In this mode the heating zone operates at a minimum capacity for 120 minutes and then turns off automatically.	STOP °C∓	Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.
	Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.	≑Ö	Multizone: allows several pans to be used at once, large or small, offering freedom of placement and greater flexibility
	Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.	(1)	PAUSE_72dpi
† P14 † 14 † 10 † 5	Quick selection, with one touch cooking begins at the highest level, then automatically reduces after time. Ideal for dishes that require quick boiling and then continued cooking without constant control (eg beef broth).	4	Quick Start function: the chosen temperature is reached faster. The heating element works at maximum power until the right temperature is reached.
Н	Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.	<u>O</u>	Time elapsed: shows how long the cooking zone has been in use.
()	Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.		TWIN_ZONE_72dpi
Ē		9cm min	

SMEG SPA 10/09/2024

Darkness becomes light