

90 CM CHIMNEY HOOD D79SH52N0



COOKING PASSION SINCE 1877



Features

Technical Data

Color chimney : Stainless steel
Typology : Chimney
Approval certificates : CE, VDE
Length electrical supply cord (cm) : 130
Height of the chimney (mm) : 582-908/582-1018
Height of product, without chimney (mm) : 46
Minimum distance above an electric hob : 550
Minimum distance above a gas hob : 650
Net weight (kg) : 18.0
Type of control : Electronic
Number of speed settings : 3-stage + 2 intensive
Maximum output air extraction (m³/h) : 460
Boost position output recirculating (m³/h) : 440
Maximum output recirculating air (m³/h) : 340
Boost position air extraction (m³/h) : 730
Number of lights : 3
Noise level (dB) : 55
Diameter of air outlet (mm) : 120 / 150
Grease filter material : Washable aluminium
EAN code : 4242004174486
Connection Rating (W) : 139
Current (A) : 10
Voltage (V) : 220-240
Frequency (Hz) : 50; 60
Plug type : GARDY plug w/ earthing
Installation typology : Wall-mounted



4 242004 174486

Optional accessories

Z5102X1 Active carbon filter
Z5102X5 Recirculating kit

90 CM CHIMNEY HOOD

D79SH52N0

Features

• 90 cm Chimney hood

slimLine design

- For wall mounted installation
- Appliance colour: Stainless steel
- Suitable for ducted extraction and recirculation
- Accessories required for recirculated extraction: Recirculating kit
- EASY Installation
- Electronic controls
- Push button controls (3 power levels + 2 intensive levels) with 7-segment display
- Extraction rate according to EN 61591 Ø 15 cm:
max. Normal use 460 m³/h
Intensive 730 m³/h
- Efficient BLDC brushless motor technology
- Automatic intensive revert setting - 6 min
- Automatic run on - 10 min
- 3 x 3 Watt LED Lights
- Softlight with dimming function
- Dishwasher safe metal grease filters
- Saturation indicator for grease filters
- Noise min./max. Normal Level: 45/55 dB
Noise max. Intensive setting: 65 dB
- Additional noise insulation mats for optimised sound absorption

Technical Information

- Diameter pipe Ø 150 mm (Ø 120 mm enclosed)
- Power rating: 139 W
- Dimensions exhaust air (HxWxD): 628-954 x 900 x 500 mm
- Dimensions recirculating (HxWxD): 628-1064 x 900 x 500 mm
- Electrical cable length 1.3 m

90 CM CHIMNEY HOOD
D79SH52N0

Dimensioned drawings

