

Serie | 6 Hobs**PPH6A6B20A**
60 cm Gas Cooktop, Tempered
Glass, Black**The tempered-glass gas cooktop with**
FlameSelect: achieve perfect cooking
results thanks to nine precisely defined
power levels.

- **FlameSelect:** for a precise adjustment of the flame in nine defined levels.
- **Wok burner:** powerful cooking at up to 13.6 MJ/h.
- **Standard and semi-flush built-in option:** choose between flush or slightly raised installation.
- **Tempered-glass surface:** elegant design and easy cleaning.
- **Single cast-iron pan supports:** for high firmness and easy handling.

Technical Data

Product name/family :	gas hob w integrated controls
Construction type :	Built-in
Energy input :	Gas
Total number of positions that can be used at the same time :	4
Required niche size for installation (HxWxD) :	45 x 560-562 x 480-492
Width of the product (mm) :	590
Dimensions of the product (mm) :	45 x 590 x 520
Net weight (kg) :	14.0
Gross weight (kg) :	15.0
Residual heat indicator :	without
Location of control panel :	Hob front
Basic surface material :	Hard Glass
Color of surface :	Black
Color of frame :	Black
Approval certificates :	CE
Length electrical supply cord (cm) :	100
EAN code :	4242002914701
Electrical connection rating (W) :	2
Gas connection rating (W) :	8000
Current (A) :	3
Voltage (V) :	240
Frequency (Hz) :	50

Included accessories

- 1 x cross support for espresso
- 1 x WOK attachment ring



Serie | 6 Hobs

PPH6A6B20A

60 cm Gas Cooktop, Tempered Glass, Black

The tempered-glass gas cooktop with FlameSelect: achieve perfect cooking results thanks to nine precisely defined power levels.

Design

- Black Tempered Glass
- frameless
- Single pan supports, cast iron

Comfort & Convenience

- FlameSelect (9 steps)
- sword knobs
- One-hand electronic ignition via controls

Size & Power

- 4 Gas burners
- Dual wok burner
- 2 Standard, 1 Economy, 1 Wok burner
- Left rear: Standard burner 6.85 MJ/h
- Right rear: Wok burner 13.6 MJ/h
- Left front: Standard burner 6.85 MJ/h
- Right front: Economy burner 4 MJ/h

Safety and Environment

- Flame failure device fitted to each individual burner
- Preset to natural gas (10mbar)
- Suitable for natural gas (factory set-up) or LPG (via included conversion kit)

Dimensions (WxD)

- 60 cm width
- Installation measurements: 560 mm x 480 mm
- Power cord length 100 cm with plug

Supplied Accessories

- Liquid gas nozzles (28-30/37mbar) included

Serie | 6 Hobs

PPH6A6B20A

60 cm Gas Cooktop, Tempered Glass, Black

