

60cm Stainless steel pyramid canopy hood with 850 cubic m/h extraction and high output LED lighting.
RRP AUS \$699.00



Product Details

FEATURES

Power Twin Blade centrifugal motor

Touch Controls panel a common control panel across the range, designed for easy use & easy cleaning.

Dishwasher Safe Aluminium micro-mesh filters

Low Energy/Long Life LED Globes

Stainless Steel finish

BENEFITS

Powerful Twin Blade centrifugal motor
The Cube houses a powerful twin blade motor to ensure maximum extraction of unwanted steam and vapours from cooking.

Conversation friendly noise levels
Enjoy cooking and conversation with a quieter motor delivering extraction without high noise levels.

Easy clean touch control panel
A flat touch control panel makes the most touched surface on your rangehood even easier to use

Dishwasher Safe Aluminium micro-mesh filters
Simply remove the filter panels and wash in your dishwasher to maintain performance and appearance.

Low Energy with high levels of illumination
Delivering excellent illumination with cost conscious low energy use, as well as reducing the heat generated by the downlights.

Designed to have minimal seams and joins
By reducing the seams and joins in the stainless steel canopy, it is even easier to clean and keep looking great.

Specifications

PRODUCT PROFILE

Domestic warranty details (yrs)	2
Type of Rangehood	wall mounted canopy
Design family (eline)	Westinghouse Forte
Nominal width	600
Finish of Rangehood	stainless steel

DIMENSIONS

Total product height (mm)	600
Total product width (mm)	600
Total product depth (mm)	500
Diameter of ducting (mm)	150
Minimum installation height from cooking surface Gas (mm)	650

MOTOR/FAN

Number of fans	1
Number of fans speeds	3
Auto off	Yes
Type of motor	centrifugal
Maximum airflow M3/Hr	850
Noise level dB high	71
Noise level dB low	61

POWER

Electricity supply required (Kw)	3.7
Connection plug	10

DIMENSIONS

Minimum installation height from cooking surface Electric (mm)	600
Maximum canopy chimney height (mm)	1160
Flue cover depth (mm)	290
Flue cover width (mm)	320

CONTROLS

Control panel	electronic touch
Safety/ display indicators	automatic safety cut off,clean filter indicator
LED speed display	Yes

LIGHTS

Number of lights	2
Wattage of light	40
Type of light	LED

FILTERS

Number of filters	1
Type of filter	multilayer aluminum micromesh filters
Dishwasher safe	Yes

DUCTING / RECIRCULATION

Ducting	optional accessory
Top or rear duct hole	top
Recirculation option	Yes
Recirculation kit	optional accessory

DUCTING / RECIRCULATION

Front recirculating option	No
Ducting accessory available	AR610RK
Type of filter	Carbon
Filter	AR610CF
Number of optional filters required	two

SHIPPING

Pack Dimensions Height (mm)	630
-----------------------------	-----

Pack Dimension Width (mm)	695
---------------------------	-----

Pack Dimension Depth (mm)	397
---------------------------	-----

Terms and Conditions

IMPORTANT

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products Pty Ltd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

WARRANTY

This warranty only applies to Appliances purchased and used in Australia or New Zealand and used in normal domestic applications and is in addition to (and does not exclude, restrict, or modify in any way) any non-excludable statutory warranties in Australia or New Zealand. All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

ELECTROLUX HOME PRODUCTS AUSTRALIA

telephone: 1300 363 640

fax: 1800 350 067

email: customercare@electrolux.com.au

web: www.electrolux.com.au

ELECTROLUX HOME PRODUCTS NEW ZEALAND

telephone: 09 573 2230

fax: 09 573 2221

email: customercare@electrolux.co.nz

web: www.electrolux.co.nz