

DEF1407INDMB

90 cm Freestanding Multifunction Electric Oven with Induction Cooktop

made in italy



Proudly made in Italy since 1950, De'Longhi freestanding cookers embody the same core values: expertise, professionalism, and a deep commitment to design and technology.





Dual Bridge Zones

Activating the bridge zone links two adjacent induction zones, to work together as a single, larger zone.

> This is perfect for; Large Roasting Pans **Griddle Pans** Oversized cookware



Large 140L Twin Fan Cavity

The Generous 140L oven capacity provides ample space for family meals or entertaining guests on special occasions.

Dual fans ensure even heat distribution throughout the oven, delivering beautifully consistent cooking every time.



Telescopic Shelves

Designed for convenience and safety, The 2 supplied telescopic runners let you effortlessly slide out oven racks to check your dishes - no tipping, no hassle.

COOKING FUNCTIONS

Fan Forced Top Heat

Fan Forced

Eco Function

Fan Grill

Grill





Fan Assist



Base Heat



Convection



Top Heat













DEF1407INDMB

90 cm Freestanding Multifunction Electric Oven with Induction Cooktop


Cooking Zones 5 Zone, 2 Bridge Zones. 9 Power Levels Shelving Easy Glide Side Racks, 2 Shelves, 1 Baking Tray Accessories 2 Sets of Telescopic Runners, Pizza Stone, Cookie Baking Tray Shelf Positions 7 Gross Capacity (L) 140 Net Capacity (L) 123 Oven Functions 10 Oven Timer Programmable Touch Timer Lighting 2 x 25w Halogen Door Removable, Double Glazed Plinth Yes (suitable only for cooker height 900mm+) Connection Load KW 9200W Max Current (amps) 40A Cooktop Type Induction 2 Bridge Zones Left Front Watts Normal Power: 1600W Booster Power: 1850W Left Rear Watts Normal Power: 2100W Booster Power: 3000W Right Front Watts Normal Power: 1600W Booster Power: 1850W Right Rear Watts Normal Power: 2100W Booster Power: 3000W Right Rear Watts Normal Power: 2100W Booster Power: 3000W Cooktop Functions Fast Heating, Booster, Bridge, Child Lock, Pan & Heat Indicators Dimension Adjustable Height: 892-942mm Width 900mm Depth 600mm Warranty 2 Years Domestic Warranty EAN 8024651215714		TECHNICAL SPECIFICATIONS
Accessories 2 Sets of Telescopic Runners, Pizza Stone, Cookie Baking Tray Shelf Positions 7 Gross Capacity (L) 140 Net Capacity (L) 123 Oven Functions 10 Oven Timer Programmable Touch Timer Lighting 2 x 25w Halogen Door Removable, Double Glazed Plinth Yes (suitable only for cooker height 900mm+) Connection Load KW 9200W Max Current (amps) 40A Cooktop Type Induction 2 Bridge Zones Left Front Watts Normal Power: 1600W Booster Power: 1850W Left Rear Watts Normal Power: 2100W Booster Power: 3000W Right Front Watts Normal Power: 1600W Booster Power: 3000W Right Rear Watts Normal Power: 2100W Booster Power: 3000W Right Rear Watts Normal Power: 2100W Booster Power: 3000W Right Rear Watts Normal Power: 2100W Booster Power: 3000W Cooktop Functions Fast Heating, Booster, Bridge, Child Lock, Pan & Heat Indicators Dimension Adjustable Height: 892-942mm Width 900mm Depth 600mm Warranty 2 Years Domestic Warranty	Cooking Zones	5 Zone, 2 Bridge Zones. 9 Power Levels
Shelf Positions 7 Gross Capacity (L) 140 Net Capacity (L) 123 Oven Functions 10 Oven Timer Programmable Touch Timer Lighting 2 x 25w Halogen Door Removable, Double Glazed Plinth Yes (suitable only for cooker height 900mm+) Connection Load KW 9200W Max Current (amps) 40A Cooktop Type Induction 2 Bridge Zones Left Front Watts Normal Power: 1600W Booster Power: 1850W Left Rear Watts Normal Power: 2100W Booster Power: 3000W Centre Front Watts Normal Power: 1600W Booster Power: 3000W Right Front Watts Normal Power: 2100W Booster Power: 3000W Right Rear Watts Normal Power: 2100W Booster Power: 3000W Right Rear Watts Normal Power: 2100W Booster Power: 3000W Cooktop Functions Fast Heating, Booster, Bridge, Child Lock, Pan & Heat Indicators Dimension Adjustable Height: 892-942mm Width 900mm Depth 600mm Warranty 2 Years Domestic Warranty	Shelving	Easy Glide Side Racks, 2 Shelves, 1 Baking Tray
Gross Capacity (L) 140 Net Capacity (L) 123 Oven Functions 10 Oven Timer Programmable Touch Timer Lighting 2 x 25w Halogen Door Removable, Double Glazed Plinth Yes (suitable only for cooker height 900mm+) Connection Load KW 9200W Max Current (amps) 40A Cooktop Type Induction 2 Bridge Zones Left Front Watts Normal Power: 1600W Booster Power: 1850W Left Rear Watts Normal Power: 2100W Booster Power: 3000W Centre Front Watts Normal Power: 2300W Booster Power: 1850W Right Front Watts Normal Power: 1600W Booster Power: 3000W Right Rear Watts Normal Power: 2100W Booster Power: 3000W Cooktop Functions Fast Heating, Booster, Bridge, Child Lock, Pan & Heat Indicators Dimension Adjustable Height: 892-942mm Width 900mm Depth 600mm Warranty 2 Years Domestic Warranty	Accessories	2 Sets of Telescopic Runners, Pizza Stone, Cookie Baking Tray
Net Capacity (L) 123 Oven Functions 10 Oven Timer Programmable Touch Timer Lighting 2 x 25w Halogen Door Removable, Double Glazed Plinth Yes (suitable only for cooker height 900mm+) Connection Load KW 9200W Max Current (amps) 40A Cooktop Type Induction 2 Bridge Zones Left Front Watts Normal Power: 1600W Booster Power: 1850W Left Rear Watts Normal Power: 2100W Booster Power: 3000W Centre Front Watts Normal Power: 1600W Booster Power: 1850W Right Front Watts Normal Power: 2100W Booster Power: 3000W Right Rear Watts Normal Power: 2100W Booster Power: 3000W Cooktop Functions Fast Heating, Booster, Bridge, Child Lock, Pan & Heat Indicators Dimension Adjustable Height: 892-942mm Width 900mm Depth 600mm Warranty 2 Years Domestic Warranty	Shelf Positions	7
Oven Functions 10 Oven Timer Programmable Touch Timer Lighting 2 x 25w Halogen Door Removable, Double Glazed Plinth Yes (suitable only for cooker height 900mm+) Connection Load KW 9200W Max Current (amps) 40A Cooktop Type Induction 2 Bridge Zones Left Front Watts Normal Power: 1600W Booster Power: 1850W Left Rear Watts Normal Power: 2100W Booster Power: 3000W Centre Front Watts Normal Power: 1600W Booster Power: 3000W Right Front Watts Normal Power: 2100W Booster Power: 3000W Right Rear Watts Normal Power: 2100W Booster Power: 3000W Cooktop Functions Fast Heating, Booster, Bridge, Child Lock, Pan & Heat Indicators Dimension Adjustable Height: 892-942mm Width 900mm Depth 600mm Warranty 2 Years Domestic Warranty	Gross Capacity (L)	140
Oven Timer Programmable Touch Timer Lighting 2 x 25w Halogen Door Removable, Double Glazed Plinth Yes (suitable only for cooker height 900mm+) Connection Load KW 9200W Max Current (amps) 40A Cooktop Type Induction 2 Bridge Zones Left Front Watts Normal Power: 1600W Booster Power: 1850W Left Rear Watts Normal Power: 2100W Booster Power: 3000W Centre Front Watts Normal Power: 1600W Booster Power: 3000W Right Front Watts Normal Power: 2100W Booster Power: 3000W Right Rear Watts Normal Power: 2100W Booster Power: 3000W Right Rear Watts Normal Power: 2100W Booster Power: 3000W Cooktop Functions Fast Heating, Booster, Bridge, Child Lock, Pan & Heat Indicators Dimension Adjustable Height: 892-942mm Width 900mm Depth 600mm Warranty 2 Years Domestic Warranty	Net Capacity (L)	123
Lighting 2 x 25w Halogen Door Removable, Double Glazed Plinth Yes (suitable only for cooker height 900mm+) Connection Load KW 9200W Max Current (amps) 40A Cooktop Type Induction 2 Bridge Zones Left Front Watts Normal Power: 1600W Booster Power: 1850W Left Rear Watts Normal Power: 2100W Booster Power: 3000W Centre Front Watts Normal Power: 2300W Booster Power: 3000W Right Front Watts Normal Power: 1600W Booster Power: 1850W Right Rear Watts Normal Power: 2100W Booster Power: 3000W Cooktop Functions Fast Heating, Booster, Bridge, Child Lock, Pan & Heat Indicators Dimension Adjustable Height: 892-942mm Width 900mm Depth 600mm Warranty 2 Years Domestic Warranty	Oven Functions	10
Door Removable, Double Glazed Plinth Yes (suitable only for cooker height 900mm+) Connection Load KW 9200W Max Current (amps) 40A Cooktop Type Induction 2 Bridge Zones Left Front Watts Normal Power: 1600W Booster Power: 1850W Left Rear Watts Normal Power: 2100W Booster Power: 3000W Centre Front Watts Normal Power: 2300W Booster Power: 3000W Right Front Watts Normal Power: 1600W Booster Power: 1850W Right Rear Watts Normal Power: 2100W Booster Power: 3000W Cooktop Functions Fast Heating, Booster, Bridge, Child Lock, Pan & Heat Indicators Dimension Adjustable Height: 892-942mm Width 900mm Depth 600mm Warranty 2 Years Domestic Warranty	Oven Timer	Programmable Touch Timer
Plinth Yes (suitable only for cooker height 900mm+) Connection Load KW 9200W Max Current (amps) 40A Cooktop Type Induction 2 Bridge Zones Left Front Watts Normal Power: 1600W Booster Power: 1850W Left Rear Watts Normal Power: 2100W Booster Power: 3000W Centre Front Watts Normal Power: 2300W Booster Power: 3000W Right Front Watts Normal Power: 1600W Booster Power: 1850W Right Rear Watts Normal Power: 2100W Booster Power: 3000W Cooktop Functions Fast Heating, Booster, Bridge, Child Lock, Pan & Heat Indicators Dimension Adjustable Height: 892-942mm Width 900mm Depth 600mm Warranty 2 Years Domestic Warranty	Lighting	2 x 25w Halogen
Connection Load KW Max Current (amps) 40A Cooktop Type Induction 2 Bridge Zones Left Front Watts Normal Power: 1600W Booster Power: 1850W Left Rear Watts Normal Power: 2100W Booster Power: 3000W Centre Front Watts Normal Power: 2300W Booster Power: 3000W Right Front Watts Normal Power: 1600W Booster Power: 1850W Right Rear Watts Normal Power: 2100W Booster Power: 3000W Cooktop Functions Fast Heating, Booster, Bridge, Child Lock, Pan & Heat Indicators Dimension Adjustable Height: 892-942mm Width 900mm Depth 600mm Warranty 2 Years Domestic Warranty	Door	Removable, Double Glazed
Max Current (amps) 40A Cooktop Type Induction 2 Bridge Zones Left Front Watts Normal Power: 1600W Booster Power: 1850W Left Rear Watts Normal Power: 2100W Booster Power: 3000W Centre Front Watts Normal Power: 2300W Booster Power: 3000W Right Front Watts Normal Power: 1600W Booster Power: 1850W Right Rear Watts Normal Power: 2100W Booster Power: 3000W Cooktop Functions Fast Heating, Booster, Bridge, Child Lock, Pan & Heat Indicators Dimension Adjustable Height: 892-942mm Width 900mm Depth 600mm Warranty 2 Years Domestic Warranty	Plinth	Yes (suitable only for cooker height 900mm+)
Cooktop Type Induction 2 Bridge Zones Left Front Watts Normal Power: 1600W Booster Power: 1850W Left Rear Watts Normal Power: 2100W Booster Power: 3000W Centre Front Watts Normal Power: 2300W Booster Power: 3000W Right Front Watts Normal Power: 1600W Booster Power: 1850W Right Rear Watts Normal Power: 2100W Booster Power: 3000W Cooktop Functions Fast Heating, Booster, Bridge, Child Lock, Pan & Heat Indicators Dimension Adjustable Height: 892-942mm Width 900mm Depth 600mm Warranty 2 Years Domestic Warranty	Connection Load KW	9200W
Left Front Watts Normal Power: 1600W Booster Power: 1850W Left Rear Watts Normal Power: 2100W Booster Power: 3000W Centre Front Watts Normal Power: 2300W Booster Power: 3000W Right Front Watts Normal Power: 1600W Booster Power: 1850W Right Rear Watts Normal Power: 2100W Booster Power: 3000W Cooktop Functions Fast Heating, Booster, Bridge, Child Lock, Pan & Heat Indicators Dimension Adjustable Height: 892-942mm Width 900mm Depth 600mm Warranty 2 Years Domestic Warranty	Max Current (amps)	40A
Left Rear Watts Normal Power: 2100W Booster Power: 3000W Right Front Watts Normal Power: 2300W Booster Power: 3000W Right Front Watts Normal Power: 1600W Booster Power: 1850W Right Rear Watts Normal Power: 2100W Booster Power: 3000W Cooktop Functions Fast Heating, Booster, Bridge, Child Lock, Pan & Heat Indicators Dimension Adjustable Height: 892-942mm Width 900mm Depth 600mm Warranty 2 Years Domestic Warranty	Cooktop Type	Induction 2 Bridge Zones
Centre Front Watts Normal Power: 2300W Booster Power: 3000W Right Front Watts Normal Power: 1600W Booster Power: 1850W Right Rear Watts Normal Power: 2100W Booster Power: 3000W Cooktop Functions Fast Heating, Booster, Bridge, Child Lock, Pan & Heat Indicators Dimension Adjustable Height: 892-942mm Width 900mm Depth 600mm Warranty 2 Years Domestic Warranty	Left Front Watts	Normal Power: 1600W Booster Power: 1850W
Right Front Watts Normal Power: 1600W Booster Power: 1850W Right Rear Watts Normal Power: 2100W Booster Power: 3000W Cooktop Functions Fast Heating, Booster, Bridge, Child Lock, Pan & Heat Indicators Dimension Adjustable Height: 892-942mm Width 900mm Depth 600mm Warranty 2 Years Domestic Warranty	Left Rear Watts	Normal Power: 2100W Booster Power: 3000W
Right Rear Watts Normal Power: 2100W Booster Power: 3000W Cooktop Functions Fast Heating, Booster, Bridge, Child Lock, Pan & Heat Indicators Dimension Adjustable Height: 892-942mm Width 900mm Depth 600mm Warranty 2 Years Domestic Warranty	Centre Front Watts	Normal Power: 2300W Booster Power: 3000W
Cooktop Functions Fast Heating, Booster, Bridge, Child Lock, Pan & Heat Indicators Dimension Adjustable Height: 892-942mm Width 900mm Depth 600mm Warranty 2 Years Domestic Warranty	Right Front Watts	Normal Power: 1600W Booster Power: 1850W
Dimension Adjustable Height: 892-942mm Width 900mm Depth 600mm Warranty 2 Years Domestic Warranty	Right Rear Watts	Normal Power: 2100W Booster Power: 3000W
Warranty 2 Years Domestic Warranty	Cooktop Functions	Fast Heating, Booster, Bridge, Child Lock, Pan & Heat Indicators
	Dimension	Adjustable Height: 892-942mm Width 900mm Depth 600mm
EAN 8024651215714	Warranty	2 Years Domestic Warranty
	EAN	8024651215714



DEF1407INDMB

90 cm Freestanding Multifunction Electric Oven with Induction Cooktop

INSTALLATION CLEARANCES




Cooker overall dimensions [mm]

height: min 892.5 - max 942.5

width: 900depth: 600

DIMENSIONS



The product dimensions and specifications on this page apply to the specific model at the time of issue. Dimensions & specifications may change at any time.

^{*}Diagrams are a guide only. Final fittings should be made with actual product.