


Serie | 6 Hobs

PVS675FB1E 60 cm Induction cooktop **Ceramic cooktop**





The induction cooktop: cook fast, clean and safely while using very little energy.

- CombiZone: More flexibility by combining two cooking zones, for roasters and large pans.
- DirectSelect: Direct, simple selection of the desired cooking zone, power and additional functions.
- ComfortProfile: Elegant, appealing design with bevelled front and sleek stainless steel strips on the side.
- Timer with switch-off function: Conveniently turns off the assigned cooking zone after the set time.
- PowerBoost: Up to 50% more power for faster heating.

Technical Data

Product name/family: Cooking zone ceramic Construction type: Built-in Electric Energy input: Total number of positions that can be used at the same time: 4 Type of control setting devices: Precise Timer Required niche size for installation (HxWxD):

51 x 560-560 x 490-500 Width of the product (mm): 606 Dimensions of the product (mm): 51 x 606 x 527 Net weight (kg): 13.0 Gross weight (kg): 14.0 Residual heat indicator: Separate Location of control panel: right Basic surface material: Ceramic Color of surface: Black, Stainless steel Color of frame: Stainless steel Approval certificates: AENOR, CE Length electrical supply cord (cm): 110 4242002870816 EAN code: Electrical connection rating (W): 6900 Voltage (V): 220-240 Frequency (Hz): 50; 60





Serie | 6 Hobs

PVS675FB1E

60 cm Induction cooktop Ceramic cooktop

The induction cooktop: cook fast, clean and safely while using very little energy.

Design

- Stainless steel side profiles with beveled front
- Bridgeable CombiZones
- 4 induction cooking zones
- Direct Select 1.0 Touch Control

Size & Power

- 17 power levels for each cooking zone
- Cooking zone front left:
- 210 mm
- 2.2 KW / 3.7 KW with Power boost
- Cooking zone rear left:
- 210 mm
- 2.2 kW / 3.7 KW with powerBoost
- Cooking zone front right:
 - 180 mm
- 1.8 KW / 3.1 KW with powerBoost
- Cooking zone rear right:
- 145 mm
- 1.4 KW / 2.2 KW with powerBoost

Comfort & Convenience

- Timer with automatic switch off for all zones
- PowerBoost function reduce the time to heat up large quantities of water
- Move Mode 2 Automatic Power Levels
- QuickStart Quick and automatic first pot detection
- ReStart Quickly reinstates previous settings

- Energy consumption display

Safety and Environment

- Digital 2-stage residual heat indicator for each cooking zone
- Childproof lock
- Automatic safety switch-off
- Integrated cooling fan
- 2 year warranty

Dimensions (WxD)

- Appliance dimensions: (W x D) 606 mm x 527 mm
- Installation dimensions: (H x W x D) 51 mm x 560 mm x 490 mm

Technical Information

- 6.9 kW total connected load
- Min. worktop thickness: 30 mm


2/3




Serie | 6 Hobs


PVS675FB1E

60 cm Induction cooktop Ceramic cooktop




All measurements in mm





Measurements in mm



Measurements in mm