


iQ700  
Compact oven with microwave  
CM633GBS1B



The compact oven with a height of 45 cm and a built-in microwave and sensors for quick, perfect combination cooking.

- ✓ varioSpeed: reduce cooking times by up to 50%.
- ✓ TFT Display: good readability from any perspective.
- ✓ cookControl Plus: guaranteed success for numerous dishes.
- ✓ softMove: gentle opening and closing of the oven door.
- ✓ LED-Illumination: optimum, energy-efficient illumination.

Features

Technical Data

Type of micro-wave oven : MW-Combi  
Type of control : Electronic  
Color / Material Front : Stainless steel  
Dimensions of the product (mm) : 455 x 595 x 548  
Cavity dimensions (mm) : 237.0 x 480 x 392.0  
Length of electrical supply cord (cm) : 150  
Net weight (kg) : 35.0  
Gross weight (kg) : 38.0  
EAN code : 4242003674093  
Maximum micro-wave power (W) : 900  
Connection rating (W) : 3600  
Current (A) : 16  
Voltage (V) : 220-240  
Frequency (Hz) : 50; 60  
Plug type : no plug

Included accessories

1 x combination grid  
1 x universal pan



4 242003 674093

Optional accessories

HZ6LCC0    Cookbook

iQ700  
Compact oven with microwave  
CM633GBS1B

Features	
<p><b>Design</b></p> <ul style="list-style-type: none"><li>• Stainless steel control dial</li><li>• Bar handle</li><li>• Drop down oven door, softClose, softOpen</li><li>• Cavity inner surface: Enamel anthracite</li><li>• Full colour display</li></ul> <p><b>Key features</b></p> <ul style="list-style-type: none"><li>• 2.8" TFT Display</li><li>• TFT clearText display</li><li>• Digital temperature display with proposal<ul style="list-style-type: none"><li>Actual temperature display</li><li>Heating-up indicator</li><li>Automatic programmes</li></ul></li><li>• Control panel lock<ul style="list-style-type: none"><li>Automatic safety switch off</li><li>Residual heat indicator</li><li>start button</li><li>Door contact switch</li></ul></li></ul> <p><b>Features</b></p> <ul style="list-style-type: none"><li>• Electronic oven clock timer</li><li>• LED Illumination</li><li>• Microwave top door</li><li>• 3 shelf positions</li><li>• Stainless-steel fan</li><li>• Integral cooling fan</li></ul> <p><b>Programmes/functions</b></p> <ul style="list-style-type: none"><li>• Compact oven with microwave with 6 heating methods:<ul style="list-style-type: none"><li>4D hot air, hotairEco, hot air grilling, full width grill, half width grill, keep warm</li></ul></li><li>• Additional heating methods with microwave: Microwave, Combi microwave constant</li><li>• Fast pre-heating function</li><li>• Automatic programmes</li><li>• Info button</li></ul> <p><b>Performance/technical information</b></p> <ul style="list-style-type: none"><li>• 45 litres</li><li>• Max. Power: 900 W; 5 Microwave power settings (90 W,180 W,360 W,600 W,900 W) with Inverter (MW)</li><li>• Maximum door temperature 30 °C</li><li>• Length of mains cable: 150 cm</li><li>• Total connected load electric: 3.6 KW</li><li>• Appliance dimension (hxxwxd): 455 mm x 595 mm x 548 mm</li><li>• Niche dimension (hxxwxd): 450 mm - 455 mm x 560 mm - 568 mm x 550 mm</li><li>• Please reference the built-in dimensions provided in the installation drawing</li></ul>	<p><b>Standard accessories</b></p> <ul style="list-style-type: none"><li>• Pull out system: Not available</li><li>• 1 x combination grid, 1 x universal pan</li></ul>

## Compact oven with microwave CM633GBS1B

Technical drawing of the built-in oven showing front and side views with dimensions in mm.

**Front View Dimensions:**


- Top width: 560<sup>+8</sup>
- Top depth: 180
- Min. height: min. 460
- Min. width: min. 550
- Min. depth: 20
- Top panel depth: 19.5
- Top panel width: 405
- Top panel height: 455
- Max. depth: max. 45
- Max. width: 595
- Max. height: 442
- Max. depth (bottom): 407
- Max. width (bottom): 548

**Side View Dimensions:**

- Space for appliance connection: 320 x 115

measurements in mm

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	42 mm	43 mm
Full surface induction hob	48 mm	53 mm
Gas hob	37 mm	47 mm
Electric hob	28 mm	30 mm



For recessed depth, see hob dimensional drawing

Min. distance:  
 Induction hob: 5 mm  
 Gas hob: 5 mm  
 Electric hob: 2 mm

442

460

7.5

