WARMING DRAWER N17HH2ONOA





Warming drawer with 29 cm installation height - perfect for a coordinated kitchen look

√ Push&Pull Function

Feature:

Technical Data

Built-in / Free-standing : Built-in Color / Material Front : Stainless steel Maximum number of plates : 40

Maximum number of espresso cups : 192

Dimensions of the product (mm) : 290 x 596 x 548

Required niche size for installation (HxWxD) : $290 \times 560 \times 550$

EAN code: 4242004184638 Electrical connection rating (W): 810

Current (A): 10 Voltage (V): 220-240 Frequency (Hz): 50; 60 Plug type: AU plug





WARMING DRAWER N17HH2ONOA

Features

Heating Functions

- Heating plate made of toughened glass
- \bullet Temperature control with 4 levels: 40 °C 80 °C (glass surface temperature)
- Suitable for:
- Pre-warming of crockery
- Keeping drinks and food warm
- Dough proving
- Defrosting
- Slow cooking

Convenience


- Cavity volume: 52 net usable litres
- Max weight up to 25 kg
- Max. loading espresso cups: 192 PC or Max. loading plates: 40 PC
- Telescopic pull-out drawer
- 290 mm height
- Push&Pull opening mechanism

Technical Info

- Length of mains cable: 150 cm
- Connected load: 0.81 kW
- Appliance dimensions (HxWxD): 290 mm x 596 mm x 548 mm
- Installation dimensions (HxWxD): 290 mm x 560 mm 568 mm x 550 mm
- Please reference the built-in dimensions provided in the installation drawing

WARMING DRAWER N17HH2ONOA

Dimensioned drawings



Ovens with an appliance height of 595 mm can be installed above a warming drawer.
An intermediate floor is not required.

measurements in mm

