OVEN B57CR22NOB

















- $\sqrt{\mbox{ Slide\&Hide}^{\mbox{\scriptsize (B)}}}$ the fully retracting oven door.
- $\sqrt{\text{CircoTherm}^{\text{@}}}$ Neff's outstanding hot-air system for simultaneous baking and roasting on up to 3 levels.
- $\sqrt{\ }$ The duo for perfect cleaning: Pyrolysis after heavy use the oven interior cleans itself.

- $\sqrt{\text{EasyClean}^{\text{@}}}$ the environment-saving option for fast oven cleaning.
- $\sqrt{\ }$ ShiftControl fast navigation through menus and simple operation with the TFT display.

Technical Data

Color / Material Front : Stainless steel Built-in / Free-standing : Built-in

Integrated Cleaning system: Hydrolytic, Pyrolytic

Required niche size for installation (HxWxD) : 585 x 560 x 550

Dimensions of the product (mm) : $595 \times 596 \times 548$

Control Panel Material: Stainless steel

Door Material : Glass Net weight (kg): 40.0 Usable volume of cavity (I): 71

Cooking method:, Bottom heat, Bread Baking Setting, Conventional heat, Dough proving setting, Full width grill, Half width grill, Hot Air,

Hot Air-Eco, Hot air grilling, low temperature cooking, Pizza setting

First cavity material : Enamelled Temperature control: electronic Number of interior lights: 1 Approval certificates : CE, VDE

Length electrical supply cord (cm): 120

EAN code: 4242004181897 Number of cavities (2010/30/EC): 1 Energy efficiency class (2010/30/EC) : A+

Energy consumption per cycle conventional (2010/30/EC): 0.87

Energy consumption per cycle forced air convection (2010/30/EC) :

Energy efficiency index (2010/30/EC): 81.2 Electrical connection rating (W): 3450

Current (A): 16 Voltage (V): 220-240 Frequency (Hz): 60; 50

Plug type: no plug

Included accessories



Z11SZ00X0: SeamlessCombination mounting kit, Z11SZ80X0: SeamlessCombination 60 + 29cm, Z11SZ90X0: SeamlessCombination 60 + 45cm , Z11TC10X0 : ComfortFlex Rail (1 level), Z11TC16X0: ComfortFlex Rail (1 level), Z12CB10A0: Enamelled baking tray, Z12CM10A0: Moussaka pan, enamelled, Z12CU10A0: Multipurpose pan, enamelled, Z12TF36X0: 3 level telescopic rails, full ext,pyro Z1913X0: Baking Stone,

OVEN B57CR22NOB

Features

Heating Functions

• Oven with 12 heating methods:

CircoTherm®

CircoTherm® Eco

Top/bottom heating

Top/bottom heating Eco

Circo-roasting

Full surface grill

Centre area grill

CircoTherm® Intensive

Bread Baking

Bottom heating

Low temperature cooking

Dough proving

- Temperature range 40 °C 275 °C
- Cavity volume: 71 net usable litres

Design

- Illuminated ShiftControl
- Anthracite enamel cavity with 4 shelf positions

Cleaning

- Pyrolytic self cleaning
- EasyClean® Cleaning aid programm
- Full glass inner door safer touch door

Convenience

- 2.5" colour and text Display with ShiftControl
- Temperature proposal

Optical temperature control

Actual temperature display

Sabbath setting

• Additional functions:

Steam cooking function (system steamer accessory required)

- Slide&Hide® door, SoftOpen
- Electronic clock
- Rapid heating-up
- Halogen lighting
- Cooling fan
- Stainless-steel fan
- Info button
- Revolution handle

Hook-in racks / rails

• Cavity with shelf support rails, Telescopic slide-out Accessory

Accessories

• 2 x combination grid, 1 x universal pan

Safety and Environment

- Individual adjustable child lock Residual heat indicator Safety switch off
- Quadruple glazed CoolTouch door


Technical Info

- Length of mains cable: 120 cm
- Total connected load electric: 3.45 KW
- Appliance dimensions (HxWxD): 595 mm x 596 mm x 548 mm
- Installation dimensions (HxWxD): 585 mm 595 mm x 560 mm 568 mm x 550 mm
- Please reference the built-in dimensions provided in the installation drawing

OVEN B57CR22NOB

Dimensioned drawings

Installation with a hob.



measurements in mm

