

90cm curved glass and stainless steel canopy with push button controls and halogen lights
RRP AUS \$539.00



Product Details

FEATURES

Single powerful centrifugal motor A robust and effective twin blade single motor for consistent extraction performance	Integrated mounting area An integrated mounting area within the hood body to ensure the unit is solidly mounted and minimises any vibration.	Push Button controls Controls that are easy to reach and easy to use. Robustly constructed and integrated into the body of the hood.	Dishwasher Safe mesh filters
---	---	---	------------------------------

High powered halogen globes

BENEFITS

Lower noise level While effectively clearing the air the motor operates at a noise level that lets you continue conversation with family and friends while cooking.	Push Button controls At a glance you can check which setting your rangehood is operating at .
Dishwasher safe mesh filters Maintain the looks and effective airflow through the rangehood by simply washing them in a dishwasher with your dinner dishes.	Well illuminated cooking area The powerful Halogens ensure that your cooking area is well illuminated and easier use and enjoy.
Stylish and easy to maintain stainless steel Offering a great combination of style and performance the stainless steel rangehoods ensure the hood remains looking good and performing well.	

Specifications

PRODUCT PROFILE

Domestic warranty details (yrs)	2
Type of Rangehood	wall mounted canopy
Design family (eline)	Chef
Nominal width	900
Finish of Rangehood	glass,stainless steel

DIMENSIONS

Minimum installation height from cooking surface Gas (mm)	650
Minimum installation height from cooking surface Electric (mm)	600

MOTOR/FAN

Number of fans	1
Number of fans speeds	3
Variable speed control	Yes
Auto off	Yes
Type of motor	centrifugal
Auto fan timer	Yes
Maximum airflow M3/Hr	750
Noise level dB high	71
Noise level dB low	61

POWER

Connection plug	10
-----------------	----

DIMENSIONS

Maximum canopy chimney height (mm)	1140
Flue cover depth (mm)	290
Flue cover width (mm)	340

CONTROLS

Control panel	push button
---------------	-------------

LIGHTS

Number of lights	2
Wattage of light	40

FILTERS

Number of filters	1
Type of filter	multilayer aluminum micromesh filters
Dishwasher safe	Yes

DUCTING / RECIRCULATION

Ducting	optional accessory
Top or rear duct hole	top
Recirculation option	Yes
Recirculation kit	optional accessory
Front recirculating option	No
Optional extension flue	No

DUCTING / RECIRCULATION

Optional filter

Carbon

Terms and Conditions

IMPORTANT

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products Pty Ltd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

WARRANTY

This warranty only applies to Appliances purchased and used in Australia or New Zealand and used in normal domestic applications and is in addition to (and does not exclude, restrict, or modify in any way) any non-excludable statutory warranties in Australia or New Zealand. All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

ELECTROLUX HOME PRODUCTS AUSTRALIA

telephone: 1300 363 640

fax: 1800 350 067

email: customercare@electrolux.com.au

web: www.electrolux.com.au

ELECTROLUX HOME PRODUCTS NEW ZEALAND

telephone: 09 573 2230

fax: 09 573 2221

email: customercare@electrolux.co.nz

web: www.electrolux.co.nz