

564L quad door fridge, matte charcoal black with a plumbed in-door water dispenser, 4-star energy, Autosense cooling technology, FreshSeal™ crisper with manual humidity control, Deli food compartments & automatic icemaker



Product Details

FEATURES

| | | | |
|--------------------------|----------------------|---------------------------|-------------------|
| AutoSense | Automatic Ice Maker | FastIce | FreshSeal Crisper |
| Fresh Drawers | Pull out tray | FresherAir | Chill drink timer |
| 4 Star Energy Efficiency | Full Width Door Bins | Multi-flow airflow system | |

BENEFITS

Clever cooling for busy homes

Enjoy a fridge that adapts to your daily life. AutoSense learns your households routine, from busy mornings to quiet nights, and automatically adjusts cooling to help keep food fresher for longer. When the door opens frequently, Shopping Mode activates, lowering the temperature to protect your groceries. And when youre away, AutoSense switches to Holiday or Mini-Break Mode* to save energy without you lifting a finger.*AutoSense modes only available when AutoSense is activated by the user.

Chilled fresh water (plumbed)

Keep everyone refreshed at any time of day or week with a filtered water dispenser built into the door.

Ice when you need it most

With the convenience of an automatic ice maker, weve got your ice needs covered. By replenishing itself, you will always have ice available for your family or last-minute guests.

A show stopper

Make your new French door fridge the centrepiece of the kitchen. With a sleek, flat door design and pocket handles for easy opening, you will be stopped in your tracks every time you see it.

Fast, fresh ice whenever you need it

From afternoon drinks to weekend BBQs, youll have more than enough ice to keep everyone cool. Our Autolce maker takes care of the freezing for you, and with FastIce speeding up production, you can enjoy extra cubes in a hurry whenever you need them.

Seal in the Freshness

Our FreshSeal™ crispers are sealed and come with a humidity slide that you control. The seals assist in preventing moisture loss whilst the humidity slide assists in creating the right environment for keeping food fresher for longer.

A space for everything

Maximise the organization in your fridge with the 2 NEW FreshDrawers. Located under the FreshSeal crispers, store your meat in one and deli items in the other, keeping your shelves clear and your food at your fingertips.

Easy access tray

The pull-out tray maximises freezer space and makes it easy to store and retrieve bulky or awkward items, saving you time and hassle every day.

A fresher fridge everyday

Keep your fridge smelling fresh and clear with our FresherAir carbon filter. Acting as a deodoriser, it helps remove unwanted odours so everything from leftovers to today's lunch doesn't overpower your fridge. Replacing your carbon filter every 6 months will ensure your fridge continues to perform to its best, every day.

Fast chill for every occasion

Forgot to chill the drinks? No problem! With the Chill drinks timer, you can quickly cool bottles in the freezer, so every celebration, or weeknight dinner, is perfectly chilled. The timer runs for 20 minutes and can be extended in 5-minute intervals up to 45 minutes, giving you that little extra chill time when you need it.

Specifications

PRODUCT PROFILE

| | |
|---|----------------|
| Domestic warranty details (yrs) | 2 |
| Additional domestic warranty for the sealed refrigeration system only (yrs) | 3 |
| Refrigerator Type | quad door |
| Exterior door finish | Matte black |
| Handle design | integrated |
| Fridge door opening | left and right |
| Cooling system | frost free |
| Freezer door opening | left and right |
| Refrigerant | R600a |
| Dispenser type | water |
| Plumbed water supply required | Yes |
| Compressor | Inverter |

DIMENSIONS

| | |
|--|------|
| Total height (mm) | 1795 |
| Cabinet height (mm) | 1776 |
| Total width (mm) | 896 |
| Cabinet width (mm) | 890 |
| Total depth (mm) | 726 |
| Cabinet depth (mm) | 643 |
| Depth door open 90degree (mm) | 1104 |
| Food Compartment Capacity (L) - AS/NZS 4474.1 2007 (IEC 62552-2015) * | 411 |
| Freezer Compartment Capacity (L) - AS/NZS 4474.1 2007 (IEC 62552-2015) * | 153 |
| Total Capacity (L) - AS/NZS 4474.1 2007 (IEC 62552-2015) * | 564 |
| Height adjustable feet | Yes |

ENERGY

| | |
|--|-----|
| Energy Star Rating - AS/NZS 4474.1 2007 (IEC 62552- 2015) * | 4.0 |
| Energy Consumption (kWh/year) - AS/NZS 4474.1 2007 (IEC 62552- 2015) * | 406 |

FOOD COMPARTMENT

SHELVING

| | |
|------------------------|------------------|
| Shelf material | glass |
| Number of shelf levels | 2 |
| Type of shelf | spill safe shelf |

LIGHTING

| | |
|------------------|-----|
| Feature lighting | LED |
| Main light | LED |

REFRIGERATOR SYSTEM

| | |
|-------------------|---|
| Controls | electronic (with display) |
| Controls location | internal |
| Controls type | touch |
| Control functions | quick freeze function,holiday mode,quick chill,fast ice function,drinks chill,ice maker,drink chill alarm,Autosense |
| Door alarm | fridge |

CRISPERS

| | |
|------------------------|----------------------------------|
| Crisper lid/shelf | plastic |
| Crispers Runner system | rollers |
| Crisper features | humidity controlled,fully sealed |

OTHER PROPERTIES

| | |
|-----------------------------------|----------------------------------|
| Other Properties-FOOD COMPARTMENT | Deodoriser,Water filter,Egg tray |
|-----------------------------------|----------------------------------|

FOOD COMPARTMENT DOOR

BINS

| | |
|-----------------|---|
| Deep bottle bin | 2 |
|-----------------|---|

| | |
|-------------|---|
| Shallow bin | 1 |
|-------------|---|

OTHER PROPERTIES

| | |
|---------------------|-------------|
| Bin mounting system | lug mounted |
|---------------------|-------------|

BASKET/DRAWER

| | |
|---------------------------|---|
| Full width freezer drawer | 2 |
|---------------------------|---|

| | |
|-----------------------------|-----------|
| Basket/Drawer runner system | suspended |
|-----------------------------|-----------|

| | |
|--------------------------|---|
| Full Width Pull Out Tray | 3 |
|--------------------------|---|

EXTERNAL

| | |
|------------------------|-------|
| Dispenser through door | water |
|------------------------|-------|

FREEZER COMPARTMENT

ICE FACILITY

| | |
|----------------------|---|
| Ice cube storage bin | 1 |
|----------------------|---|

| | |
|---------------------|---|
| Automatic ice maker | 1 |
|---------------------|---|

| | |
|-----------|-----------|
| Ice Maker | Automatic |
|-----------|-----------|


LIGHTING

| | |
|------------|-----|
| Main light | LED |
|------------|-----|

Dimensions

Large Quad Door Fridge

WQE5750BB




When positioned in a corner area, spacing of at least 285mm on the hinge side will allow the doors to open enough to enable the removal of bins and shelves.

Installation options for optimal aesthetics :

Minimum side clearance kitchen cabinet
Fridge body must sit 10mm proud of kitchen cabinetry.
Minimum cabinetry opening (WxDxH) :
900mm x 849mm x 1800mm

Front of fridge body in line with kitchen cabinet
Side clearance must be 25mm either side of fridge body, to have the fridge doors sitting proud of the kitchen cabinetry.
Minimum cabinetry opening (WxDxH) :
940mm x 859mm x 1800mm

Fridge door flush with the cabinetry
Side clearance must be 90mm either side of the fridge, to have the fridge doors sitting flush with the kitchen cabinetry.
Minimum cabinetry opening (WxDxH) :
1070mm x 741mm x 1800mm



| Dimensions | Product Height | Product Width | Product Depth | Product Depth (Door Open) |
|------------|----------------|---------------|---------------|---------------------------|
| WQE5750BB | 1795 | 896 | 726 | 1104 |

| Door Flush (Depth include product doors) | Clearance | | |
|--|-------------|-----|--------|
| | Side - both | Top | Behind |
| WQE5750BB | 90 | 5 | 30 |

| Cabinet Flush | Clearance | | |
|---------------|-------------|-----|--------|
| | Side - both | Top | Behind |
| WQE5750BB | 25 | 5 | 30 |

IMPORTANT

These dimensions are a guide only. All measurements are in millimetres (mm). For complete installation instructions, refer to the manual provided with product.

© 2024 Electrolux Home Products Pty Ltd. ABN 51 004 762 341. WHS_DIM_WQE5750BB_Oct25

Terms and Conditions

IMPORTANT

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products Pty Ltd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

WARRANTY

This warranty only applies to Appliances purchased and used in Australia or New Zealand and used in normal domestic applications and is in addition to (and does not exclude, restrict, or modify in any way) any non-excludable statutory warranties in Australia or New Zealand. All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

ELECTROLUX HOME PRODUCTS AUSTRALIA

telephone: 1300 363 640

fax: 1800 350 067

email: customercare@electrolux.com.au

web: www.electrolux.com.au

ELECTROLUX HOME PRODUCTS NEW ZEALAND

telephone: 09 573 2230

fax: 09 573 2221

email: customercare@electrolux.co.nz

web: www.electrolux.co.nz