

Serie | 8 Dishwashers

SMU69U85AU

ActiveWater Dishwasher Stainless steel built-under



ActiveWater with Zeolith + TFT display - 4.5 Star WELS and 4.5 Star Energy: Perfect drying & low energy.

- Zeolith drying technology delivers improved drying and extra low energy consumption.
- **SuperSilence:** exceptionally quiet operation at only 42 dB.
- **HygienePlus:** Extra hot final rinse kills 99.9% of bacteria.
- **VarioFlexPlus basket system & VarioDrawer:** maximum flexibility in baskets and third loading level.
- **VarioSpeed:** The same great washing and drying results in up to half the time.

Technical Data

Water consumption (l) :	13.3
Built-in / Free-standing :	Built-in
Height of removable worktop (mm) :	815
Required niche size for installation (HxWxD) :	815-875 x 600 x 550
Depth with open door 90 degree (mm) :	1155
Adjustable feet :	Yes - front only
Maximum adjustability feet (mm) :	60
Net weight (kg) :	48.0
Gross weight (kg) :	50.0
Connection Rating (W) :	2400
Current (A) :	10
Voltage (V) :	220-240
Frequency (Hz) :	50; 60
Length electrical supply cord (cm) :	175
Plug type :	AU plug
Length inlet hose (cm) :	165
Length outlet hose (cm) :	190.0
Number of place settings :	15
Energy consumption (kWh) :	0.55
Reference programme :	Economy
Total cycle time of reference programme (min) :	155
Installation typology :	Built-under



Optional accessories

SZ72010 : inlet and outlet hose extension

Serie | 8 Dishwashers

SMU69U85AU

ActiveWater Dishwasher Stainless steel built-under

**ActiveWater with Zeolith + TFT display -
4.5 Star WELS and 4.5 Star Energy: Perfect
drying & low energy.**

Capacity

- 15 international place settings

Consumption rates

- (based on Economy 45 °C program)
- 4.5 Star WELS water rating, 13.3 litres per wash
- 4.5 Star energy rating, 206 kwh per year

Design

- Stainless steel built-under
- SoftTouch buttons
- EmotionLight

Wash Programs

- 6 Wash Programs:
 - Auto 65-75 °C
 - Auto 45-65 °C
 - Auto 35-45 °C
 - Economy 45 °C
 - Quick 45 °C
 - Pre-rinse

Performance

- Zeolite-Drying
- brilliant dry
 - VarioSpeed™ - express wash option
 - IntensiveZone wash option
 - HygienePlus
- DosageAssist detergent system
- Auto Brilliance - automatic detergent sensor
- EcoSilence Drive
- AquaSensor™ technology
 - Load Sensor
- Heat exchanger hygienic drying
- Advanced filter system
- Alternating spray-arm washing
- 5 Spray levels

Flexibility

- VarioFlexPlus™ baskets
- VarioDrawerPlus
- RackmaticPlus™ - 3 stage height-adjustable upper basket
- Folding racks in lower and upper baskets
- 2 cup shelves in top basket
- 2 cup shelves in bottom basket
- Tall glass/champagne glass racks

- Large item spray head

Convenience

- SuperSilence operation - 42dB
- Time remain display
- Time delay start (1-24 hours)
- Audible program end
- Electronic rinse aid and refill indicator
- Effortless door closing
- Front-adjustable rear foot

Safety

- AquaStopPlus anti-flood protection

Appliance dimensions (HxWxD)

- 815-875 x 598 x 573 mm

Serie | 8 Dishwashers

SMU69U85AU

ActiveWater Dishwasher
Stainless steel built-under

