

Tours • LYBIH52X

52cm Undermount Range Hood



Signature Features

High Performance

- Powerful air extraction of up to 600m³/h and enhanced by a 3-speed fan mode, you can boil, simmer and stir-fry.

Optimal Clean Air

- Equipped with 3-layer filters for optimal smoke and odor absorption capacity.

Eco Friendly LED Lights

- Environmentally responsible LED lights (2 * 1.5 W) provide ample clarity over the cooking area

Intuitive Touch Control

- Easy to understand and easy to operate, so you can easily adjust the power and access all the important functions at your fingertips

Easy to Clean

- Surface of the rangehood can be easily wiped down and the 3-layer aluminum micro-mesh filter can be easily hand-washed to maintain its optimal performance

Head-free Design

- Sleek and head-free design gives the kitchen a modern touch and an optimal view of your cooktop

600
m³/h
Powerful
Air
Extraction

Touch
Control

3
Speeds

Layered
Filter

Clean
Air

Head Free
Design

LED
Lights

Easy
Cleaning

Ductless
Installation

Easy
Installation

Compact
Design

Quiet
Operation



Tours • LYBIH52X

52cm Undermount Range Hood

Technical Features

Materials / Color:	Stainless Steel + Galvanized body
Installation:	Built-in undermount
Voltage / Frequency:	220-240V, 50-60Hz
Current Amps:	1.1A
Power Cable:	1.5m
Australian Plug:	Yes

Range Hood Features

Power Levels:	3 Speeds
Control Display:	Push button
Max. Air Extraction Power:	600m³ / h
Motor Power:	230W
Rated Lamp Power (each):	1.5W
LED Lights:	2
Sound Power Level:	65dB

Filter Features

Aluminum/Stainless Steel Surface Filter:	3 layers (1 piece)
Activated Charcoal Filter:	No
<i>*Charcoal filter is not included and can be purchased separately; size: $\phi 175 \times 35$mm</i>	
Duct pipe:	1.5m aluminum foil

Dimensions & Weight

Packed dimensions:	580 (W) x 335 (D) x 320 (H) mm
Packed weight:	7kg
Unpacked weight:	5.8kg


EAN Number

• 0731093140686

Warranty

- Two (2) year parts and labor
- *Extend your warranty by registering your product linarie.com.au*

Installation Drawings



Please refer to the user manual for detailed installation and for filter replacement instructions. Insufficient distance between the cooktop and the rangehood can result in damage to the rangehood.