



V-ZUG Australia Pty. Ltd
2/796 High Street East Kew Vic 3102, VICTORIA/Australia
Phone +61 (03) 9832 7500
enquire.au@vzug.com, www.vzug.com

Brochure AdoraDish V6000



Selected product

- Article no.: 4111800013
- EAN code: 7630029453674
- Controls: TouchControl
- Standard width: 60 cm
- Size: standard
- Front design: Fully integratable
- Handle: without
- All connections (water and electric): 1.5 m





Details AdoraDish V6000

Design

- Controls: TouchControl
- Standard width: 60 cm
- Size: standard
- Front design: Fully integratable
- Handle: without
- All connections (water and electric): 1.5 m

Dimensions

- Niche height: 786 mm
- Max. niche height: 902 mm
- Niche width: 600 mm
- Max. niche width: 600 mm
- Niche depth: 580 mm
- Appliance height: 780 mm
- Max. appliance height: 896 mm
- Appliance width: 596 mm
- Appliance depth: 550 mm
- Depth of appliance when door is open: 1157 mm
- Appliance depth including distance to wall: 580 mm
- Empty weight: 47 kg

Display and operation

- Display: LCD
- Number of languages in display: 10
- Languages in display: de, en, fr, he, it, nl, ru, tr, uk, zh
- FunctionLight
- Lighting: LED
- Number of lights: 4

Energy

- Automatic shut-off consumption with network switched on: 0.95 W
- Energy efficiency rating: A+++
- Energy star rating: 4.5
- Annual energy consumption: 181 kWh
- Water star rating: 6
- Water consumption per cycle: 9.5 l
- Water consumption per standard cycle: 9.5 l
- Type of connection (1): 220-240 V~
- Frequency (1): 50 Hz
- Connected loads (1): 2.2 kW
- Fuse protection (1): 10 A
- Plug type: AS/NZS_3112
- Connection cable: 1.5 m
- Water pressure: 1-10 bar



Dishwasher features

- Cutlery drawer: Without
- Click-in
- Premium Swiss Quality
- EcoManagement
- Additional row for glasses
- Variable cutlery basket
- Multiflex zone
- 4-way adjustable upper basket
- Special function hot water connection
- salt / rinse aid refill indicator
- Aquastop
- EcoStandby
- Large cutlery basket
- Small cutlery basket
- Programmes: 12
- Turbidity sensor
- Adjustable height: 116 mm
- Technology: conventional
- Easy prong extension
- Installation in tall unit

Functions

- Automatic rinse agent dosage
- Childproof lock
- OptiStart
- Water hardness control
- Automatic programme
- SteamFinish
- Silent programme
- Daily-short
- Party programme
- Sprint programme
- Glass programme
- Intensive
- Fondue/raclette programme
- All-in-1 option
- Hygiene programme
- Pre-rinse
- Eco programme
- Energy saving
- MachineCare programme
- Part load
- Automatic door ejector
- Delayed start: 24 h

Additional data

- Pressure hose G 3/4: 1.55 m
- Feature level: 4
- Noise output: 40 dB(A)

Service and interfaces

- Frequency range: 2,4 GHz
- WLAN as standard: 802.11 b/g/n
- ZUG-eye
- V-ZUG-Home
- Warranty: 2 years
- Interface: WLAN and Bluetooth

