

# COMBI-STEAM OVEN B47FS36NOB



COOKING PASSION SINCE 1877



Built-in oven with FullSteam and SLIDE&HIDE® - combining all heating types and steam cooking in a single oven with unrestricted access.

- ✓ Slide&Hide® - the fully retracting oven door.
- ✓ The new FullSteam® oven combines CircoTherm® oven and steam cooker in a single unit.
- ✓ EcoClean - the self-cleaning catalytic coating on the inside top and sides of the oven makes oven cleaning easier.
- ✓ BottomClean - the special cleaning programme for the oven floor.
- ✓ ShiftControl - fast navigation through menus and simple operation with the generous TFT display.
- ✓ Modern LED lighting for bright, even illumination.
- ✓ The Multi Point® meat probe helps the oven regulate the temperature and automatically adjust the cooking time.

## Features

### Technical Data

Color / Material Front : Stainless steel  
 Built-in / Free-standing : Built-in  
 Door opening : Drop down  
 Required niche size for installation (HxWxD) : 585 x 560 x 550  
 Dimensions of the product (mm) : 595 x 596 x 548  
 Control Panel Material : Stainless steel  
 Door Material : Glass  
 Net weight (kg) : 42.0  
 Approval certificates : CE, VDE  
 Length electrical supply cord (cm) : 120  
 EAN code : 4242004181620  
 Current (A) : 16  
 Voltage (V) : 220-240  
 Frequency (Hz) : 60; 50  
 Plug type : no plug  
 Approval certificates : CE, VDE  
 Number of cavities (2010/30/EC) : 1  
 : 71  
 Energy efficiency class (2010/30/EC) : A+  
 Energy consumption per cycle conventional (2010/30/EC) : 0.87  
 Energy consumption per cycle forced air convection (2010/30/EC) : 0.69  
 Energy efficiency index (2010/30/EC) : 81.2

### Included accessories

1 x steam container, punched, size S, 1 x steam container, punched, size XL, 1 x steam container, unpunched, size S, 2 x grid, 1 x universal pan



4 242004 181620

## Optional accessories

Z11SZ00X0 : SeamlessCombination mounting kit ,  
 Z11SZ80X0 : SeamlessCombination 60 + 29cm , Z11SZ90X0 :  
 SeamlessCombination 60 + 45cm , Z12CB10A0 : Enamelled baking  
 tray , Z12CM10A0 : Moussaka pan, enamelled , Z12CU10A0 :  
 Multipurpose pan, enamelled , Z13TC10X0 : ComfortFlex Rail (1  
 level) f. steam , Z13TF36X0 : 3 level telescopic rails, full ext, steam  
 Z1913X0 : Baking Stone ,

# COMBI-STEAM OVEN B47FS36NOB

## Features

### Heating Functions

- Combi-steam oven with 12 heating methods:  
CircoTherm®  
CircoTherm® Eco  
Top/bottom heating  
Top/bottom heating Eco  
Circo-roasting  
Full surface grill  
Centre area grill  
CircoTherm® Intensive  
Bread Baking  
Bottom heating  
Low temperature cooking  
Keep warm
- Additional heating methods with steam: FullSteam, Reheating, Dough Proving, Defrost setting
- Temperature range 40 °C - 250 °C
- Cavity volume: 71 net usable litres

### Design

- Illuminated ShiftControl
- Anthracite enamel cavity with 4 shelf positions

### Cleaning

- EcoClean Direct : back panel, ceiling, side liners
- EcoClean program, EasyClean program
- Full glass inner door - safer touch door

### Convenience

- 4.1" TFT colour and graphics display with ShiftControl
- Temperature proposal  
Optical temperature control  
Actual temperature display  
Sabbath setting
- Additional functions:  
Descaling program  
Drying function
- Slide&Hide® door, SoftOpen
- Bake and Roast assist, Automatic programs
- Number of automatic programmes: 30 PC
- MultiPoint MeatProbe
- Electronic clock
- Rapid heating-up
- LED lighting
- Large 1 litre water tank
- Water tank empty indicator
- Location of the steam generator is outside of the cavity
- Cooling fan
- Stainless-steel fan
- Info button
- Revolution handle

### Hook-in racks / rails

- Cavity with shelf support rails, Telescopic slide-out Accessory

### Accessories

- 1 x steam container, punched, size S, 1 x steam container, punched, size XL, 1 x steam container, unpunched, size S, 2 x grid, 1 x universal pan

### Safety and Environment

- Individual adjustable child lock  
Residual heat indicator  
Safety switch off
- Triple glazed door


### Technical Info

- Length of mains cable: 120 cm
- Total connected load electric: 3.45 KW
- Appliance dimensions (HxWxD): 595 mm x 596 mm x 548 mm
- Installation dimensions (HxWxD): 585 mm - 595 mm x 560 mm - 568 mm x 550 mm
- Please reference the built-in dimensions provided in the installation drawing


# COMBI-STEAM OVEN B47FS36NOB

## Dimensioned drawings


Installation with a hob.



measurements in mm



measurements in mm



measurements in mm