

Air Humidification System

CLI-AH200 | Installation & Operating Instructions



Congratulations on your purchase of a Cli~Mate Air Humidification System

This Air Humidification System effectively humidifies the air in small indoor areas, for a more comfortable and healthy environment.

Note: Please read through the instructions carefully before using or installing the product and ensure that the manual is kept in a safe place for future reference.

The system must be properly installed and located in accordance with the installation instructions before it is used.

During the set up of this product if you have any questions / comments / issues DO NOT RETURN TO STORE. FOR SERVICE AND TECHNICAL ADVICE ON THIS PRODUCT. FREE CALL 1300 764 325.

CUSTOMER HOTLINE: 1300 764 325

Register your warranty online at www.cli-mate.com.au/warranty-and-registration

Aquaport Corporation Pty Ltd

PO Box 81 Findon SA 5023 Australia

Telephone: 08 8354 0711 Facsimile: 08 8354 0722

Email: aquaport@aquaport.com.au

Web: www.cli-mate.com.au

Social: f/climatebrand @climatebrand



Electrical Requirements:
Australia / New Zealand 240V / 230V 50Hz
Due to manufacturing alterations product may vary slightly from the pictured.

SAFETY PRECAUTIONS

Read all instructions carefully.

- All components need to be installed in accordance with the user manual instructions for correct performance of unit.
- This appliance should be used in conjunction with a safety switch.
- This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.
- Keep the air outlet free from air blocking materials such as clothing, plastic bags or papers.
- Do not operate any appliance with a damaged cord or plug or after the appliance malfunctions, or has been damaged in any manner.
- If the supply cord is damaged, it must be replaced by the manufacturer, its service agent or similarly qualified persons in order to avoid a hazard.
- Children should be supervised to ensure that they do not play with the appliance.
- Do not use appliance for other than intended use.
- Ensure appliance is on a flat, even surface.
- To protect against fire, electric shock and personal injury, do not immerse cord, plugs, or appliance in water or other liquid.

- Unplug from outlet when not in use and before cleaning.
- Do not use outdoors.
- Do not place on or near a hot gas, electric burner, heating appliance or in a heated oven.
- Place unit in a flat well-ventilated location at least 30cm from wall or other Appliances.
- Do not immerse base in water or try to disassemble.
- Check voltage to be sure that the voltage indicated on the nameplate agrees with your voltage.
- Do not remove the lid of the unit when it is in operation.

PRODUCT SPECIFICATIONS

Air Humidification Specifications

System Specifications	Air Humidification System
Model	CLI-AH200
Product Dimensions	L 200 x W 200 x H 195 mm
Net Weight	0.7kg
Coverage Area	up to 15m²



OPERATION INSTRUCTIONS

- 1. Locate a flat stable location with close access to a power point. Make sure there is at least 30cm between unit and wall or other appliances.
- 2. Lift off lid of the air humidifier and fill water bowl with clean tap water to the MAX line
- 3. Add 2-3 drops of aroma oil into the water bowl (optional) and place the lid back on
- Plug power adapter into the unit and appropriate electrical outlet
- 5. Press power switch to turn on. The LED light will illuminate and the unit will begin to humidify the air.

Note: The blue LED light will flash when the water in the tank is low or has run out. To continue use, ensure that the unit is switched off and the power cord is removed from the unit and power socket. Refill water tank with clean tap water up to the MAX line and continue use.

During the set up of this product if you have any questions / comments / issues DO NOT RETURN TO STORE FOR SERVICE AND TECHNICAL ADVICE ON THIS PRODUCT FREE CALL 1300 764 325


CLEANING AND MAINTENANCE

Before carrying out any maintenance or cleaning of the unit, make sure that the power to the unit is turned off and the power cord is removed from the unit and power socket.

External cleaning of the unit:

- Do not clean unit with any abrasive cleaning agents or solvents.
- Do not apply any water directly to the unit of cleaning.
- Only use a soft clean cloth for all cleaning purposes.

COMPONENT IDENTIFICATION AND CHECK LIST



CONTROL BUTTONS

I. Power button

II. LED light

Turn LED light On and Off.

III. Timer


Press once - Unit will operate for 1 hour then automatically switch off.

Press twice - Unit will operate for 2 hours then automatically switch off.

Press 3rd time – unit will operate for 4 hours then automatically switch off. Press 4th time to cancel timing function.

IV. Night-time function

Unit will operate in a loop cycle - humidifies for 30 seconds then stop for 30 seconds.





TROUBLE SHOOTING

BEFORE YOU CALL FOR SERVICE PLEASE REVIEW THE TROUBLE SHOOTING TIPS FIRST.

Problem	Possible Causes	What To Do
No Power	1. Unit is not plugged into wall socket.	1. Check connection to wall socket and USB ports.
Unit overheating	 Air ventilation around unit not sufficient Air inlet or air outlet is being obstructed or blocked by foreign objects Internal malfunction 	 There must be at least 30cm between unit and wall or other appliances Ensure there are no object obstructing the air inlet or air outlet Return unit to service agent. Call customer care

Your Aquaport 12 Month Repair or Replacement Warranty

Aguaport warrants this appliance to the first purchaser and subject to the stated conditions:

Warranty covers any defects in material or workmanship in the manufactured product within the first twelve months from the date of purchase.

To make a warranty claim you must call Aquaport on toll free number 1300 764 325 for instructions. If a product is found to be faulty there is a 90 day return policy from the date of purchase.

For warranty claims outside of 90 days from date of purchase, product will be repaired or replaced at our discretion. Repair or replacement costs of the product will be covered under warranty by Aquaport.

Goods presented for repair may be replaced by refurbished goods of the same type rather than being repaired. Refurbished parts may be used to repair the goods.

Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if goods fail to be of acceptable quality and the failure does not amount to a major failure.

Conditions of this Warranty:

- 1. This product has been fully installed in accordance with the user manual installation instructions.
- 2. The warranty extends only to repairing or replacing any component that proves to be defective in material or workmanship.
- 3. The warranty does not cover defects occasioned by misuse, alterations, accidents, or used for other than the intended purpose.
- 4. The warranty does not cover damage to the product caused by accident, fire, or floods.
- 5. Proof of purchase is required for warranty claims.

Please keep purchase receipt in a safe place.

To enable us to register your warranty and provide service should a problem occur, we recommend you register your warranty online at:

www.cli-mate.com.au/warranty-and-registration

Aquaport Corporation Pty Ltd

5 John Street Flinders Park. South Australia 5025

Customer Care 1300 764 325



CUSTOMER HOTLINE: 1300 764 325

Aquaport Corporation Pty Ltd PO Box 81 Findon SA 5023 Australia

Telephone: 08 8354 0711

Facsimile: 08 8354 0722 Email: aquaport@aquaport.com.au

Web: www.cli-mate.com.au

Social: []/climatebrand > @climatebrand