

W6088X.W.AU

Washing machine

General description

Product group: Washing Machine Installation type: Freestanding Capacity: 8 kg Spin speed: 1800 rpm Available colour: White

Programs, options and modes

- Cotton
- Mix/synthetics
- Wool/hand wash
- Dark wash
- Bedding
- Time program
- Auto
- Quick
- Heavy
- Rinse
- Spin
- Drain
- Easy care
- Drum cleaning
- JeansShirts
- Hvaiene
- Quick Pro
- Anti-allergy program cotton
- Anti-allergy program synthetic
- Conditioning program
- Stain
- Steam refresh

Additional options

- Spin speed: Adjustable spin speed
- Super rinse function
- Super wash
- High water levelPrewash
- Anticrease system

Run modes

Normal mode, Green mode, Allergy mode, Speed mode, Intensive mode, Night mode

Construction & Performance

- Quattro™ Construction vibration-free spinning
- Door sealing: Steel seal hygienic door sealing
- Long lasting stainless steel drum
- Cast iron
- Active Drum technology
- Heater capacity (W): 2000 W
- Precise temperature control (max deviation: +/- 1 °C)
- Water level sensor
- Drum volume: 60 l
- Drum volume: 2,1 cu ft
- Durable brushless motor
- Automatic Dosing System: Integrated
- Pro Wash system extra effective washing and rinsing

Use & Flexibility

- Easy close door
- Slide-in storage for liquid detergent wall
- Temperature range (°C): Cold -90c
- Door diameter: 31 cm
- Door opening angle: 110 °

Interaction & Control

- Up to 24 hours
- Remaining time indicator

ASKO Appliances Pty Ltd - 35 Sunmore Close - MOORABBIN VIC 3189 Phone: 1300 00 2756 - Fax: 03 8551 2220

Email Address: sales@asko.com.au - www.asko.com.au

ASKOInspired by Scandinavia

Design & Integration

- Door opening: Left
- Adjustable feet: 10 mm
- Tumble dryer can be mounted on top of washing machine
- Size: 3/4" Can be connected to hot or cold water
- Loading position: Front

Safety & Maintenance

- Removable filters
- Waterproof bottom plate
- Maximized water inlet time
- PEX inlet hose
- Anti block drain pump
- Overflow protection
- Emergency door opening key
- Lockable control panel
- Possible to open door from inside
- Unbalance detection
- Draining capacity: 20 l/min
- Overheat protection
- Thermal and electonic protection against overheating

Technical data

- Heater capacity (W): 2000 W
- Drum volume: 60 I
- Size: 3/4" Can be connected to hot or cold water
- Counter weight material: Cast iron
- Counter weight (kg): 20,1 kg
- Noise level: 78 dB(A)re 1 pW
- Noise level washing: 50 dB(A)re 1 pW
- Energy stars: 5
- Water stars: 5
- Connection rating: 2200 W
- Voltage: 220-240 V
- Number of phases: 1
- Current: 10 amp
- Frequency: 50 Hz
- Net weight: 88,5 kg
- Yes
- Yes


Dimensions

- Product dimensions (HxWxD): 85 × 59,5 × 58,5 cm
- Adjustable feet: 10 mm
- Depth with door open: 942 mm
- Length electrical cord: 2,3 m
- Lenght inlet hose: 150 cmLength outlet hose: 160 cm

Logistic information

- Dimensions of packed product (HxWxD): 92 × 64 × 66,1 cm
- Gross weight: 91,7 kg
- Product code: 598381
- EAN code: 3838782024597Product area: Laundry
- Market: Domestic
- Range: Style

ASKOInspired by Scandinavia



ASKO Appliances Pty Ltd - 35 Sunmore Close - MOORABBIN VIC 3189 Phone: 1300 00 2756 - Fax: 03 8551 2220

Email Address: sales@asko.com.au - www.asko.com.au

