

D884BH

PRODUCT OVERVIEW

| | |
|---------------------|------------------------|
| Product group: | Tumble dryer |
| Installation type: | Freestanding |
| Line: | Superior Line |
| Type: | Condenser Tumble Dryer |
| Capacity: | 1 – 8.5 kg |
| Number of programs: | 27 programs |

EFFICIENCY

Energy-saving electric heater

Drum Volume: 120lt

Drum illumination with LED light

35 cm porthole diameter

180 ° door opening angle

Reversible drum action

Direct discharge of condensate AutoDrain



Energy
Rating



CONTROL

Personal settings for all programmes

LCD Display

PROGRAMS

27 programs

Cotton, Synthetics, Delicates, Mix,

Wool, XL programme

SteamTech

FEATURES

Audio signal SoftSound

FiltrationSupreme

Drying phase indicator

Signal for "full water container"

Remaining time on display

Vacuum feet

FUNCTIONS

Lower drying temperature: 40°C-60°C

Anticrease

SENSORIQ TECHNOLOGY

Humidity sensor

Service diagnostic indicator

SAFETY AND DURABILITY

Protective thermostat

Automatic switch off when door is open

Child protection (CDP)

Stainless steel inner/outer drum

TECHNICAL DATA:

Product Dimensions (HxWxD): 85 x 60 x 60 cm

Electrical cord length: 150cm

Gross weight: 38kg

Noise level (max): 65 dB(A) re 1pW

Energy consumption: 291 kWh

EAN Code: 3838942993633



XL programme

A special programme featuring reversible drum rotation prevents the laundry from entangling during drying.

The most efficient way to dry larger pieces of laundry! A special programme featuring reversible drum rotation prevents the laundry from entangling during drying. The XL program will dry larger items such as bedding, blankets, pillows, etc. more evenly and with substantially less creases.

AutoDrain - direct discharge of condensate

No more manual emptying of the condensate tank. If you opt for a condenser dryer instead of the vented dryer, the opening for discharging the vapours from the room is no longer required. In this type of dryer, the steam condenses in a special condensate tank which is simply emptied after each drying cycle. If the condensate tank is connected to a drain through the AutoDrain pipe, the tank no longer has to be emptied manually.



SteamTech – perfection without ironing

Perfectly smooth and fresh laundry.



New technology in laundry care employs steam to straighten every crease and wrinkle. Ironing your cotton and mixed fabric laundry will now be much easier – or even not required at all! An independent remarkable steam drying programme for shirts will particularly please those who strongly dislike ironing. Simply place up to five clean shirts into the dryer; it will take only 20 minutes to dry them and remove all creases using steam. Refreshment programme is perfect for clothes that have recently been worn but are not ready for washing yet, or clothes that have been in the closet for a while. It will remove any unpleasant odour and make them soft, without washing.

FiltrationSupreme

Gorenje tumble dryer features 40 % higher filtration efficiency due to optimal position and size of filters. Due to optimal humidity level and temperature, tumble dryer's door is the most suitable position for filter since most of the particles linger in the door area.





Anti-Crease system to minimise ironing

Anti-Crease system reduces creasing during drying; hence, less ironing is required.

Gorenje dryers feature an Anti-Crease system designed to reduce creasing. The tumble action and special 3D rib design prevent the garments from getting tangled or bundled up, which results in improved drying efficiency. A 10 minute period at the end of the drying cycle slowly cools down the laundry load to further reduce the possibility of creasing. Even when the dryer cannot be emptied immediately, your garments will not settle or crease by virtue of automatic, periodic tumbling of the load for a minimum of one hour after the cycle has finished.

FiltrationSupreme

Gorenje tumble dryer features 40 % higher filtration efficiency due to optimal position and size of filters. Due to optimal humidity level and temperature, tumble dryer's door is the most suitable position for filter since most of the particles linger in the door area.



Child Protection

The appliance control panel can be locked by simply pressing a button or a combination of buttons.

The door cannot be open during the wash cycle and Premium models feature UltraCoolDoor (UCD) - a second plastic cover to guard from the hot inner door glass. Additionally, the control panel can be locked by simply pressing a button.