

V-ZUG Australia Pty. Ltd
2/796 High Street East Kew Vic 3102, VICTORIA/Australia
Phone +61 (03) 9832 7500
enquire.au@vzug.com, www.vzug.com

Brochure GK56TIMS



Selected appliance

- Article no.: 3108165515
- Short designation: GK56TIMSZO
- Standard width: 90.0 cm
- Frame: DualDesign

Also available with/as (*)

- Frame Chrome standard frame

(*) Not all combinations are available. Ask your retailer for advice.

Details GK56TIMSZO

Design

- Standard width: 90.0 cm
- Frame: DualDesign

Dimensions

- Cut-out height: 8.5 mm
- Cut-out radius: 5.0 mm
- Appliance height: 53.3 mm
- Appliance width: 897.0 mm
- Appliance depth: 501.0 mm
- Appliance corner radius: 1.5 mm
- Support size width: 886.0 mm
- Max. support size width: 886.0 mm
- Support size depth: 490.0 mm
- Max. support size depth: 490.0 mm
- Installation height when flush-fitted: 53.3 mm
- Installation height when surface-mounted: 49.3 mm
- Cut-out width when flush-mounted: 903.0 mm
- Cut-out width when surface-mounted: 886.0 mm
- Max. cut-out width when surface-mounted: 886.0 mm
- Cut-out depth when flush-mounted: 507.0 mm
- Cut-out depth when surface-mounted: 490.0 mm
- Max. cut-out depth when surface-mounted: 490.0 mm
- Empty weight: 18.5 kg
- Cooking zone 1 position: front left
- Cooking zone 1 dimensions: 18x20 cm
- Cooking zone 2 position: rear left
- Cooking zone 2 dimensions: 18x20 cm
- Cooking zone 3 position: central
- Cooking zone 3 dimensions: 28 cm
- Cooking zone 4 position: rear right
- Cooking zone 4 dimensions: 18x20 cm
- Cooking zone 5 position: front right
- Cooking zone 5 dimensions: 18x20 cm

Display and operation

- Display: digital display
- Controls: MultiSlider/direct selection

- Slider control
- Operating time
- Languages in display: -
- Button sound (on/off)

Energy

- Cooking zone 1 max. power: 3700.0 W
- Cooking zone 2 max. power: 3700.0 W
- Cooking zone 3 max. power: 3700.0 W
- Cooking zone 4 max. power: 3700.0 W
- Cooking zone 5 max. power: 3700.0 W
- Type of connection: 380-415 V 3N~
- Frequency (1): 50/60 Hz
- Frequency (2): 50/60 Hz
- Connected loads: 11.1 kW
- Connected loads: 11.1 kW
- Fuse protection: 16.0 A
- Fuse protection: 48.0 A
- Plug type: cable

Hob features

- OptiGlass
- Powerplus: 5.0
- Hob category: Induction
- Operating time with shut-down function
- Residual heat indicator
- Timer
- Restore function
- Cooking zones: 5
- Power levels: 9
- EcoStandby
- Heating technology: induction cooking zones

Functions

- Pause button
- Warming function
- Automatic warm-up function
- Cleaning lock
- Zone connection
- Melt function

- Simmer function
- Childproof lock
- Safety package
- Pan detection (10–22 cm)

Additional data

- Feature level: 5

Service and interfaces

- Warranty: 2 years