

# Series 6, Gas cooktop, 75 cm, Stainless steel PCS7A5I90A



HEZ298105 Simmer plate HEZ298107 Wok ring HEZ298114 Small pot sup

HEZ298114 Small pot support
HEZ32WA00 Wireless food thermometer

HEZ9SE040 4 pieces Set HEZ9SE060 6 pieces Set The gas cooktop with precise flame control and easy cleaning thanks to detachable metallic control dials and dishwasher suitable cast iron pan supports.

- FlameSelect: adjust the gas flame precisely using nine defined levels.
- Easy cleaning: detachable knobs and dishwasher-suitable pan supports make cleaning a breeze.
- Dual flame power burner: versatile burner for extra-hot and extra-gentle cooking.
- Continuous cast-iron pan support: for high firmness and stability of cookware.
- Dishwasher-suitable pan supports: make cleaning your hob even easier.

Product name/family: .....gas hob w integrated controls Energy input: ......Gas Total number of positions that can be used at the same time: ....... 5 Required niche size for installation (HxWxD): 45 x 560-560 x 480-490 mm Dimensions of the packed product (HxWxD): ..... 168 x 798 x 596 mm Residual heat indicator: .....separate Location of control panel: ...... Front Basic surface material: ......Stainless steel Color of surface: ...... Stainless steel Length electrical supply cord: ...... 100.0 cm Gas connection rating: ...... 12500 W Frequency: ...... 50; 60 Hz





# Series 6, Gas cooktop, 75 cm, Stainless steel PCS7A5I90A

The gas cooktop with precise flame control and easy cleaning thanks to detachable metallic control dials and dishwasher suitable cast iron pan supports.

## Design

- Stainless steel surface
- Enamelled cast-iron trivets with rubber feet
- Metal control dials

#### Usage convenience

- FlameSelect (9 steps): precisely adjust the flame in nine defined and consistent levels.
- Sword control knobs, front: easily access knobs in front with strong grip for effortless turning.
- One-hand electronic ignition via controls: just push and turn the knob to ignite the flame.

#### **Burners and power**

- 5 Gas burners
- Including Dual flame wok burner: use an extra wide power range, separately controlling two flame rings.
- Left: Wok burner up to 19.5 Mj/h (depending on gas type)
- Center front: Economy burner up to 3.8 Mj/h (depending on gas type)
- Center rear: Standard burner up to 6.85 Mj/h (depending on gas type)
- Right rear: High-speed burner up to 11 Mj/h (depending on gas type)
- Right front: Standard burner up to 6.85 Mj/h (depending on gas type)

#### Cleaning

- Removable control dials for easy cleaning between knobs.
- Dishwasher suitable pan supports for easy cleaning.

#### Safety


- Flame failure device fitted to each individual burner: prevents unwanted gas flow when flame goes out.

### Installation (gas types & measurements)

- Preset to natural gas (20mbar)
- Nozzle set for Liquid gas nozzles (28-30/37mbar) included.
- Dimensions of the product (HxWxD mm): 51.5 x 750 x 520  $\,$
- Required niche size for installation (HxWxD mm) :  $45 \times 560 \times (480 490)$
- Min. worktop thickness: 20 mm
- Power cord: 1 m



# Series 6, Gas cooktop, 75 cm, Stainless steel PCS7A5I90A



measurements in mm