

PG 8133 SCVi

Fully integrated XXL dishwasher with 3D+ cutlery tray

For large amounts of crockery in households, office tea rooms and utility areas.



- Wash performance: 14 place settings in just 17 min.*
- Requires an electrical connection for AC 230V 50HZ
- Perfect lighting for easy loading – BrilliantLight
- The best care for your glasses – Perfect GlassCare
- Everything completely dry – AutoOpen assisted drying
- Easy communication – WiFi Conn@ct

* Depending on site conditions (temperature of incoming water / power connection) values given may vary.



EAN: 4002515818831 / Material number: 10638570 / Old Material Number: 61813362GB

Construction type and version

Construction type	Fully integrated dishwasher
XXL dishwashers	•
Range	ProfiLine
Wash system	Fresh water front loader
Number of levels	2
Front	Without front
Side panels	Galvanised

Application

Suitable for hospitals	•
Suitable for guesthouses	•
Suitable for universities and schools	•
Suitable for offices	•
Suitable for domestic use	•
Suitable for small businesses	•
Suitable for sports clubs	•

Performance data

Circulation pump Qmax in l/min.	190
Shortest programme duration in min.	17
Maximum final rinse temperature in °C	82
Cleaning performance, place settings/cycle	14

Control system

Control system	Electronic controls
Programme selection	Programme selector buttons
Max. delay start in h	24
Time left display	•
Adjustable final rinse temperature	•
Choice of display language	•

Standard electrical connection

Electrical connection	AC 230V 50HZ
Heater rating in kW	6.50
Total connected load in kW	6.70
Fuse rating in A	32
CEE plug	•
Length of mains connection cable in m	1.70

Possible voltage variant 1

Electrical connection	AC 230V 50HZ
Heater rating in kW	2.10
Total connected load in kW	2.30
Fuse rating in A	13

Water connection/drainage

Cold or hot water [number]	1
Required flow pressure in bar	0.30-10.00
Drain pump [DN]	22
Drain pump head height from floor level, max. in c	100
Integrated water softener	•
Maximum water hardness in mmol/l	6.50

PG 8133 SCVi

Fully integrated XXL dishwasher with 3D+ cutlery tray

For large amounts of crockery in households, office tea rooms and utility areas.



EAN: 4002515818831 / Material number: 10638570 / Old Material Number: 61813362GB

Water protection system	Waterproof system
Dimensions and weight	
External dimensions, height in mm	845
External dimensions, net width in mm	598
External dimensions, net depth in mm	570
External dimensions, gross height in mm	970
External dimensions, gross width in mm	670
External dimensions, gross depth in mm	690
Usable space in wash cabinet, height in mm	540
Usable space in wash cabinet, width in mm	510
Usable space in wash cabinet, depth of upper basket	450
Usable space in wash cabinet, depth of lower basket in mm	450
In-feed height above floor in mm	210
Net weight [kg]	56
Gross weight in kg	65
Maximum floor load in N/m ²	1000
Emissions data	
Emissions – sound pressure at workplace	38 dB(A) re 20 µPa
Sound power (LwA) in dB(A) re 1 pW	45.0
Heat dissipation into the room in MJ/h	2.52
Programmes	
Universal	•
Short	•
Hygiene	•
Cold/Pre-wash	•
Glasses	•
Plastics	•
Energy save/Eco	•
Intensive	•
Basket design	
MaxiComfort baskets	•
Patented 3D+ cutlery tray	•
Features	
Drying	Recirculation condensation drying, AutoOpen assisted drying, Extra drying
ComfortClose	•
1 combi dispenser in the door for powder cleaning agent and rinsing agent	•
BrilliantLight	•
Perfect GlassCare	•
Wash cabinet made from high-quality stainless steel	•
Optical interface	•
SmartStart	•
FlexiTimer with EcoStart	•
MobileControl	•
ShopConn@ct	•
Efficiency and sustainability	
Load size of the ECO programme in place settings	14

PG 8133 SCVi

Fully integrated XXL dishwasher with 3D+ cutlery tray

For large amounts of crockery in households, office tea rooms and utility areas.



EAN: 4002515818831 / Material number: 10638570 / Old Material Number: 61813362GB

Energy efficiency class (A–G)	E
Energy consumption of the ECO program per 100 cycles	95
Water consumption of the ECO programme per cycle in l	13.8
Acoustic airborne noise emission class (A–D)	C
Acoustic airborne noise emission in dB(A) re 1 pW	45
Programme running time of the ECO programme in min	216
Connection options	
External dispensing module for liquid cleaning agent	•
WiFi	•
Standards, test certificates and symbols	
CE	•
Complies with Machinery Directive 2006/42/EC	•
EMC	•
Interference suppression	•
VDE	•
DIN EN 17735	•
EN 1717	•