


1.6kW Window/Wall Cooling only Air Conditioner with modern design, Auto Swing, Gold Shield external & internal corrosion resistant heat exchangers and Auto Restart.





Product Details

FEATURES

All-in-One Design

All-in-One Design

Remote Control

Fresh Air Return

BENEFITS

Simple, economic and reliable

Because there are no separate indoor and outdoor units, its easier to install a window wall cooling only model. And because its a Westinghouse, you know it is reliable and built to last.

Compact design

The super compact design means that window wall cooling only air conditioners are discreet and unobtrusive in your home. They are also perfect for cooling smaller family homes and space-restricted areas.

Fresh air delivery

The fresh air return provides additional ventilation to your room and can also assist in humidity control. The easy-to-service dust filter removes dust and other larger airborne particles for cleaner air.



Specifications

PRODUCT PROFILE

Domestic warranty details (yrs)	5
Air conditioner type	Window wall

SPECIFICATIONS

Capacity cool watts	1600
Current rating amps	10 amps
Service cord length	1
Colour of fascia	White
Compressor type	rotary
Indoor sound pressure dBA high setting	50
Indoor sound pressure dBA low setting	46
Outdoor sound pressure dBA	56
Indoor air circulation max (ltr/s)	370
Ambient temperature range minimum	18
Ambient temperature range maximum	46
Moisture removal ltr/hour	0.5



SPECIFICATIONS

New Energy star rating cooling	2
Cooling EER	3.33
Refrigerant weight (g)	0.35
Refrigerant type	R32

FEATURES

Fan speeds	low,medium,high

DIMENSIONS

Total height (mm)	350
Total width (mm)	450
Total depth (mm)	580

PACKED DIMENSIONS

Shipping Weight (Kg)	32
Pack Dimensions Height (mm)	374
Pack Dimension Width (mm)	521
Pack Dimension Depth (mm)	671

STUFFING QUANTITIES

20ft	216
40ft	444
40ft HC	518



Terms and Conditions

IMPORTANT

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous productdevelopment, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products PtyLtd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

WARRANTY

This warranty only applies to Appliances purchased and used in Australia or New Zealand and used in normal domestic applications and is in addition to (and does not exclude, restrict, or modify in any way) any non-excludable statutory warranties in Australia or New Zealand. All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

ELECTROLUX HOME PRODUCTS AUSTRALIA

telephone: 1300 363 640 fax: 1800 350 067

email: customercare@electrolux.com.au

web: www.electrolux.com.au

ELECTROLUX HOME PRODUCTS NEW ZEALAND

telephone: 09 573 2230 fax: 09 573 2221

email: customercare@electrolux.co.nz

web: www.electrolux.co.nz