

**Integrated rangehood with 3 fan speed and low operation noise**

RRP AUS \$429.00



# Product Details

## FEATURES

Noise level dB(A) as low as 54	Dishwasher Safe Aluminium micro-mesh filters	Max. airflow 300m3/h	Ducted or recirculating options
3 fan speeds	Slide switch controls	Two halogen lights	

## BENEFITS

Conversation friendly noise levels Enjoy cooking and conversation with a quieter motor delivering extraction without high noise levels.	Dishwasher Safe Aluminium micro-mesh filters Simply remove the filter panels and wash in your dishwasher to maintain performance and appearance.
Superior Lighting You can easily see your cooking efforts with the 2 halogen lights.	

## Specifications

### PRODUCT PROFILE

Domestic warranty details (yrs)	2
Type of Rangehood	integrated under cupboard
Nominal width	520
Finish of Rangehood	grey
Suitable for outdoor undercover use	No

### DIMENSIONS

Total product height (mm)	259
---------------------------	-----

### MOTOR/FAN

Number of fans	1
Number of fans speeds	3
Variable speed control	No
Auto off	No
Type of motor	tangential
Auto fan timer	No
Maximum airflow M3/Hr	300
Noise level dB high	62
Noise level dB low	54
Number of motors	1
Wattage of motor	125

### CONTROLS

Control panel	slide switch control
---------------	----------------------

## DIMENSIONS

Total product width (mm)	522
Total product depth (mm)	284
Diameter of ducting (mm)	150
Minimum installation height from cooking surface Gas (mm)	650
Minimum installation height from cooking surface Electric (mm)	600
Cut out width (mm)	497
Cut out depth (mm)	259
Cut out height (mm)	259

## FILTERS

Number of filters	2
Type of filter	multilayer aluminum micromesh filters
Dishwasher safe	Yes

## DUCTING / RECIRCULATION

## CONTROLS

Safety/ display indicators	automatic safety cut off
LED speed display	No
Removal front fascia	No
Hob2Hood function	No
Remote control	No

## LIGHTS

Number of lights	2
Wattage of light	4
Type of light	halogen

## SHIPPING

## DUCTING / RECIRCULATION

Ducting	yes
Top or rear duct hole	top
Recirculation option	Yes
Recirculation kit	Yes
Front recirculating option	Yes
Optional extension flue	No
Type of filter	Carbon
Ducting diameter (mm)	150
Flexible ducting	No
Air inlet	No
Vaporizer	No
Swivel vent	No

## STUFFING QUANTITIES

20ft	385
40ft	813

## SHIPPING

Shipping Volume (m3)	0.068
Shipping Weight (Kg)	6
Product Weight (Kg)	5
Pack Dimensions Height (mm)	305
Pack Dimension Width (mm)	605
Pack Dimension Depth (mm)	370

STUFFING QUANTITIES

40ft HC	930
---------	-----

# Terms and Conditions

## IMPORTANT

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

## PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products Pty Ltd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

## WARRANTY

This warranty only applies to Appliances purchased and used in Australia or New Zealand and used in normal domestic applications and is in addition to (and does not exclude, restrict, or modify in any way) any non-excludable statutory warranties in Australia or New Zealand. All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

### ELECTROLUX HOME PRODUCTS AUSTRALIA

telephone: 1300 363 640

fax: 1800 350 067

email: [customercare@electrolux.com.au](mailto:customercare@electrolux.com.au)

web: [www.electrolux.com.au](http://www.electrolux.com.au)

### ELECTROLUX HOME PRODUCTS NEW ZEALAND

telephone: 09 573 2230

fax: 09 573 2221

email: [customercare@electrolux.co.nz](mailto:customercare@electrolux.co.nz)

web: [www.electrolux.co.nz](http://www.electrolux.co.nz)