

iQ500 SN46M583AU stainless steel finish built-under 60 cm dishwasher

















- ✓ varioSpeed: Up to 50% faster wash programs without sacrificing wash and drying results
- ✓ Added flexibility for more convenient loading with the varioFlex baskets & varioDrawer
- ✓ hydroSafe: 24 hour anti-flood protection, guaranteed.

Feature

Technical Data

Water consumption (I): 12.0 Built-in / Free-standing: Built-in

Height of removable worktop (mm): 815

Required niche size for installation (HxWxD) : 815-875 x 600 x 550

Depth with open door 90 degree (mm): 1150

Adjustable feet : Yes - front only Maximum adjustability feet (mm) : 60

Net weight (kg): 40.0 Gross weight (kg): 43.0 Connection Rating (W): 2400

Current (A) : 10 Voltage (V) : 220-240 Frequency (Hz) : 50; 60

Length electrical supply cord (cm): 175

Plug type: AU plug

Length inlet hose (cm): 165 Length outlet hose (cm): 190 EAN code: 4242003694442 Number of place settings: 15 Energy consumption (kWh): 0.64 Reference programme: Eco

Total cycle time of reference programme (min): 170

Installation typology: Built-under



Optional accessories

SZ73300 Wineglass-Tray

SZ73001 Silver polishing cassette

SZ72010 inlet and outlet hose extention 2 m



iQ500 SN46M583AU stainless steel finish built-under 60 cm dishwasher

Features

Capacity

• 15 international place settings

Consumption rates

- 4 Star energy rating, 5 Star WELS water rating
- 12 litres water consumption per wash and 235kWh energy consumption, based on Eco 45°C program

Desiar

- built-under dishwasher 60 cm wide
- stainless steel finish
- stainless steel interior tub
- servo lock for effortless door closing
- SoftTouch buttons
- LED display and button controls on front door

Wash Programs & Options

• 6 programs:

Pots and Pans 70°C

Auto 45-65°C

Eco 45°C

Glass 40°C

Quick wash 45°C

Pre-Rinse

• 2 special options:

varioSpeed: Up to 50% faster wash time

 $intensive Zone: Powerful\ cleaning\ in\ the\ bottom\ basket$

Performance

- advanced 3 stage self-cleaning filter system
- dosageAssist detergent system
- iQdrive: The quietest, fastest, & most durable brushless motor ever built by Siemens
- hydroSensor: Automatic water turbidity detection loadSensor: Automatic water level optimisation
- $\bullet \ \text{automatic detergent aware system} \\$
- hydroDry hygienic drying
- alternating spray technique
- 5 spray levels for complete coverage

Flexibility

- varioDrawer: Third loading level for cutlery & utensils
- varioFlex basket system
- 2 foldable plate racks in top basket
- 4 foldable plate racks in lower basket
- 2 foldable cup shelves in top basket
- 2 foldable cup shelves in bottom basket
- rackMatic Plus: 3 stage height-adjustable upper basket
- variable position cutlery basket
- large item spray head vapor barrier plate

Convenience

- whisperQuiet: Operates at a low noise level of 44dB
- Time remaining display
- Time delay start (1-24 hours)
- Electronic rinse aid/refill indicator

Safety

- hydroSafe anti-flood protection
- Childproof control lock
- 5 year warranty

Dimensions

• 815-875 mm x 598 mm x 573 mm



iQ500 SN46M583AU stainless steel finish built-under 60 cm dishwasher

Dimensioned drawings 1.2 m (3.4 m) (3.6 m) 1.6 m 1.5 m (3.5 m) () values with extension kit **-** 815-875*-189 min. 95 max. 155 598 117 * Can be set using height-adjustable screw feet Base height (when appliance height is 815) - 95 mm Base height (when appliance height is 875) - 155 mm measurements in mm