OVEN B17CR32N1B
















- $\sqrt{\text{CircoTherm}^{\otimes}}$ Neff's outstanding hot-air system for simultaneous baking and roasting on up to 3 levels.
- $\sqrt{}$ EcoClean the self-cleaning catalytic coating on the inside top and sides of the oven makes oven cleaning easier.
- $\sqrt[r]{}$ BottomClean the special cleaning programme for the oven floor.
- $\sqrt{\,}$ ShiftControl fast navigation through menus and simple operation with the TFT display.
- √ Hinged door

Features

Technical Data

Color / Material Front : Stainless steel Built-in / Free-standing : Built-in

Integrated Cleaning system : catalytic all sides, Hydrolytic Required niche size for installation (HxWxD) : 585 x 560 x 550

Dimensions of the product (mm) : $595 \times 596 \times 548$

Control Panel Material : Stainless steel

Door Material : Glass Net weight (kg) : 35.0 Usable volume of cavity (I) : 71

Cooking method:, Bottom heat, Bread Baking Setting, Conventional heat, Dough proving setting, Full width grill, Half width grill, Hot Air, Hot Air-Eco, Hot air grilling, low temperature cooking, Pizza setting

First cavity material: Enamelled Temperature control: electronic Number of interior lights: 1 Approval certificates: CE, VDE Length electrical supply cord (cm

Length electrical supply cord (cm): 120 EAN code: 4242004197263

Number of cavities (2010/30/EC) : 1 Energy efficiency class (2010/30/EC) : A+

Energy consumption per cycle conventional (2010/30/EC) : 0.87 Energy consumption per cycle forced air convection (2010/30/EC) : 0.60

Energy efficiency index (2010/30/EC): 81.2 Electrical connection rating (W): 2990

Current (A): 13 Voltage (V): 220-240 Frequency (Hz): 50; 60 Plug type: no plug

Included accessories



Optional accessories

Z11SZ00X0 : SeamlessCombination mounting kit , Z11TC10X0 : ComfortFlex Rail (1 level) , Z11TC16X0 : ComfortFlex Rail (1 level) , Z11TF36X0 : 3 level telescopic rails, full ext , Z12CB10A0 : Enamelled baking tray , Z12CM10A0 : Moussaka pan, enamelled , Z12CU10A0 : Multipurpose pan, enamelled Z1913X0 : Baking Stone ,

OVEN B17CR32N1B

Feature:

Heating Functions

• Oven with 12 heating methods:

CircoTherm®

CircoTherm® Eco

Top/bottom heating

Top/bottom heating Eco

Circo-roasting

Full surface grill

Centre area grill

CircoTherm® Intensive

Bread Baking

Bottom heating

Low temperature cooking

Dough proving

• Temperature range 40 °C - 275 °C

• Cavity volume: 71 net usable litres

Design

- Illuminated ShiftControl
- Anthracite enamel cavity with 4 shelf positions

Cleaning

- EcoClean Direct : back panel, ceiling, side liners
- EcoClean program, EasyClean program
- Full glass inner door safer touch door

Convenience

- 2.5" colour and text Display with ShiftControl
- Temperature proposal

Optical temperature control

Actual temperature display

Sabbath setting

• Additional functions:

Steam cooking function (system steamer accessory required)

- Electronic clock
- Rapid heating-up
- Halogen lighting
- Cooling fan
- Stainless-steel fan
- Info button
- Bar handle

Hook-in racks / rails

• Cavity with shelf support rails, Telescopic slide-out Accessory

Accessories

• 2 x combination grid, 1 x universal pan

Safety and Environment

- Individual adjustable child lock Residual heat indicator Safety switch off
- Triple glazed door


Technical Info

- Length of mains cable: 120 cm
- Total connected load electric: 2.99 KW
- Appliance dimensions (HxWxD): 595 mm x 596 mm x 548 mm
- Installation dimensions (HxWxD): 585 mm 595 mm x 560 mm 568 mm x 550 mm
- Please reference the built-in dimensions provided in the installation drawing

OVEN B17CR32N1B

Dimensioned drawings

Installation with a hob.



measurements in mm

