

iQ500 SN657X01MA stainless steel finish fully-integrated 60 cm dishwasher



InfoLight: A blue light that discreetly beams onto the floor whilst the dishwasher is operating.

✓ Added flexibility and convenient loading thanks to varioFlexPlus baskets & varioDrawer.

Features

Technical Data

Water consumption (l) : 12.0
Built-in / Free-standing : Built-in
Height of removable worktop (mm) : 815
Required niche size for installation (HxWxD) : 815-875 x 600 x 550
Depth with open door 90 degree (mm) : 1150
Adjustable feet : Yes - front only
Maximum adjustability feet (mm) : 60
Net weight (kg) : 39.0
Gross weight (kg) : 42.0
Connection Rating (W) : 2400
Current (A) : 10
Voltage (V) : 220-240
Frequency (Hz) : 50; 60
Length electrical supply cord (cm) : 175
Plug type : AU plug
Length inlet hose (cm) : 165
Length outlet hose (cm) : 190
EAN code : 4242003794081
Number of place settings : 15
Energy consumption (kWh) : 0.64
Reference programme : Eco
Total cycle time of reference programme (min) : 170
Installation type : Full-integrated



4 242003 794081

Optional accessories

SZ73640 : Rack insert for stemware dishwasher , SZ73300 : Wineglass-Tray , SZ73150AU : toe kick panel stainless steel , SZ73100 : cutlery basket , SZ73055 : Attachment door, brushed steel , SZ73010 : Retractable hinge f. high corpus dimens. , SZ73005 : Compensating + fixing kit, stainl. steel , SZ73001 : Silver polishing cassette , SZ72010 : inlet and outlet hose extension 2 m

iQ500
SN657X01MA
stainless steel finish
fully-integrated 60 cm dishwasher

Features

Capacity

- 15 international place settings

Consumption rates

- 4 Star energy rating, 5 Star WELS water rating
- 12 litres water consumption per wash and 235kWh energy consumption, based on Eco 45°C program

Design

- fully-integrated dishwasher - 60 cm wide
- stainless steel finish
- stainless steel interior tub
- servo lock for effortless door closing
- SoftTouch buttons
- integrated control buttons at the top of the door panel

Wash Programs & Options

- 7 wash programs:
Auto, 65-75°C
Auto, 45-65°C
Eco, 45°C
Glass wash, 40°C
Quick Wash, 60 minutes, 65°C
Quick Wash, 29 minutes, 45°C
Pre-Rinse
- 5 special options:
Machine Care
VarioSpeed
Half Load
Intensive Zone
Extra Dry

Performance

- advanced 3 stage self-cleaning filter system
- dosageAssist detergent system
- iQdrive: The quietest, fastest, & most durable brushless motor ever built by Siemens
- hydroSensor: Automatic water turbidity detection
loadSensor: Automatic water level optimisation
- automatic detergent aware system
- hydroDry hygienic drying
- 3 stage self-cleaning filter system
- alternating spray technique
- 5 spray levels for complete coverage

Flexibility

- varioDrawer cutlery tray
- varioFlexPlus basket system with blue coloured touchpoints
- 4 foldable plate racks in top basket
- 4 foldable plate racks in lower basket
- 2 foldable cup shelves in top basket
- 2 foldable cup shelves in bottom basket
- rackMatic Plus: 3 stage height-adjustable upper basket
- variable position cutlery basket
- large item spray head
vapor barrier plate

Convenience

- whisperQuiet: Operates at a low noise level of 44dB
- TimeLight™: Projects wash status and remaining time onto the floor
- Time remaining display
- Audible signal at end of program
- Time delay start (1-24 hours)
- Electronic rinse aid/refill indicator
- Last program used memory function

Safety

- hydroSafe anti-flood protection
- Child door lock
- 10 year rust-through warranty for the inner tub
- 5 year warranty

Dimensions

- 815-875 mm x 598 mm x 550 mm

iQ500

SN657X01MA

stainless steel finish

fully-integrated 60 cm dishwasher

Dimensioned drawings

