

N 50  
DOUBLE OVEN  
U2ACH7CN0A



COOKING PASSION SINCE 1877



B



#### Included accessories

1 x enamel baking tray, 2 x combination grid, 1 x universal pan

#### Optional accessories

Z11TF36X0 3 level telescopic rails, full ext  
Z1913X0 Baking Stone

Double built-in oven - perfect for grilling, baking and roasting of multiple dishes at the same time.

- ✓ CircoTherm® - Neff's outstanding hot-air system for simultaneous baking and roasting on up to 3 levels.
- ✓ The duo for perfect cleaning: Pyrolysis after heavy use - the oven interior cleans itself.
- ✓ EasyClean® - the environment-saving option for fast oven cleaning.
- ✓ 2-level telescopic rails: for safe, easy insertion and removal of baking trays.
- ✓ Pop-out controls: for an easy to clean front.
- ✓ Hinged door

#### Features

##### Technical Data

Color / Material Front : Stainless steel  
Built-in / Free-standing : Built-in  
Integrated Cleaning system : Pyrolytic  
Dimensions of the product (mm) : 888 x 594 x 550  
Dimensions of the packed product (HxWxD) (mm) : 960 x 690 x 660  
Control Panel Material : Glass  
Door Material : Glass  
Net weight (kg) : 62.0  
Usable volume of cavity (l) : 71  
Cooking method : Bottom heat, Bread Baking Setting, Conventional heat, Full width grill, Heißluft sanft, Hot Air, Hot air grilling, Pizza setting  
Temperature control : No control of the temperature  
Number of interior lights : 1  
Approval certificates : CE, VDE  
EAN code : 4242004222095  
Energy efficiency class (2010/30/EC) : A  
Energy consumption per cycle conventional (2010/30/EC) : 1.02  
Energy consumption per cycle forced air convection (2010/30/EC) : 0.81  
Energy efficiency class (2010/30/EC) - cavity 2 : B  
Energy consumption per cycle conventional - cavity 2 (2010/30/EC) : 0.83  
Energy efficiency index (2010/30/EC) : 95.3  
Energy efficiency index cavity 2 (2010/30/EC) : 120.3  
Electrical connection rating (W) : 6300  
Current (A) : 32  
Voltage (V) : 220-240  
Frequency (Hz) : 50  
Plug type : fixed connection, no plug



4 242004 222095

# N 50

## DOUBLE OVEN

### U2ACH7CN0A

#### Features

##### Heating Functions

###### Top Oven

- Oven with 4 heating methods: Top/bottom heating, Full surface grill, Centre area grill, Bottom heating
- Temperature range 30 °C - 275 °C
- Cavity volume: 34 l

###### Main Oven

- Oven with 8 heating methods: CircoTherm®, Top/bottom heating, Circo-roasting, Full surface grill, CircoTherm® Intensive, Bread Baking, Bottom heating, Hotair gentle
- Temperature range 30 °C - 275 °C
- Cavity volume: 71 net usable litres

##### Hook-in racks / rails

###### Top Oven

- Number of shelf levels: 3 PC

###### Main Oven

- 2 level fully extendable telescopic shelf rails, safety stop function
- Enamel grey with 4 shelf positions

##### Design

- Retractable control knobs
- Cavity (inner surface) top: Enamel grey

##### Cleaning

###### Top Oven

- Full glass inner door - safer touch door

###### Main Oven

- Pyrolytic self cleaning
- EasyClean® Cleaning aid programm
- Full glass inner door - safer touch door

##### Convenience

- LCD-display control (white)
- Temperature proposal  
Actual temperature display  
Optical temperature control  
Sabbath setting
- Halogen lighting
- Rapid heating-up
- Cooling fan
- Drop down door
- Bar handle

##### Accessories

- 1 x enamel baking tray, 2 x combination grid, 1 x universal pan

##### Safety and Environment

###### Top Oven

- Very low door temperature

##### Main Oven

- Quadruple glazed CoolTouch door
- Maximum door temperature 30° C
- Automatic door lock during pyrolysis  
Individual adjustable child lock  
Safety switch off  
Residual heat indicator

##### Technical Info

- Nominal voltage: 220 - 240 V
- Total connected load electric: 6.3 KW
- Number of cavities: 2  
Heat source: electrical  
Top Cavity Volume: 34 l  
Main Cavity volume: 71 net usable litres

##### Dimensions

- Appliance dimensions (HxWxD): 888 mm x 594 mm x 550 mm
- Installation dimensions (HxWxD): 875 mm - 888 mm x 560 mm - 568 mm x 550 mm
- Please reference the built-in dimensions provided in the installation drawing

N 50  
DOUBLE OVEN  
U2ACH7CN0A

Dimensioned drawings

