

OR90SCG6B1

Freestanding Dual Fuel Cooker, 90cm

Classic

Get heritage styling and contemporary performance with this 90cm Fisher & Paykel Freestanding Cooker. You can cook several dishes at the same time with its spacious gas cooktop and generously sized convection oven. Instant heat and precise control add modern functionality to the classic styled black finish.

Black

A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support T 1300 650 590 W www.fisherpaykel.com

Dimensions

| Depth | 600mm |
|--------|-------------|
| Height | 898 - 946mm |
| Width | 897mm |

Features & Benefits

Multi-shelf cooking

Our AeroTechTM system circulates air evenly throughout the entire oven so dishes on the top shelf turn out just as perfect as food cooking on the bottom shelf.

Quality and durability

Every detail has been carefully crafted. The solid, perfectly balanced softclose door, durable cooktop trivets and glowing halo dials all add up to an exceptional, premium range.

Easy to clean

Cleaning up spills is effortless. Your cooktop simply needs a quick wipe to keep it looking good as new. The pyrolytic self-clean oven cycle breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth.

Burner power & control

Instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer a delicate sauce to perfection.

Large capacity oven

The generous 140L total capacity oven gives you plenty of space to cook multiple dishes at once.

Even hea

Accurate, electronically-controlled oven heat ensures a great result every time.

Specifications

Removable oven door inner glass

Removable oven door/s

Removable shelf runners

| Accessories | |
|--|----------------------|
| Flat wire shelf | 1 |
| Full extension sliding shelves | 2 sets (part 578744) |
| Grill rack | |
| Kick strip, black (optional) | Part 81760 |
| Kick strip, stainless steel (optional) | Part 8166 |
| Pyrolytic proof shelf runners | 1 se |
| Roasting dish | |
| Rotisserie set | 1 |
| Small pot support | 1 (part 533981 cast |
| Step down wire shelf | 1 |
| Wok stand | 1 (part 534678) |
| Cleaning | |
| Acid resistant graphite enamel | • |
| | |

Cleaning Acid resistant graphite enamel Dishwasher safe trivets Drop down grill element Pyrolytic Self-clean Pyrolytic proof shelf runners

| Controls | |
|--|-------|
| Audio feedback | • |
| Automatic cooking/minute timer | • |
| Automatic pre-set temperatures | • |
| Bright chromed, cast zinc dials with illuminated | |
| halos | - |
| Celsius/Fahrenheit temperature | • |
| Electronic clock | • |
| High resolution display | • |
| Interior light | • |
| Laser etched graphics | • |
| Precise electronic temperature control | • |
| Sabbath mode | • |
| Turned stainless steel clock buttons | • |
| Turned stainless steel clock crown (dial) | • |
| Cooktop features | |
| Brass burner spreader (power burner) | • |
| Dishwasher safe trivets | • |
| Embossed brass burner cap (power burner) | • |
| Gas Cooktop- Sealed range top | • |
| Hob rail | • |
| Hob rear trim | 60 mm |
| LPG/Natural gas compatible | • |

| Cooktop performance | |
|---|-----------------------------------|
| Dual wok burner inner / outer (LPG) | 2.4 - 16.2 MJ/h |
| Dual wok burner inner / outer (natural gas) | 2.4 - 16.2 MJ/h |
| Max burner power | 16.2 MJ/h |
| Number of burners | 5 |
| Semi-rapid burner (LPG) x2 | 2.5 - 6.5 MJ/h |
| Semi-rapid burner (natural gas) x2 | 2.5 - 6.5 MJ/h |
| Total cooktop power | 58 MJ/h |
| Triple ring wok burner (LPG) x2 | 6.5 - 14.4 MJ/h |
| Triple ring wok burner (natural gas) x2 | 6.5 - 14.4 MJ/h |
| Installation cutout dimensions | |
| Depth | 600 mm |
| Width | 900 mm |
| Oven features | |
| AeroTech technology | • |
| Automatic rapid pre-heat | • |
| Electronic oven control | • |
| Full extension telescopic sliding shelves | 2 sets (part 578744) |
| Internal light | 4 x 25W halogen (2 sides & 2 top) |
| Pyrolytic Self-clean | • |
| Pyrolytic proof shelf runners | • |
| Soft open/close door | • |
| True Convection | • |
| Twin cavity fans | • |
| Warming drawer | • |
| | |

| Oven functions | |
|-----------------------------|------------------|
| Bake | • |
| Fan Bake | • |
| Fan Forced | • |
| Fan Grill | • |
| Grill | • |
| Number of Functions | 9 + Rotisserie |
| Pastry Bake with Pizza mode | • |
| Pyrolytic Self-clean | • |
| Rapid Proof | • |
| Roast | • |
| Rotisserie | • |
| Oven performance | |
| CoolTouch door | Quadruple glazed |
| Grill | 4500 W |
| Shelf positions | 6 |
| Total oven capacity | 140 L |
| Usable capacity | 120 L |
| Warming drawer | 202 W |
| Power requirements | |
| AMP draw | 23 A |
| | |
| Supply frequency | 50 Hz |

| Safety | |
|---|---------|
| Advanced cooling system | • |
| Anti-tilt bracket | • |
| Balanced oven door | • |
| Catalytic venting system | • |
| CoolTouch door | • |
| Flame failure system | • |
| Full extension telescopic sliding shelves | • |
| Non-tip shelves | • |
| Spill containment | 2.6L |
| Style And Series | |
| Product Style | Classic |
| Warranty | |
| Warranty | 2 years |
| SKU | 81689 |
| | |

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

 $Other\ product\ downloads\ available\ at\ fisher paykel.com\ www.fisher paykel.com$