


iQ700
EH375MV17E
30 cm Induction cooktop



The modern flexInduction cooktop – for greater flexibility when cooking.

- ✓ Super sized cooking enjoyment thanks to the extra large cooking surface: place your cookware wherever you want on the flexInduction cooking zone.
- ✓ Innovative induction technology makes cooking faster, cleaner and safer.
- ✓ Shorter heating times with up to 50% more power thanks to the powerBoost-function.
- ✓ The 30 cm wide induction cooktop is ideal for combining with other Domino or faceted design cooktops.

Features

Technical Data

Product name/family : Vario/Domino cooking zone cera
Built-in / Free-standing : CONSTR_TYPE.Built-in
Energy input : Electric
Total number of positions that can be used at the same time : 2
Required niche size for installation (HxWxD) : 51 x 270 x 490-500
Width of the product (mm) : 302
Dimensions of the product (mm) : 51 x 302 x 520
Net weight (kg) : 6.0
Gross weight (kg) : 6.0
Residual heat indicator : Separate
Location of control panel : Hob front
Basic surface material : Ceramic
Color of surface : Black, Stainless steel
Color of frame : Stainless steel
Approval certificates : AENOR, CE
Length electrical supply cord (cm) : 110
EAN code : 4242003619438
Electrical connection rating (W) : 3600
Voltage (V) : 220-240
Frequency (Hz) : 60; 50



Optional accessories







HZ394301	Connecting strip
HZ390522	Griddle Plate
HZ390512	Teppan Yaki (large)
HZ390511	Teppan Yaki (small)
HZ390030	set of 3 pots for induction hob

iQ700
EH375MV17E
30 cm Induction cooktop

Features	
Cooktop Type and Special Features • 2 induction cooking zones Design • Black ceramic glass with stainless steel side profiles and beveled front • LED display and timer with auto switch off • Electronic touchSlider sensor controls Size & Power • 17 power levels for each cooking zone • Cooking zone front centre: - 200 mm, 210 mm - 3.3 KW / 3.6 KW with Power boost • Cooking zone rear centre: - 200 mm, 210 mm - 3.3 KW / 3.6 KW with Power boost • 3.6 kW total connected load Comfort & Convenience • 2 induction cooking zones • Automatic pan recognition Safety and Environment • 2-stage (h/H) digital residual heat indicator for each cooking zone • Spill protection • • Automatic safety switch-off • Integrated cooling fan Dimensions (WxD) • Min. worktop thickness: 20 mm	



iQ700
EH375MV17E
30 cm Induction cooktop

Dimensioned drawings




iQ700
EH375MV17E
30 cm Induction cooktop

Dimensioned drawings



Picture for the table Domino combination possibilities with corresponding devices and cutout dimensions



Domino combination possibilities with corresponding device and cutout dimensions

Width type: 30 40 60 70 80 90
Device width: 302 392 602 710 812 912

	A	B	C	D	L	X
2x30	302	302	-	-	604	572
1x30, 1x40	302	392	-	-	694	662
1x30, 1x60	302	602	-	-	904	872
1x30, 1x70	302	710	-	-	1012	980
1x30, 1x80	302	812	-	-	1114	1082
1x30, 1x90	302	912	-	-	1214	1182
2x40	392	392	-	-	784	752
1x40, 1x60	392	602	-	-	994	962
1x40, 1x70	392	710	-	-	1102	1070
1x40, 1x80	392	812	-	-	1204	1172
1x40, 1x90	392	912	-	-	1304	1272
3x30	302	302	302	-	906	874
2x30, 1x40	302	302	392	-	996	964
2x30, 1x60	302	302	602	-	1206	1174
2x30, 1x70	302	302	710	-	1314	1282
2x30, 1x80	302	302	812	-	1416	1384
2x30, 1x90	302	302	912	-	1516	1484
1x30, 2x40	302	392	392	-	1086	1054
1x30, 1x40, 1x60	302	392	602	-	1296	1264
1x30, 1x40, 1x70	302	392	710	-	1404	1372
1x30, 1x40, 1x80	302	392	812	-	1506	1474
1x30, 1x40, 1x90	302	392	912	-	1606	1574
3x40	392	392	392	-	1176	1144
2x40, 1x60	392	392	602	-	1386	1354
4x30	302	302	302	302	1208	1176
3x30, 1x40	302	302	302	392	1298	1266
2x30, 2x40	302	302	392	392	1388	1356
1x30, 3x40	302	392	392	392	1478	1446