


V-ZUG Australia Pty. Ltd
2/796 High Street East Kew Vic 3102, VICTORIA/Australia
Phone +61 (03) 9832 7500
enquire.au@vzug.com, www.vzug.com

Brochure GK1 1TIFKZ



Selected appliance

- Article no.: 3106265002
- EAN code: 7630029414255
- Controls: TouchControl
- Hero-Name: FullFlex
- Standard width: 90.0 cm
- Front design: Anthracite
- Frame: DualDesign

Details GK1 1TIFK

Design

- Controls: TouchControl
- Hero-Name: FullFlex
- Standard width: 90.0 cm
- Front design: Anthracite
- Frame: DualDesign

Dimensions

- Cut-out height: 8.5 mm
- Cut-out radius: 5 mm
- Appliance height: 76 mm
- Appliance width: 897 mm
- Appliance depth: 501 mm
- Appliance corner radius: 1.5 mm
- Support size width: 886 mm
- Max. support size width: 886 mm
- Support size depth: 490 mm
- Max. support size depth: 490 mm
- Installation height when flush-fitted: 76 mm
- Installation height when surface-mounted: 72 mm
- Cut-out width when flush-mounted: 903 mm
- Cut-out width when surface-mounted: 886 mm
- Max. cut-out width when surface-mounted: 886 mm
- Cut-out depth when flush-mounted: 507 mm
- Cut-out depth when surface-mounted: 490 mm
- Max. cut-out depth when surface-mounted: 490 mm
- Empty weight: 26 kg
- Cooking zone 1 position: central
- Cooking zone 1 dimensions: 84x44 cm

Display and operation

- Display: Full-colour graphic display, touchscreen
- Controls: TouchControl
- Operating time
- Number of languages in display: 10
- Languages in display: de, en, fr, he, it, nl, ru, tr, uk, zh
- Button sound (on/off)

Energy

- Cooking zone 1 max. power: 11100 W
- Type of connection (1): 380-415 V 3N~
- Type of connection (2): 380-415V 2N~
- Type of connection (3): 220-240V~
- Frequency (1): 50/60Hz
- Frequency (2): 50/60Hz
- Frequency (3): 50/60Hz
- Connected loads (1): 11.1 kW
- Connected loads (2): 7.4 kW
- Connected loads (3): 11.1 kW
- Fuse protection (1): 16 A
- Fuse protection (2): 16 A
- Fuse protection (3): 48 A
- Plug type: cable

Kochfelder

- vzgpi_max_Anzahl_Kochgeschirre: 6

Hob features

- AutoPowerPlus
- Powerplus: 6
- Hob category: Induction
- Operating time with shut-down function
- Residual heat indicator
- Timer
- Restore function
- Cooking zones: Flexible Kochfläche
- Power levels: 9
- EcoStandby
- Heating technology: induction cooking zones
- Glass surface protection

Functions

- Heating function
- AutoPowerPlus
- Childproof lock
- MemoryFunction
- ProfessionalMode
- Teppan Yaki function

- Pause button
- Warming function
- Cleaning lock
- Melt function
- Simmer function

Additional data

- Feature level: 5

Service and interfaces

- Warranty: 2 years