

N 70, GAS COOKTOP, 60 CM, TEMPERED GLASS, BLACK T26PIH4S0A



Z1365WX0 Wireless food thermometer

Z2402X0 Small pot support
Z2471X0 Wok ring
Z2480X0 Simmer plate
Z9404SE0 4 pieces Set
Z9406SE0 6 pieces Set

The gas cooktop with precise flame control, removable control dials and pan supports that are suitable for dishwashers - for Comfort Clean.

- $\sqrt{\text{FlameSelect}^{\otimes}}$: Gain precise control of your flame.
- $\sqrt{\mbox{ Metallic Sword Knobs: Precise and removable for easy cleaning.}}$
- $\sqrt{\,}$ Single Cast Iron Pan Supports: For easy handling and dishwasher cleaning.
- $\sqrt{\mbox{ Wok Burner: Powerful cooking at up to 13.6 Mj/h.}}$
- $\sqrt{}$ Gas Safety Cut-Off: Safety first! No flame, no gas flow.

Product name/family:	gas hob w
integrated controls Built-in / Free-standing:	Built-in
Energy input:	Gas
Total number of positions that can be used at the same time: 4	
Required niche size for installation (HxWxD): 480-490 mm	45 x 560-560 x
Width of the appliance:	590 mm
Dimensions (HxWxD):	54x590x520 mm
Dimensions of the packed product (HxWxD):	. 168 x 798 x 596 mm
Net weight:	16.0 kg
Gross weight:	
Residual heat indicator:	
Location of control panel:	
Basic surface material:	Tempered Glass
Color of surface:	
Color of frame:	
Length electrical supply cord:	
EAN code:	
Gas connection rating:	
Fuse protection:	
Voltage:	
Frequency:	50; 60 Hz





N 70, GAS COOKTOP, 60 CM, TEMPERED GLASS, BLACK T26PIH4S0A

Design

- Black Tempered Glass surface
- Single pan supports, cast iron
- Metal control dials

Usage convenience

- FlameSelect (9 steps): precisely adjust the flame in nine defined and consistent levels.
- Sword control knobs, front: easily access knobs in front with strong grip for effortless turning.
- One-hand ignition: just push and turn the knob to ignite the flame.

Burners and power

- 4 Gas burners
- Left front: Standard burner up to 6.85 Mj/h (depending on gas type)
- Left rear: Standard burner up to 6.85 Mj/h (depending on gas type)
- Right rear: Wok burner up to 13.6 Mj/h (depending on gas type)
- \bullet Right front: Economy burner up to 3.8 Mj/h (depending on gas type)

Cleaning

- Removable control dials for easy cleaning between knobs.
- Dishwasher suitable pan supports for easy cleaning.

Safety

• Flame failure device fitted to each individual burner: prevents unwanted gas flow when flame goes out.

Installation (gas types & measurements)

- Preset of natural gas (10mbar)
- Nozzle set for Liquid gas nozzles (28-30/37mbar) included.
- Dimensions of the product (HxWxD mm): 54 x 590 x 520
- Required niche size for installation (HxWxD mm) : $45 \times 560 \times (480 - 490)$
- Min. worktop thickness: 20 mm
- Power cord 1 m cable with plug

Accessories

ullet 1 x Wok attachment ring included



N 70, GAS COOKTOP, 60 CM, TEMPERED GLASS, BLACK T26PIH4S0A

