




V-ZUG Ltd

Industriestrasse 66, P.O.Box, 6302 Zug/Switzerland

Phone +41 58 767 67 67, Fax +41 58 767 61 67

info@vzug.com, www.vzug.com

Brochure CookTopInduction V6000 FullFlex



Selected product

- Article no.: 3113400004
- EAN code: 7630029446546
- Hero-Name: FullFlex
- Controls: Single slider
- Standard width: 90 cm
- Front design: black
- Frame: DualDesign



Details CookTopInduction V6000 FullFlex

Produktdatenblatt Kochfelder

- Cooking zones: Flexible hob
- Heating technology: induction cooking zones

Design

- Hero-Name: FullFlex
- Controls: Single slider
- Standard width: 90 cm
- Front design: black
- Frame: DualDesign

Dimensions

- Cut-out height: 8.5 mm
- Cut-out radius: 5 mm
- Appliance height: 76 mm
- Appliance width: 897 mm
- Appliance depth: 501 mm
- Appliance corner radius: 1.5 mm
- Support size width: 886 mm
- Max. support size width: 886 mm
- Support size depth: 490 mm
- Max. support size depth: 490 mm
- Installation height when flush-fitted: 76 mm
- Installation height when surface-mounted: 72 mm
- Cut-out width when flush-mounted: 903 mm
- Cut-out width when surface-mounted: 886 mm
- Max. cut-out width when surface-mounted: 886 mm
- Cut-out depth when flush-mounted: 507 mm
- Cut-out depth when surface-mounted: 490 mm
- Max. cut-out depth when surface-mounted: 490 mm
- Empty weight: 26 kg
- Cooking zone 1 position: central
- Cooking zone 1 dimensions: 45 x 80cm

Display and operation

- Display: Full-colour graphic display, touchscreen
- Slider control
- Operating time
- Number of languages in display: 10
- Languages in display: de-DE, fr-FR, it-IT, en-GB, nl, ru, uk, tr, he, zh
- Button sound (on/off)

Energy

- Automatic shut-off consumption with network switched on: 1 W
- Cooking zone 1 max. power: 11100 W
- Type of connection (1): 220-240 V~
- Type of connection (2): 380-415 V 2N~
- Type of connection (3): 380-415 V 3N~
- Frequency (1): 50-60 Hz
- Frequency (2): 5 0-60 Hz
- Frequency (3): 50-60 Hz
- Connected loads (1): 11.1 kW
- Connected loads (2): 7.4 kW
- Connected loads (3): 11.1 kW
- Fuse protection (1): 48 A
- Fuse protection (2): 16 A
- Fuse protection (3): 16 A
- Plug type: cable

Hobs

- Max. number of cookware: 6



Hob features

- AutoPowerPlus
- Hob category: Induction
- Operating time with shut-down function
- Residual heat indicator
- Timer
- Restore function
- Cooking zones: Flexible hob
- Power levels: 18
- Heating technology: induction cooking zones
- Glass surface protection

Functions

- Heating function
- AutoPowerPlus
- Childproof lock
- MemoryFunction
- Powerplus
- ProfessionalMode
- Teppan Yaki function
- Pause button
- Warming function
- Cleaning lock
- Melt function
- Simmer function

Additional data

- Feature level: 5

Preisschild Kochfelder

- Cooking zones: Flexible hob
- Powerplus
- Operating time with shut-down function
- Glass surface protection

Service and interfaces

- WLAN as standard: 802.11 b/g/n
- V-ZUG-Home
- Warranty: 2 years
- Interface: WLAN and Bluetooth