

DOWNDRAFT

Version

Benchtop 120 cm - Inox

Collection

DESIGNER SERIES - Design+

UC-600

Slim motor 600 m³/h

Collection

Accessories

EAN code

8034122708218



*The photograph is purely for information
It may not correspond to the selected version.*

FEATURES

Scotch-Brite stainless steel (AISI 304)

Perimeter suction

Touch control + 24 h function

LED lighting

Top filter, removable and washable

Optional remote control

Cut-out size: 89 cm x 1110 cm

OPTIONAL ACCESSORIES

KACL.815

Protective cleaning cloths for stainless steel (box 10 pcs)

TECHNICAL FEATURES

Installation type

Benchtop

Dimensions

120 cm

Finishing

Scotch brite stainless steel (AISI 304)

Type of control

Touch controls

Speed settings

4

Lighting

LED strip

Ambient lighting

LED strip

Filter

Metallic filter "Top" - 404x216 mm
- 2 pz

PACKAGING: WEIGHTS AND VOLUMES

DOWNDRAFT

Benchtop 120 cm - Inox

Gross weight

54 kg

Net weight

41 kg

Volume

0,39 m³

Packaging size

Length

1295 mm

Height

810 mm

Depth

370 mm

REMOTE MOTOR

Slim motor 600 m³/h

Gross weight

10 kg

Net weight

9 kg

Volumes

0,07 m³

Packaging size

Length

515 mm

Height

440 mm

Depth

320 mm

CONSUMPTION AND CONNECTION FEATURES

Maximum consumption

190 W

Current

220-240V

Frequency

50-60Hz

Plug type

Shuko

MOTOR TECHNICAL SHEET

Maximum capacity

630 m³/h

I.E.C. 61591

Maximum sound level

67 dB(A)re1pW

I.E.C.60704-2-13

Maximum pressure (Pa)

400 Pa

Maximum motor power

270 W

DOWNDRAFT

Version

Benchtop 120 cm - Inox

Collection

DESIGNER SERIES - Design+

UC-600



Slim motor 600 m³/h

Collection

Accessories

EAN code

8034122708218



DOWNDRAFT

Version

Benchtop 120 cm - Inox

Collection

DESIGNER SERIES - Design+

UC-600

Slim motor 600 m³/h

Collection

Accessories

EAN code

8034122708218

MOTOR TECHNICAL SHEET

Speed motor	1	2	3	4
Sound level dB(A)re1pW-I.E.C.60704-2-13	52	57	64	67
Capacity (m3/h) I.E.C.61591 Standardised ducting	325	330	550	630
Maximum pressure (Pa)	450	500	400	400
Power motor (W)	200	230	240	270
Air outlet	0	0	0	0