### XS4490FW 3/6 45CM X-PRO SERIES COLUMN WINE CELLAR,

# 45CM X-PRO SERIES COLUMN WINE CELLAR, 32 + 20 BOTTLE CAPACITY

























ANTI VIBRATIO





AVAILABLE WITH CUSTOM RAL
LEFT OR RIGHT COLOUR FINISHES



Pictured: XS4490FW3 with left hand hinge









Additional Extra - available in an optional 12 finishes:

# AN EXPRESSION OF QUALITY AND THE PINNACLE OF WINE PRESERVATION

For those who prefer a more robust aesthetic design and commercial feeling, Fhiaba has developed the X-Pro series of wine preservation models realising exceptional solutions to the Wine Cellar within the interior of the kitchen space, without the compromise of comfort, functionality and design excellence.

A great wine has to be stored in a special environment. The Fhiaba cellars have been designed to store fine wines under ideal conditions. Fhiaba knows as well as anyone the four enemies of wine are: temperature, humidity, light and vibrations. Significant attention is paid to creating appliances that protect wine from each of these elements.

#### **Friulian Crafted Shelves**

Crafted from the timber forests in Friuli, a village near the Veneto region, these shelves are made from high quality natural beechwood and are made by local Friulian craftsmen exclusively for Fhiaba. The angle of the shelves has been designed to improve the display of the labels, to make use of every inch of space of the Wine Cellar and to reserve the wine in the best way possible, including once the bottles have been opened.

For added versatility, our TRI-mode compartment can act as a fridge or freezer compartment. Exclusive Fhiaba technology makes it possible to combine the four "key variables" of refrigeration, to create and maintain perfectly balanced climates.

#### Accurate temperatures

Thanks to the numerous built-in sensors, the indicated temperature is always accurate.

#### Uniform ProVent Ventilation

The ProVent system uniformly distributes cold air to all parts of the fridge.

#### TriPro Refrigeration

The triple cooling system ensures each ingredient and dish gets the right micro-climate.

#### Humidity control

Our wine cellars offer three different humidity level settings: low, medium and high.

## XS4490FW 3/6

#### 45CM X-PRO SERIES COLUMN WINE CELLAR.

#### 32 + 20 BOTTLE CAPACITY **PRODUCT DETAIL**

#### **FEATURES**

- Meticulously designed & built to withstand prolonged use
- Available with left or right hand hinge options
- Provent: guarantees a homogeneous distribution of cold air and favours the deep use of the internal compartments.
- Our Classic design seamlessly blends into your kitchen
- Equilance: the variable fulcrum hinge allows the perfect flush installation and the total extraction of the internal shelves
- Smart-touch TFT controls manages and monitors the entire cellar operation process is simple to use.
- Digital temperature display for both upper and lower temperature zone
- Accurate temperatures. Thanks to the built-in thermostat, the temperature is always accurate
- Low vibration compressor
- Anti vibration system
- Insulated variable speed compressor maintains precision temperature control with minimal vibration
- Uniform temperature throughout allowing for better wine preservation conditions
- Fhiaba Link Device (FLD) available
- Deep capacity within a standard depth is achieved by a side-mounted evaporator, which leaves greater interior space
- Humidity control Our wine cellars offer three different humidity level settings: low, medium and high. This will also assist in your corks not drying out
- Satin scotch bright stainless steel exterior body AISI304

#### **INTERIOR**

- Complete anti-bacterial stainless steel interior
- LED lights specifically positioned within the sides of the cellar to ensure even light throughout, regardless of what is in the compartment
- Timber shelves crafted exclusively for Fhiaba from the timber forests in Friuli, Italy
- Wine cellar compartment 1: 8 wine shelves in natural oak wood
- Wine cellar compartment 2: 5 wine shelves in natural oak wood
- Shelf capacity 449: 4 bottles / 750ml: Fits burgundy and Bordeaux bottles
- Full extraction wine shelves with soft closing runners

#### **TEMPERATURE**

- Wine cellar compartment 1: from + 5 ° C to + 18 ° C
- Wine cellar compartment 2: from + 5 ° C to + 18 ° C

#### **DOOR**

- Dual-movement patented hinge, with self-balancing movement ensures stability and resistance
- Pivoting door hinge system enables the appliance to be built-in
- Three-layer glass door
- Soft closing hinge and door
- Door open alarm
- Door opening angle: 105°

#### NOISE

Noise level - 40db

#### **CAPACITY**

- 32 Bottles Wine Cellar: for storing wine ready to drink or to drink soon
- 20 Bottles Riserva: this compartment gives the option of modifying the humidity level as well as the storage temperature, to ensure the right environment for ageing.

#### **TECHNICAL**

- Uniform 2120mm height across all X-Pro models
- Energy consumption: 169kw/yr
- Net Weight: 141kg
- Power lead length: 2m
- Front and rear adjustable feet up to 25mm height

#### **ACCESSORIES**

- KCCMT Joining kit for separate upper grill
- XPRO TOP Single grille

**FOLLOW US ON:** 

fhiaba.com.au

/fhiaba\_refrigerationau/

Eurolinx Showrooms are open Tuesday - Friday 9am - 5pm, Saturday - 10am - 4pm, Sunday and Monday - closed\* \*Perth: Tuesday - Friday 10am - 4pm, Saturday, Sunday and Monday - closed

**NEW SOUTH WALES** (Head Office)

48-50 Moore Street

VICTORIA

2r/131 Church St, Hawthorn

QUEENSLAND 1/42 Cavendish Road

Coorparoo

**WESTERN AUSTRALIA** 

Unit 10/55 Howe Street Osborne Park

DISCLAIMER

Eurolinx PTY LTD, is continually seeking ways to improve the design specifications, aesthetics and production techniques of its products. As a result alterations to our products and designs take place continually. Whilst every effort is made to produce information and literature that is up to date, this brochure should not be regarded as an infallible guide to the current specifications, nor does it constitute an offer for the sale of any particular product. Product dimensions indicated in our literature is indicative only. Actual product only should be used to define dimension cut outs. Distributors, and retailers are not agents of Fhiaba and are not authorised to bind Fhiaba by any express or implied undertaking or representation.


# XS4490FW 3/6 45CM X-PRO SERIES COLUMN WINE CELLAR,


#### 32 + 20 BOTTLE CAPACITY

#### PRODUCT SPECIFICATIONS AND DIMENSIONS


**FRONT VIEW** 

**SIDE VIEW** 











#### **TOP VIEW,** HINGE 90°



#### **PLINTH SIZE**





For installation specifications, please consult with Fhiaba. For optimum installation, we recommend using the actual product as the best guide.

## **FOLLOW US ON:**

# 0F

#### 1D | 2M wine cellar

**D** = door

M = separate microclimates



/fhiaba\_refrigerationau/

Eurolinx Showrooms are open Tuesday - Friday 9am - 5pm, Saturday - 10am - 4pm, Sunday and Monday - closed\* \*Perth: Tuesday - Friday 10am - 4pm, Saturday, Sunday and Monday - closed

#### **NEW SOUTH WALES** (Head Office)

48-50 Moore Street

#### **VICTORIA**

2r/131 Church St, Hawthorn

#### **QUEENSLAND**

1/42 Cavendish Road

#### **WESTERN AUSTRALIA**

Unit 10/55 Howe Street Osborne Park


fhiaba.com.au


#### DISCLAIMER

Eurolinx PTY LTD, is continually seeking ways to improve the design specifications, aesthetics and production techniques of its products. As a result alterations to our products and designs take place continually. Whilst every effort is made to produce information and literature that is up to date, this brochure should not be regarded as an infallible guide to the current specifications, nor does it constitute an offer for the sale of any particular product. Product dimensions indicated in our literature is indicative only. Actual product only should be used to define dimension cut outs. Distributors, and retailers are not agents of Fhiaba and are not authorised to bind Fhiaba by any express or implied undertaking or representation.

# XS4490FW 3/6 45CM X-PRO SERIES COLUMN WINE CELLAR,








TECHNICAL DATA	
Niche Width A(mm)	450
Unit Width B(mm)	437
Unit Width with lateral frames C(mm)	449

#### **Electrical and Water connection**



For installation specifications, please consult with Fhiaba. For optimum installation, we recommend using the actual product as the best guide.

#### **FOLLOW US ON:**

/fhiaba\_refrigerationau/

fhiaba.com.au

Eurolinx Showrooms are open Tuesday - Friday 9am - 5pm, Saturday - 10am - 4pm, Sunday and Monday - closed\* \*Perth: Tuesday - Friday 10am - 4pm, Saturday, Sunday and Monday - closed

**NEW SOUTH WALES** (Head Office)

48-50 Moore Street Leichhardt

#### VICTORIA

2r/131 Church St, Hawthorn

#### **QUEENSLAND**

1/42 Cavendish Road Coorparoo

#### **WESTERN AUSTRALIA**

Unit 10/55 Howe Street Osborne Park

#### DISCLAIMER

Eurolinx PTY LTD, is continually seeking ways to improve the design specifications, aesthetics and production techniques of its products. As a result alterations to our products and designs take place continually. Whilst every effort is made to produce information and literature that is up to date, this brochure should not be regarded as an infallible guide to the current specifications, nor does it constitute an offer for the sale of any particular product. Product dimensions indicated in our literature is indicative only. Actual product only should be used to define dimension cut outs. Distributors, and retailers are not agents of Fhiaba and are not authorised to bind Fhiaba by any express or implied undertaking or representation.