


**Series 6, Gas cooktop, 75 cm,
Tempered Glass, Black
PPQ7A6I10A**



HEZ298105	Simmer plate
HEZ298107	Wok ring
HEZ298114	Small pot support
HEZ32WA00	Wireless food thermometer
HEZ9SE040	4 pieces Set
HEZ9SE060	6 pieces Set

The gas cooktop with precise flame control and easy cleaning thanks to detachable metallic control dials and dishwasher suitable cast iron pan supports.

- **FlameSelect:** adjust the gas flame precisely using nine defined levels.
- **Easy cleaning:** detachable knobs and dishwasher-suitable pan supports make cleaning a breeze.
- **Wok burner:** quick boiling or precise simmering.
- **Bevelled Glass:** a good-looking bevelled edge that protects you and the surface at the same time.
- **Single cast-iron pan supports:** for high firmness and easy handling.

Product name/family:gas hob w integrated controls
 Built-in / Free-standing: Built-in
 Energy input: Gas
 Total number of positions that can be used at the same time: 5
 Required niche size for installation (HxWxD): 45 x 560-560 x 480-490 mm
 Width of the appliance: 752 mm
 Dimensions (HxWxD): 54x752x520 mm
 Dimensions of the packed product (HxWxD): 168 x 798 x 596 mm
 Net weight: 18.9 kg
 Gross weight: 21.1 kg
 Residual heat indicator:separate
 Location of control panel: Front
 Basic surface material: Tempered Glass
 Color of surface:Black
 Color of frame:Black
 Length electrical supply cord: 100.0 cm
 EAN code:4242005496419
 Gas connection rating: 11500 W
 Fuse protection:3 A
 Voltage: 220-240 V
 Frequency: 50; 60 Hz



**Series 6, Gas cooktop, 75 cm,
Tempered Glass, Black
PPQ7A6I10A**

The gas cooktop with precise flame control and easy cleaning thanks to detachable metallic control dials and dishwasher suitable cast iron pan supports.

Design

- Black Tempered Glass surface
- Single pan supports, cast iron
- Metal control dials

Usage convenience

- FlameSelect (9 steps): precisely adjust the flame in nine defined and consistent levels.
- Sword control knobs, front: easily access knobs in front with strong grip for effortless turning.
- One-hand electronic ignition via controls: just push and turn the knob to ignite the flame.

Burners and power

- 5 Gas burners
- Left front: Economy burner up to 4 MJ/h (depending on gas type)
- Left rear: Standard burner up to 6.5 MJ/h (depending on gas type)
- Center front: Dual flame wok burner up to 15 MJ/h (depending on gas type)
- Right rear: High-speed burner up to 11 MJ/h (depending on gas type)
- Right front: Standard burner up to 6.85 MJ/h (depending on gas type)

Cleaning

- Removable control dials for easy cleaning between knobs.
- Dishwasher suitable pan supports for easy cleaning.

Safety

- Flame failure device fitted to each individual burner: prevents unwanted gas flow when flame goes out.


Installation (gas types & measurements)

- Preset of natural gas (10mbar)
- Nozzle set for Liquid gas nozzles (28-30/37mbar) included.
- Dimensions of the product (HxWxD mm): 54 x 752 x 520
- Required niche size for installation (HxWxD mm) : 45 x 560 x (480 - 490)
- Min. worktop thickness: 20 mm
- Power cord 1 m cable with plug

Accessories

- 1 x Wok attachment ring included

**Series 6, Gas cooktop, 75 cm,
Tempered Glass, Black
PPQ7A6I10A**



- * Minimum distance from the hob cut-out to the wall
 - ** Position of gas connection in the cut-out
 - *** With fitted oven underneath, possibly more; see space requirements for the oven
- measurements in mm