
QUICK REFERENCE GUIDE > RS6121SLK1 Date: 28.02.2025 > 1

61cm Series 11 Integrated Column Refrigerator

Series 11 | Integrated

Panel Ready | Left hinge



Install it separately or pair with another Column for true design freedom - this model is left hinge with a stylish stainless steel interior.


- ActiveSmart™ technology helps keep food fresher for longer by constantly maintaining the ideal temperature.
- Variable Temperature Zone lets you change a compartment to Fridge, Pantry or Chill for optimal storage
- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS

Height 2134 mm

Width 603 mm

Depth 610 mm



FEATURES & BENEFITS

Variable temperature zones

When it comes to optimal food preservation, one temperature does not fit all. Create the perfect climate for different food and drink types using Variable Temperature Zones. Change a compartment to Fridge, Pantry or Chill Mode for maximum everyday convenience, or change modes for additional capacity when you need it.

Pantry Mode

Not everything benefits from cold storage. Pantry Mode (11 to 13°C) is the perfect climate to store foods that benefit from a cool, dark place, including bread, many types of fruit, bananas, avocados, tomatoes, nuts, grains and cereals.

Mix & match

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customise to match your own kitchen cabinetry.

Clever Energy

Our ActiveSmart™ Foodcare Refrigerator Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigeratoruses the energy it needs without compromising on food care.

Appealing illumination

Bright LEDs light up each ceiling, shelves, bins and trays in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

Design quality

The premium design and quality finish includes a steel interior lining as well as full-extension metal shelf runners for easy access, and robust glass shelving.

Easy install

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

SPECIFICATIONS

Accessories (sold separately)

Handle kit Classic	AHCLRDSF	Gallon door shelves	1	Product dimensions		
Handle kit Contemporary round, aluminium	AHSRDSF	LED bin lighting	•	Depth	610 mm	
Handle kit Contemporary square fine, aluminium	AHD5RDSF	LED ceiling lighting	•	Height	2134 mm	
	< AHD5RDSFB	LED side lighting	•	Width	603 mm	
Handle kit Contemporary square fine, black		Smart appliance	•			
Handle kit Professional round flush	AHP3RDSF	Stackable bottle holders	4			
Joiner Kit	AJ-RS21LR			Product information		
Stainless steel door panel	RD6121L10D			Packaged weight	137 kg	
Toe kick stainless steel 1067mm	AKR\$10710	Installation Dimensions		Unpackaged weight	117 kg	
Toe kick stainless steel 1220mm	AKRS12210	Minimum inside width of cabinetry frame	610 mm	cpao.agea we.g	9	
Toe kick stainless steel 1372mm	AKRS13710	Minimum internal depth of cabinetry	635 mm		_	
Toe kick stainless steel 1828mm	AKRS18310	Minimum internal height of cabinetry	2134 mm	Warranty		
Toe kick stainless steel 1981mm	AKRS19810			Parts and labour	2 40040	
Toe kick stainless steel 610mm	AKRS06110		_		2 years	
		Performance		Sealed system parts only	5 years	
Capacity		ActiveSmart™ Foodcare	•			
Total gross capacity	383 L	Adaptive defrost	•			
Total gross capacity	351 L	Dual evaporator	•	SKU	26157	
Volume		Frost free	•			
Volume refrigerator	351 L	Humidity control system	•	The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020		
		Inverter controlled compressor	•			
Consumption		Noise emissions	42 dBA			
For a construction of	3.5 star	Noise emissions class	D			
Energy rating		Sabbath mode	•			
Energy usage	213kWh/year	Variable temperature zones	2			
In-use energy carbon emissions estimate	138.7kgCO2e/year			Other product downloads available at fisherp	aykel.com	
		B				
Features		Power requirements			Hinge	
Adjustable door shelves	4	Rated current	10 A		r	
Covered door shelves	1	Supply frequency	50 Hz			
	ı	Supply voltage	220 - 240 V	$\underline{\downarrow}$ 2D-DXF Integrated Column Refrigerator		
Door alarm	•			<u>↓</u> Energy Label		
						

QUICK REFERENCE GUIDE > RS6121SLK1 Date: 28.02.2025 > 3



Service & Warranty



Installation Guide Integrated Column Refrigerator



User Guide Integrated Refrigerator Freezer EN

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1300 650 590 Wwww.fisherpaykel.com