

**Refrigeration**

Top mount  
Bottom mount  
Side by side



# Australians love a Kelvinator

Kelvinator has kept its promise of delivering on performance and reliability to Australians for over 90 years.

## Quality you can trust

Kelvinator has built upon its trusted heritage to produce modern, easy-to-use fridges and freezers, proudly designed and made in Australia for Australian conditions. You can relax knowing Kelvinator has a refrigerator that's perfect for your needs and whichever one you choose, it will be with you for years to come.

Kelvinator fridges come in two fingerprint-resistant finishes. Choose from polar white or pacific silver, which gives you the stainless steel look at an affordable price.

## Top mount fridges

The classic fridge below freezer style maximises your fridge storage and has an easy to access freezer for everyday use.

## Bottom mount fridges

Ergonomic design has the fridge at eye level allowing convenient access to everyday items while the large freezer underneath stores all your frozen foods.

## Compact side by side fridge

A generous 610L storage capacity in a compact design to fit into a popular 900mm wide fridge cavity. With flexible interiors and an ample freezer, this family-sized fridge will cater for all your food storage needs.

## The greener choice

Kelvinator refrigerators have started converting over to the less harmful R600a refrigerant. That means every day, your refrigerator can quietly play its own part in reducing the household's impact on the environment.

**R600a**




Awarded Highly Commended in the 2012 Reader's Digest Trusted Brand for Whitegoods.





# Choosing the right refrigerator

The right type of refrigerator is the one which best suits your needs. Our checklist will help you choose the one that's right for you.

|                      |   | minimum recommended capacity |                             |                             |                             | door finish    |             | freezer position |        |     | door opening preference <sup>^</sup> |                                       | page no. |
|----------------------|---|------------------------------|-----------------------------|-----------------------------|-----------------------------|----------------|-------------|------------------|--------|-----|--------------------------------------|---------------------------------------|----------|
|                      |   | 280-399L<br>(1 to 2 people)  | 400-499L<br>(2 to 4 people) | 500-599L<br>(4 to 6 people) | 600L+<br>(6 or more people) | pacific silver | polar white | side             | bottom | top | opens to the left<br>(has -L suffix) | opens to the right<br>(has -R suffix) |          |
| compact side by side |    |                              |                             |                             | ✓                           | ✓              | ✓           | ✓                |        |     |                                      |                                       | 4-5      |
| top mount            |    | ✓                            | ✓                           | ✓                           |                             | ✓              | ✓           |                  |        | ✓   | ✓                                    | ✓                                     | 6-7      |
| bottom mount         |  | ✓                            | ✓                           | ✓                           |                             | ✓              | ✓           |                  | ✓      |     | ✓                                    | ✓                                     | 8-9      |

<sup>^</sup> For top mounts and bottom mounts the direction that the doors open must be specified at purchase (they cannot be reversed)

## Kelvinator recommendations:

1. When buying a fridge to fit a cavity or exact space, make certain you allow for air space to ensure your appliance operates at optimal performance (refer to page 11 for more details).
2. Make sure your fridge's interior is easy and quick to clean, spill safe shelves are a great way to contain accidents and being glass they just wipe clean. A cloth with warm soapy water is much more convenient than special chemicals or cleaning agents.
3. Make sure you have the right sized fridge for your needs (see above table). Rather than having a new fridge for daily use and older 'spare' fridge that is always on and drains power, it may pay to buy a bigger fridge to replace both.

## Side by side fridges

A generous 610L storage capacity in a compact design to fit into a popular 900mm wide by 600mm deep fridge cavity. With flexible interiors and an ample freezer, this family-sized fridge will cater for all your food storage needs.

Model shown: KSM6100WF

- ★ 1 Separate temperature controls for fridge and freezer
- ★ 2 Spill safe glass shelves
- ★ 3 Full width dairy compartment
- ★ 4 Humidity controlled crisper
- ★ 5 Adjustable door bins
- ★ 6 Freezer basket
- ★ 7 Easy clean surfaces\*

\*Simply wipe over interior and exterior with a warm soapy cloth, no chemicals needed.



## Side by side features†



| model specifications                               | KSM6100PF      | KSM6100WF   |
|--|----------------|-------------|
| total gross capacity (litres)                      | 610            | 610         |
| fridge compartment capacity (litres)               | 357            | 357         |
| freezer capacity (litres)                          | 249            | 249         |
| dimensions (h x w x d) mm                          | see page 11    | see page 11 |
| recommended clearances                             | see page 11    | see page 11 |
| exterior finishes available                        | pacific silver | polar white |
| frost free system                                  | ✓              | ✓           |
| separate temperature controls for fridge & freezer | ✓              | ✓           |
| <b>refrigerator features</b>                       |                |             |
| adjustable spill safe glass shelves                | 4              | 4           |
| humidity controlled crisper                        | ✓              | ✓           |
| dairy compartment with lid                         | ✓              | ✓           |
| full width deep door bins                          | 3              | 3           |
| full width shallow door bins                       | 1              | 1           |
| <b>freezer features</b>                            |                |             |
| adjustable glass shelves                           | 4              | 4           |
| full width wire baskets                            | 1              | 1           |
| adjustable door bins                               | 4              | 4           |
| <b>other features</b>                              |                |             |
| australian made                                    | ✓              | ✓           |
| adjustable front rollers                           | ✓              | ✓           |
| rear rollers                                       | ✓              | ✓           |
| energy star rating                                 | 2.5            | 2.5         |
| R600a Refrigerant                                  | ✓              | ✓           |
| energy consumption (kwh/year)                      | 605            | 605         |

† Refer to product information details on page 11. For further information on our Kelvinator refrigerator and freezer range, or to obtain dimension and installation requirements, please call 1300 363 640 or visit [kelvinator.com.au](http://kelvinator.com.au)



## Top mount fridges

The classic fridge below freezer style maximises your fridge storage and has an easy to access freezer for everyday use.

Model shown: KTM5200WB-R



- 1 Separate temperature controls for fridge and freezer
- 2 Spill safe glass shelves
- 3 Two dairy compartments
- 4 Full width clear freezer door bins
- 5 Two adjustable half width door bins
- 6 Adjustable full width door bins
- 7 Humidity controlled crispers
- 8 Easy clean surfaces\*

\*Simply wipe over interior and exterior with a warm soapy cloth, no chemicals needed.



## Top mount features†



| models  | KTM5200PC<br>KTM5200WB        | KTM4400WB      | KTM4200WB      | KTM3900PC<br>KTM3900WB        | KTM3600WB      |
|---|-------------------------------|----------------|----------------|-------------------------------|----------------|
| total gross capacity (litres)                         | 520                           | 440            | 420            | 390                           | 360            |
| food compartment capacity (litres)                    | 396                           | 339            | 313            | 302                           | 277            |
| freezer capacity (litres)                             | 122                           | 103            | 103            | 91                            | 91             |
| dimensions (h x w x d) mm                             | see page 11                   | see page 11    | see page 11    | see page 11                   | see page 11    |
| recommended clearances                                | see page 11                   | see page 11    | see page 11    | see page 11                   | see page 11    |
| exterior finishes available                           | pacific silver<br>polar white | polar white    | polar white    | pacific silver<br>polar white | polar white    |
| frost free system                                     | ✓                             | ✓              | ✓              | ✓                             | ✓              |
| separate temperature controls<br>for fridge & freezer | ✓                             | ✓              | ✓              | ✓                             | ✓              |
| <b>refrigerator features</b>                          |                               |                |                |                               |                |
| spill safe glass shelves                              | 3                             | 3              | 3              | 3                             | 3              |
| humidity controlled crisper                           | 2 x half width                | full width     | full width     | full width                    | full width     |
| dairy compartment with lid                            | 2 x half width                | 2 x half width | 2 x half width | 2 x half width                | 2 x half width |
| half width door bins                                  | 2                             | 2              | 2              | 2                             | 2              |
| full width deep door bins                             | 1                             | 1              | 1              | 1                             | 1              |
| full width shallow door bins                          | 1                             | 1              | 1              | 1                             | 1              |
| <b>freezer features</b>                               |                               |                |                |                               |                |
| adjustable wire shelves                               | 1                             | 1              | 1              | 1                             | 1              |
| full width freezer door bins                          | 2                             | 2              | 2              | 2                             | 2              |
| <b>other features</b>                                 |                               |                |                |                               |                |
| australian made                                       | ✓                             | ✓              | ✓              | ✓                             | ✓              |
| door opening  | left or right                 | left or right  | left or right  | left or right                 | left or right  |
| adjustable front rollers                              | ✓                             | ✓              | ✓              | ✓                             | ✓              |
| rear rollers  | ✓                             | ✓              | ✓              | ✓                             | ✓              |
| integration kit available (IK007)                     | ✓                             | ✓              | ✓              | ✓                             | ✓              |
| energy star rating (new)                              | 2.5                           | 2.5            | 2.5            | 2.5                           | 2.5            |
| energy star rating (on old scale)                     | 4.5                           | 4              | 4              | 4                             | 4              |
| energy consumption (kwh/year)                         | 518                           | 486            | 469            | 450                           | 440            |
| refrigerant   | R600a                         | R600a          | R600a          | R600a                         | R600a          |

† Refer to product information details on page 11. For further information on our Kelvinator refrigerator and freezer range, or to obtain dimension and installation requirements, please call 1300 363 640 or visit [kelvinator.com.au](http://kelvinator.com.au)



## Bottom mount fridges

Ergonomic design has the fridge at eye level allowing convenient access to everyday items while the large freezer underneath stores all your frozen foods.

Model shown: KBM5100WC-R



- 1 Separate temperature controls for fridge and freezer
- 2 Spill safe glass shelves
- 3 Two dairy compartments
- 4 Humidity controlled crispers
- 5 Two adjustable half width door bins
- 6 Adjustable full width door bins
- 7 Pizza shelf
- 8 Full width wire freezer baskets
- 9 Easy clean surfaces\*

\*Simply wipe over interior and exterior with a warm soapy cloth, no chemicals needed.





## Bottom mount features†



| models  | KBM5100PC<br>KBM5100WC        | KBM4300WB      | KBM3800PC<br>KBM3800WB        |
|---|-------------------------------|----------------|-------------------------------|
| total gross capacity (litres)                         | 510                           | 430            | 380                           |
| food compartment capacity (litres)                    | 349                           | 300            | 267                           |
| freezer capacity (litres)                             | 156                           | 131            | 114                           |
| dimensions (h x w x d) mm                             | see page 11                   | see page 11    | see page 11                   |
| recommended clearances                                | see page 11                   | see page 11    | see page 11                   |
| exterior finishes available                           | pacific silver<br>polar white | polar white    | pacific silver<br>polar white |
| frost free system                                     | ✓                             | ✓              | ✓                             |
| separate temperature controls<br>for fridge & freezer | ✓                             | ✓              | ✓                             |
| <b>refrigerator features</b>                          |                               |                |                               |
| spill safe glass shelves                              | 2                             | 2              | 2                             |
| humidity controlled crisper                           | 2 x half width                | full width     | full width                    |
| dairy compartment with lid                            | 2 x half width                | 2 x half width | 2 x half width                |
| half width door bins                                  | 2                             | 2              | 2                             |
| full width deep door bins                             | 1                             | 1              | 1                             |
| full width shallow door bins                          | 1                             | 1              | 1                             |
| <b>freezer features</b>                               |                               |                |                               |
| adjustable wire shelves                               | 1                             | 1              | 1                             |
| full width wire baskets                               | 2                             | 2              | 2                             |
| <b>other features</b>                                 |                               |                |                               |
| australian made                                       | ✓                             | ✓              | ✓                             |
| door opening  | left or right                 | left or right  | left or right                 |
| adjustable front rollers                              | ✓                             | ✓              | ✓                             |
| rear rollers  | ✓                             | ✓              | ✓                             |
| integration kit available (IK007)                     | ✓                             | ✓              | ✓                             |
| energy star rating (new)                              | 2.5                           | 2              | 1.5                           |
| energy star rating (on old scale)                     | 4                             | 3.5            | 3.5                           |
| energy consumption (kwh/year)                         | 532                           | 530            | 555                           |

† Refer to product information details on page 11. For further information on our Kelvinator refrigerator and freezer range, or to obtain dimension and installation requirements, please call 1300 363 640 or visit [kelvinator.com.au](http://kelvinator.com.au)

# Integrate your fridge without the fuss

## Easy and simple

The Kelvinator Integrated Refrigeration Kit offers a simple and precise solution for a seamless kitchen. The specialised Kelvinator hinges also allow the fridge door to open to a wide 120°, making it easier to access food as well as clean and remove shelves. Everything you need to integrate your fridge – including the hinges – is provided in one complete package, avoiding unnecessary running around and hidden costs.



Specialised 120° wide opening hinges





Blend seamlessly behind your cabinetry

### How does it work?


The kit is designed to fit a wide variety of Kelvinator fridges. It utilises a sliding system which fixes the outer door of the fridge to the kitchen cabinet. When the cabinet door is opened, the connecting rail opens the fridge in one smooth and simple motion.

Models that can be used with the IK007 Integration Kit:


|   |   |
|---|---|
|   | <b>Top Mount</b><br>KTM5200<br>KTM4400<br>KTM4200<br>KTM3900<br>KTM3600 |
|  | <b>Bottom Mount</b><br>KBM5100<br>KBM4300<br>KBM3800                    |

## Dimensions and installation guide

### Compact side by sides – KSM6100



### Top mounts and bottom mounts



| model   | max. door height (H) | cabinet height (H1) | total height (H2) | door width (W) | cabinet width (W1) | total depth (D) | cabinet depth (D1) | depth door open (D2) |
|---------|----------------------|---------------------|-------------------|----------------|--------------------|-----------------|--------------------|----------------------|
| KTM5200 | 1714                 | 1702                | 1720              | 803            | 790                | 703             | 612                | 1450                 |
| KTM4400 | 1714                 | 1702                | 1720              | 703            | 690                | 703             | 612                | 1350                 |
| KTM4200 | 1634                 | 1622                | 1640              | 703            | 690                | 709             | 612                | 1350                 |
| KTM3900 | 1714                 | 1702                | 1720              | 703            | 690                | 641             | 550                | 1288                 |
| KTM3600 | 1634                 | 1622                | 1640              | 703            | 690                | 641             | 550                | 1288                 |
| KBM5100 | 1714                 | 1702                | 1720              | 803            | 790                | 703             | 612                | 1450                 |
| KBM4300 | 1714                 | 1702                | 1720              | 703            | 690                | 703             | 612                | 1350                 |
| KBM3800 | 1714                 | 1702                | 1720              | 703            | 690                | 641             | 550                | 1288                 |



Electrolux  
**TOP SERVICE**  
Warranty

Top Service encompasses the after sales service provided by The Electrolux Group to consumers including delivery, home service and spare parts.

Electrolux Home Products warrants that for domestic application the Kelvinator refrigerators and freezers featured in this brochure are free from defects in materials and workmanship for 2 years from the date of first purchase (3 months for commercial applications), subject to the conditions set out in the warranty card accompanying the product when purchased.

#### †Product information

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products Pty Ltd will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Competition and Consumer Act 2010 (Australian Consumer Law and Regulations).



**Electrolux Home Products Australia**

telephone: 1300 363 640

fax: 1800 350 067

email: [customercare@electrolux.com.au](mailto:customercare@electrolux.com.au)

web: [kelvinator.com.au](http://kelvinator.com.au)

**Kelvinator. We are part of the Electrolux family.  
Share more of our thinking at [electrolux.com.au](http://electrolux.com.au)**



© 2012 Electrolux Home Products Pty Ltd  
KFRI\_Oct12



Printed on Monza Gloss Recycled Art stock containing  
55% recycled material & 45% from sustainable forests.