

Serie | 4 Hoods

**DFR067A50A**  
**60 cm Slideout Rangehood**



**The slideout rangehood practically disappears into your upper cabinet, giving you a sleek kitchen finish.**

- **Extraction rate:** at 740 m3/h, it quickly ensures optimal kitchen air quality.
- **LED lighting:** for perfect, energy-efficient illumination of the cooktop.
- **Intensive speed setting with reset:** automatically resets the hood to regular speed setting after 6 min.
- **Especially quiet:** just 50 dB (330 m3/h / level 2) - 150 mm ducted.

**Technical Data**

|                                                |                       |
|------------------------------------------------|-----------------------|
| Typology :                                     | Pull-out              |
| Approval certificates :                        | CE, VDE               |
| Length electrical supply cord (cm) :           | 175                   |
| Required niche size for installation (HxWxD) : | 385mm x 524mm x 290mm |
| Minimum distance above an electric hob :       | 430                   |
| Minimum distance above a gas hob :             | 650                   |
| Net weight (kg) :                              | 10.0                  |
| Type of control :                              | Electronic            |
| Number of speed settings :                     | 3                     |
| Maximum output air extraction (m3/h) :         | 400                   |
| Boost position output recirculating (m3/h) :   | 490                   |
| Maximum output recirculating air (m3/h) :      | 300                   |
| Boost position air extraction (m³/h) :         | 740                   |
| Number of lights :                             | 2                     |
| Noise level (dB) :                             | 55                    |
| Diameter of air outlet (mm) :                  | 120 / 150             |
| Grease filter material :                       | Washable aluminium    |
| EAN code :                                     | 4242002878133         |
| Connection Rating (W) :                        | 146                   |
| Current (A) :                                  | 10                    |
| Voltage (V) :                                  | 220-240               |
| Frequency (Hz) :                               | 50; 60                |
| Plug type :                                    | AU plug               |
| Installation typology :                        | Half-integrated       |



## Serie | 4 Hoods

### DFR067A50A

#### 60 cm Slideout Rangehood

**The slideout rangehood practically disappears into your upper cabinet, giving you a sleek kitchen finish.**

---

##### **Power and Mode of Operation**

- Maximum extraction 740 m3/h
- 3 power settings plus intensive setting
- Ducted and recirculated-air operation

##### **Design & Innovation**

- Appliance colour: Steel body, metallic finish
- Electronic controls with low-lift push buttons
- 2 x 3 Watt LED Lights

##### **Convenience**

- Intensive operation automatic revert - 6min
- Automatic run on - 10 min
- Noise min./max. Normal Level: 43/55 dB  
Noise max. Intensive setting: 68 dB
- Easy installation system

##### **Cleaning**

- Dishwasher safe metal grease filters

##### **Safety and Quality**

- EcoSilence BLDC brushless motor
- 2 year warranty

##### **Dimensions (HxWxD)**

- Appliance dimensions (HxWxD): 426 x 598 x 290 mm
- Built-in dimensions (HxWxD): 385 x 524 x 290 mm


##### **Technical Information**

- Power rating: 146 W
- Diameter pipe Ø 150 mm (Ø 120 mm enclosed)
- Accessories required for recirculation mode: CleanAir Module
- Install into a 60cm wide wall cupboard
- Drawer without handle, furniture lighting pelmet or profile panel (optional accessory) required
- Drawer without handle, furniture lighting pelmet or profile panel (optional accessory) required

## Serie | 4 Hoods


### DFR067A50A

### 60 cm Slideout Rangehood




Depth of the filter drawer can be adjusted by up to 29 mm


measurements in mm




measurements in mm




measurements in mm




measurements in mm



measurements in mm



measurements in mm

**Serie | 4 Hoods****DFR067A50A****60 cm Slideout Rangehood**

measurements in mm