
Franke is Swiss

Taps Collection 2009



Franke. For kitchens without compromise.







Planar Light TA 7800



Description	
Max	145 psi
Min	7.25 psi

 Min
 7.25 psi

 Max
 1000 kpa

 Min
 50 kpa


 Cut-out
 35ø

 WELS
 4 star / 7.5lpm

 Finish
 Chrome/ceramic cartridge

NOTE: It is recommended to install this tap with the Franke Tap Support Arm (see page 77).







Franke Taps Single Lever and Pull Out



The world's first passenger cable car went into operation in 1908, at the foot of the 3692 metre Wetterhorn near Grindelwald in the Bernese Oberland.

Franke Taps - a constant flow of clever ideas

Franke Taps are designed to compliment our entire sink range, they are superb in design and are manufactured with exceptional quality.




Quattro TA 6930



Description Max 72.5 psi Min 7.25 psi Max 500 kpa Min 50 kpa Cut-out 35ø WELS 6 star / 4.5lpm Finish Chrome/ceramic cartridge

NOTE: It is recommended to install this tap with the Franke Tap Support Arm (see page 77).







Eiger TA 6920




Description

Max	72.5 psi
Min	7.25 psi
Max	500 kpa
Min	50 kpa
Cut-out	35ø
WELS	6 star / 4.5lpm
Finish	Chrome/ceramic cartridge

NOTE: It is recommended to install this tap with the Franke Tap Support Arm (see page 77).







Esprit TA 6910




Description

Max Min	72.5 psi 7.25 psi
Max Min	500 kpa 50 kpa
Cut-out	35ø
WELS	6 star / 4.5lpm
Finish	Chrome/ceramic cartridge

NOTE: It is recommended to install this tap with the Franke Tap Support Arm (see page 77).








Planar TA 6900



Description	
Max	72.5 psi
Min	7.25 psi
Max	500 kpa
Min	50 kpa
Cut-out	35ø
WELS	6 star / 4.5lpm
Finish	Chrome/ceramic cartridge
Model	TA 6900 B Black
	TA 6900 W White

NOTE: It is recommended to install this tap with the Franke Tap Support Arm (see page 77).







Kubus TA 6800



Description Max


Finish

72.5 psi Min 7.25 psi Max 500 kpa 50 kpa Cut-out 35ø WELS 6 star / 4.5lpm

NOTE: It is recommended to install this tap with the Franke Tap Support Arm (see page 77).

Chrome/ceramic cartridge







Cubex TA 6810




Description

Max Min	72.5 psi 7.25 psi
	· · · · · · · · · · · · · · · · · · ·
Max	500 kpa
Min	50 kpa
Cut-out	35ø
WELS	6 star / 4.5lpm
Finish	Chrome/ceramic cartridge

NOTE: It is recommended to install this tap with the Franke Tap Support Arm (see page 77).







Alto TA 6820




Description

Max	72.5 psi
Min	7.25 psi
Max	500 kpa
Min	50 kpa
Cut-out	35ø
WELS	6 star / 4.5lpm
Finish	Chrome/ceramic cartridge

NOTE: It is recommended to install this tap with the Franke Tap Support Arm (see page 77).






Spyra TA 7820



Description

Max	145 psi
Min	7.25 psi
Max	1000 kpa
Min	50 kpa
Cut-out	35ø
WELS	4 star / 7.5lpm
Finish	Chrome/ceramic cartridge

NOTE: It is recommended to install this tap with



Evolution TA 770




Description Max 145 psi Min 7.25 psi Max 1000 kpa Min 50 kpa Cut-out 35ø WELS 4 star / 7lpm

Chrome/ceramic cartridge

Finish








Eos TA 7830



Description	
Max	145 psi
Min	7.25 psi
Max	1000 kpa
Min	50 kpa
Cut-out	35ø
WELS	4 star / 7.5lpm
Finish	Chrome/ceramic cartridge
NOTE: It is rec	ommended to install this tap with

the Franke Tap Support Arm (see page 77).






Niagra TA 780S



Description		
Max	145 psi	
Min	7.25 psi	
Max	1000 kpa	
Min	50 kpa	
Cut-out	35ø	
WELS	4 star / 7.5lpm	
Finish	Chrome/ceramic cartridge	

NOTE: It is recommended to install this tap with the Franke Tap Support Arm (see page 77).




Zambesi TA 780R



Description

Max Min	145 psi 7.25 psi
Max Min	1000 kpa 50 kpa
Cut-out	35ø
WELS	4 star / 7.5lpm
Finish	Chrome/ceramic cartridge

NOTE: It is recommended to install this tap with the Franke Tap Support Arm (see page 77).






Pacific TA 8800



Description	
Max Min	145 psi 7.25 psi
Max Min	1000 kpa 50 kpa
Cut-out	35ø
WELS	4 star / 7.5lpm
Finish	Chrome/ceramic cartridge







Coral TA 8810



Description	
Max	145 psi
Min	7.25 psi
Max	1000 kpa
Min	50 kpa
Cut-out	35ø
WELS	4 star / 7.5lpm
Finish	Chrome/ceramic cartridge






Topaz TA 750



Description	
Max	145 psi
Min	7.25 psi
Max	1000 kpa
Min	50 kpa
Cut-out	35ø
WELS	3 star / 9lpm
Finish	Chrome/ceramic cartridge





Giada TA 700



Description

Description	
Max	145 psi
Min	7.25 psi
Max	1000 kpa
Min	50 kpa
Cut-out	35ø
WELS	3 star / 9lpm
Finish	Chrome/ceramic cartridge











Description	
Dimensions	100 x 70mm
Finish	Plastic
Note:	Not suitable for some pull-out taps

Chrome/ceramic cartridge

NOTE: It is recommended to install this tap with

Finish





Franke pull out Taps - a constant flow of clever ideas

Food preparation becomes an absolute pleasure with the extended reach of the Franke pull out Tap range. Perfect for filling large pots and pans the pull out Taps give you the flexibilty you need.




Pyra Light TA 6841



Description Max 72.5 psi Min 7.25 psi Max 500 kpa Min 50 kpa Cut-out WELS 6 star / 4.5lpm Finish Chrome/ceramic cartridge with extractable hand spray.

NOTE: The Pyra Light has a unique water generated coloured light that changes progressively from **BLUE** for cold to **RED** for hot indicating the water temperature as seen in the picture opposite page.






Pyra TA 6831



Description

Max	72.5 psi
Min	7.25 psi
Max	500 kpa
Min	50 kpa
Cut-out	35ø
WELS	6 star / 4.5lpm
Finish	Chrome/ceramic cartridge with extractable hand spray







Kubus TA 6801



lvaila	hla	throu	αh	stor	-bict	onli


Description
Max
Min

7.25 psi Max 500 kpa Min 50 kpa Cut-out 35ø WELS 6 star / 4.5lpm Finish Chrome/ceramic cartridge

with extractable hand spray.

72.5 psi








Angolo TA 6811



Desc	ript	tion

Max	72.5 psi
Min	7.25 psi
Max	500 kpa
Min	50 kpa
Cut-out	35ø
WELS	6 star / 4.5lpm
Finish	Chrome/ceramic cartridge with extractable hand spray.






Azimut TA 7811



Description	
Max	145 psi
Min	7.25 psi
Max	1000 kpa
Min	50 kpa
Cut-out	35ø
WELS	4 star / 7.5lpm
Finish	Chrome/ceramic cartridge with extractable hand spray.






Corniola TA 721



Description		
Max	145 psi	
Min	7.25 psi	
Max	1000 kpa	
Min	50 kpa	
Cut-out	35ø	
WELS	4 star / 7.5lpm	
Finish	Chrome/ceramic cartridge with extractable hand spray.	






Zemp TA 641



Description	
Max	72.5 psi
Min	7.25 psi
Max	500 kpa
Min	50 kpa
Cut-out	35ø
WELS	6 star / 4.5lpm
Finish	Chrome/ceramic cartridge with extractable hand spray.





Evolution TA 771



Description	
Max	145 psi
Min	7.25 psi
Max	1000 kpa
Min	50 kpa
Cut-out	35ø
WELS	4 star / 7.5lpm
Finish	Chrome/ceramic cartridge with extractable hand spray.






Mythos Chrome TA 621



72.5 psi
7.25 psi
500 kpa
50 kpa
35ø
6 star / 4.5lpm
Chrome/ceramic cartridge with extractable hand spray.

NOTE: It is recommended to install this tap with the Franke Tap Support Arm (see page 77).






Mythos Inox TA 631




Description		
Max	72.5 psi	
Min	7.25 psi	
Max	500 kpa	
Min	50 kpa	
Cut-out	35ø	
WELS	6 star / 4.5lpm	
Finish	Satin/ceramic cartridge with extractable hand spray.	

NOTE: It is recommended to install this tap with the Franke Tap Support Arm (see page 77).





Professional TA 781






SD23 Liquid soap dispenser




Description	
Dimensions	55 x 100mm
Description	Soap dispenser
Cut-out	ø32mm
Model	SD23
Includes	Refill under sink container
Finish	Chrome



SD55 Liquid soap dispenser




Description	
Dimensions	80 x 75mm
Description	Soap dispenser
Cut-out	ø25mm
Model	SD55
Includes	Refill under sink container
Finish	Chrome



SD 319 Liquid soap dispenser



Description	
Dimensions	45 x 100mm
Description	Soap dispenser
Cut-out	ø25mm
Model	SD 319
Includes	Refill under sink container
Finish	Chrome




Kitchen scale IKS 2000







Description	
Dimensions	212 x 212mm
Description	Fully electronic micro processor scale
Cut-out	195 x 195mm, cr = 6
Model	IKS 2000
Finish	Satin



Inox Creme/Twister




Description	
Dimensions	PVC 250g tube
Description	Highly effective stainless steel cleaner.
Model	Inox Creme
Includes	Box of 10 tubes



Description Dimensions 300g tub Description Inox Twister is a highly effective stainless steel cleaner in a ready to use applicator. Model Inox Twister Includes Box of 12



Spazio Plumbing Kit



Description	
Description	The solution to installing two and three bowl sinks into one flush fitted outlet.
Model	Spazio Plumbing Kit
Finish	Grey PVC



Franke is Swiss

There's a lot more to Franke – sinks, taps, appliances, waste management systems and accessories.

Available at leading electrical, plumbing and kitchen retailers.

Franke Australia Pty Ltd

ABN 13 084 966 496

1263 Ferntree Gully Road

Scoresby Vic 3179

Tollfree 1800 372 653

Fax 1300 372 653

www.franke.com.au

As our policy is one of continual improvement, the manufacturers reserve the right to alter specifications without notice.



